

South Region

1997

Issued April 2000

EC97TCF-REG(2)

1997 Economic Census


Transportation

1997 Commodity Flow Survey



U.S. Department of Transportation
BUREAU OF TRANSPORTATION STATISTICS

U.S. Department of Commerce
Economics and Statistics Administration
U.S. CENSUS BUREAU



ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of **John L. Fowler**, Chief, Commodity Flow Survey Branch, assisted by **Wanda Dougherty, Debra Corbett, Bruce Dembroski, Shirley Gray, Michael Jones, Stephanie Kelley, Mabel Ocasio, Bonnie Opalko, Joyce Price, Barbara Selinske, Eli Serrano, and Michael Sprung**. Sample design and statistical methodology were developed under the general direction of **Howard Hogan** and **Carl A. Konschnik**, former Assistant Chiefs, and **Ruth E. Detlefsen**, current Assistant Chief, Research and Methodology. Sample design and estimation were under the supervision of **Patrick Cantwell**, former Chief, and **Jock Black**, current Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., David L. Kinyon, Jacklyn R. Jonas, and M. Cristina Cruz**. Frame construction, sample control, imputation, and quality control procedures were developed under the supervision of **Carol King**, Chief, Statistical Methods Branch, assisted by **James Hunt**.

The processing system and computer programs were developed and implemented by the OAO programming group, led by **Jacques Wilmore** and assisted by **Harold N. Bobbitt** and **Robert J. Jeffrey**. **Steve G. McCraith**, Chief, Quintennial Surveys Branch, Economic Statistical Methods and Programming Division and **Joseph F. Keehan** provided general support.

Coordination of data collection efforts was under the direction of **Judith N. Petty**, Chief, National Processing Center, assisted by **Matthew Aulbach, Linda Broadus, Grant Goodwin, Carlene Bottorff, Teresa Branstetter, and Jack Miller**.

The staff of the Administrative and Customer Services Division, **Walter C. Odom**, Chief, performed planning, design, composition, editorial review, and printing planning and procurement for the publications, Internet products, and report forms.

Margaret A. Smith provided publication coordination and editing.

We also acknowledge the contributions of the following Department of Transportation (DOT) representatives in the overall planning and design of the survey: **Rolf Schmitt**, Associate Director for Transportation Studies, Bureau of Transportation Statistics, assisted by **Susan Lapham, Russ Capelle, Ronald J. Duych, and Felix Ammah-Tagoe**.

The Oak Ridge National Laboratory's Center for Transportation Analysis, under the former and current direction of **Mike Bronzini** and **David Greene**, respectively, provided all mileage data for this report, using its transportation network modeling system, under the supervision of **Frank Southworth** and assisted by **Shih-Miao Chin, Bruce Peterson, Jane Rollow, and Angela Gibson**.

Special acknowledgment is also due to the many businesses whose cooperation was essential to the publication of these data.

South Region

1997

EC97TCF-REG(2)

Issued April 2000

1997 Economic Census

Transportation

1997 Commodity Flow Survey



**U.S. Department of
Transportation**
Rodney E. Slater,
Secretary
Mortimer L. Downey,
Deputy Secretary

**BUREAU OF TRANSPORTATION
STATISTICS**
Dr. Ashish Sen,
Director
Rick Kowalewski,
Deputy Director
Rolf R. Schmitt,
Associate Director for
Transportation Studies



U.S. Department of Commerce
William M. Daley,
Secretary
Robert L. Mallett,
Deputy Secretary

**Economics
and Statistics
Administration**
Robert J. Shapiro,
Under Secretary for
Economic Affairs

U.S. CENSUS BUREAU
Kenneth Prewitt,
Director



**Economics
and Statistics
Administration**

Robert J. Shapiro,
Under Secretary
for Economic Affairs



U.S. CENSUS BUREAU

Kenneth Prewitt,
Director
William G. Barron,
Deputy Director
Paula J. Schneider,
Principal Associate Director
for Programs
Frederick T. Knickerbocker,
Associate Director
for Economic Programs
Thomas L. Mesenbourg,
Assistant Director
for Economic Programs
Carole A. Ambler,
Chief, Service Sector
Statistics Division



**BUREAU OF TRANSPORTATION
STATISTICS**

Dr. Ashish Sen,
Director
Rick Kowalewski,
Deputy Director
Rolf R. Schmitt,
Associate Director for
Transportation Studies

CONTENTS

| | |
|---|---|
| Introduction to the Economic Census | 1 |
| 1997 Commodity Flow Survey | 3 |

TABLES

| | |
|---|----|
| 1a. Shipment Characteristics by Mode of Transportation for the Region: 1997 | 9 |
| 1b. Shipment Characteristics by Mode of Transportation for the Region: 1997 and 1993 | 9 |
| 1c. Shipment Characteristics by Mode of Transportation for the Region: Percent of Total for 1997 and 1993 | 10 |
| 2. Shipment Characteristics by Total Modal Activity for the Region: 1997 | 10 |
| 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997 | 11 |
| 4. Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997 | 14 |
| 5. Shipment Characteristics by Two-Digit Commodity for the Region: 1997 | 17 |
| 6. Shipment Characteristics by Three-Digit Commodity for the Region: 1997 | 18 |
| 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997 | 21 |
| 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997 | 36 |
| 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997 | 42 |
| 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997 | 48 |

APPENDIXES

| | |
|--|-----|
| A. Comparability With the 1993 Commodity Flow Survey | A-1 |
| B. Reliability of the Estimates | B-1 |
| C. Sample Design, Data Collection, and Estimation | C-1 |
| D. Standard Classification of Transported Goods Code Information | D-1 |
| E. Sample Report Forms and Instructions | E-1 |

Introduction to the Economic Census

PURPOSES AND USES OF THE ECONOMIC CENSUS

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in 2 and 7.

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the Federal Government use the data to monitor economic activity and assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

BASIS OF REPORTING

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

AVAILABILITY OF ADDITIONAL DATA

Reports in Print and Electronic Media

All results of the 1997 Economic Census are available on the Census Bureau Internet site (www.census.gov) and on compact discs (CD-ROM) for sale by the Census Bureau. Unlike previous censuses, only selected highlights are

published in printed reports. For more information, including a description of electronic and printed reports being issued, see the Internet site, or write to U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-457-4100.

HISTORICAL INFORMATION

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some covering service trades in 1933. Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated: providing comparable census data across economic sectors, using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census questionnaires.

The range of industries covered in the economic censuses expanded between 1967 and 1992. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity.

Printed statistical reports from the 1992 and earlier censuses provide historical figures for the study of long-term time series and are available in some large libraries. All of the census reports printed since 1967 are still available for sale on microfiche from the Census Bureau. CD-ROMs issued from the 1987 and 1992 Economic Censuses contain databases including nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

SOURCES FOR MORE INFORMATION

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the *Guide to the 1997 Economic Census and Related Statistics* at www.census.gov/econguide. More information on the methodology, procedures, and history of the censuses will be published in the *History of the 1997 Economic Census* at www.census.gov/econ/www/history.html.

1997 Commodity Flow Survey

GENERAL

The 1997 Commodity Flow Survey (CFS) is undertaken through a partnership between the Bureau of the Census, U.S. Department of Commerce, and the Bureau of Transportation Statistics, U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and selected retail establishments. The CFS was last conducted in 1993. See the Comparability With the 1993 Commodity Flow Survey table (Appendix A) for a comparison between the 1997 and 1993 surveys. The data from the CFS are used by public policy analysts and for transportation planning and decision-making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns.

This report presents data for the four Census Regions and nine Census Divisions. Additional reports include data for the United States, states, and selected metropolitan areas, as well as selected data on exports and hazardous material shipments.

INDUSTRY COVERAGE

The 1997 CFS covers business establishments in mining, manufacturing, wholesale trade, and selected retail industries. The survey also covers selected auxiliary establishments (e.g., warehouses) of in-scope multiunit and retail companies. The survey coverage excludes establishments classified as farms, forestry, fisheries, governments, construction, transportation, foreign establishments, services, and most establishments in retail.

The industries covered, as defined in the 1987 Standard Industrial Classification Manual (SIC), are listed in the following table:

| SIC code | Title |
|-------------|--|
| 10, ex. 108 | Metal mining (excluding metal mining services) |
| 12, ex. 124 | Coal mining (excluding coal mining services) |
| 13 | Oil and gas extraction ¹ |
| 14, ex. 148 | Mining and quarrying of nonmetallic minerals, except fuels (excluding nonmetallic minerals services) |
| 20 | Food and kindred products |
| 21 | Tobacco products |
| 22 | Textile mill products |
| 23 | Apparel and other finished products made from fabrics and similar materials |
| 24 | Lumber and wood products, except furniture |
| 25 | Furniture and fixtures |
| 26 | Paper and allied products |
| 27, ex. 279 | Printing, publishing, and allied industries (excluding service industries for the printing trade) |
| 28 | Chemicals and allied products |
| 29 | Petroleum refining and related industries |
| 30 | Rubber and miscellaneous plastics products |
| 31 | Leather and leather products |
| 32 | Stone, clay, glass, and concrete products |
| 33 | Primary metal industries |
| 34 | Fabricated metal products, except machinery and transportation equipment |
| 35 | Industrial and commercial machinery and computer equipment |
| 36 | Electronic and other electrical equipment and components, except computer equipment |
| 37 | Transportation equipment |
| 38 | Measuring, analyzing, and controlling instruments; photographic, medical and optical goods; watches and clocks |
| 39 | Miscellaneous manufacturing industries |
| 50 | Wholesale trade—durable goods |
| 51 | Wholesale trade—nondurable goods |
| 596 | Catalog and mail-order houses |

¹We included establishments classified in SIC 13, Oil and Gas Extraction, in the initial coverage of the 1997 CFS. However, because of unresolved industry-wide reporting issues, we have removed shipments from these establishments from our 1997 CFS tabulations. The data collected from these establishments will be used as input to a special report at a later date.

Similarly, because establishments in SIC 13 are responsible for the overwhelming number of shipments classified in SCTG 16, Crude Petroleum, we have removed all shipments with SCTG 16 from the 1997 CFS publication results.

SHIPMENT COVERAGE

The CFS captures data on shipments originating from selected types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the port of exit from the U.S.

The "Industry Coverage" section of the text lists the SIC groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture, government, and retail (other than warehouses and SIC 5961, Catalog and Mail-Order Houses). For agriculture specifically, this means that the CFS did not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators onward.

MILEAGE CALCULATIONS

To compute shipment mileages for the 1997 CFS, The Center for Transportation Analysis (CTA) at Oak Ridge National Laboratory (ORNL) developed an integrated, intermodal transportation network modeling system. A secure data site was setup at ORNL to process census-supplied files containing data elements for individual CFS shipment records. Each record contained the ZIP Code of shipment origin and destination, and the mode or mode sequence reported. Each record also contained information on the type of commodity moved, its weight, dollar value and whether containerized or a hazardous material. Export shipments were also identified on the records, along with data on U.S. port of exit and foreign destination city and country. Encrypted data files were transmitted and returned from ORNL after processing, with turnaround of most files on a week-by-week basis. In this manner many shipment-specific data problems encountered by ORNL in their routing procedures were reported back to census in a timely fashion, allowing census to call back some shippers and thereby confirm, correct, or recover missing or otherwise unusable data. The ORNL system computed mileages, by mode, for all single modes and for any reported

multimodal sequence. This was done for any origin-destination pair of domestic ZIP Code locations, and for any internal ZIP Code of origin, via U.S. export port, to foreign (export) destination. Mileages between origin-destination ZIP Code centroids were computed by finding the minimum impedance path over mathematical representations of the highway, rail, waterway, air, and pipeline networks and then summing the lengths of individual links on these paths. Impedance is computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of individual modal-specific networks representing each of the major transportation modes—highway, rail, waterway, air, and pipeline. The links of these specific modal networks are the representation of line-haul transportation facilities. The nodes represent intersections and interchanges, and the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database for the purpose of connecting the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of link characteristics for the highway network included speed impacting factors, such as the presence of divided or undivided roadway, the degree of access control, rural or urban setting, type of pavement, number of lanes, degree of urban congestion, and length of the link. Link impedance measures are also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through such a transfer. In the case of rail and air freight, intercarrier transfer penalties are also considered in order to obtain proper route selections. A minimum path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of the local access plus line-haul links on this path provides the estimated shipment distance. When rail was involved these shipment distances may be averaged over more than one path between an origin-destination pair.

Mileage Data for Pipeline Shipments

In the tables, we do not show ton-miles or average miles per shipment for pipeline shipments. For most of these shipments, the respondents reported the shipment

destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

DISCLOSURE RULES

In accordance with Federal law governing Census Bureau reports, no data are published that would disclose the operations of an individual firm or establishment.

EXPLANATION OF TERMS

Average miles per shipment. For the 1993 CFS, we excluded shipments of STCC 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term "shipment."

For the 1997 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment calculations for the 1997 CFS.

Commodity. Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment's operation. Respondents reported the description and the five-digit SCTG code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

Distance shipped. In some tables, shipment data are presented for various "distance shipped" intervals. Shipments were categorized into these "distance shipped" intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., ton-miles and average miles per shipment) are based on the mileage calculations produced by Oak Ridge National Laboratories. (See the "Mileage Calculations" section for more details.)

Great circle distance. The shortest distance between two points on the earth's surface.

Mode of transportation. The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

Mode Definitions

In the instructions to the respondent, we defined the possible modes as follows:

1. **Parcel delivery/courier/U.S. Postal Service.** Delivery services, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
4. **Railroad.** Any common carrier or private railroad.
5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
7. **Pipeline.** Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.
8. **Air.** Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
9. **Other mode.** Any mode not listed above.
10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

1. **Air (includes truck and air).** Shipments that used air or a combination of truck and air.
2. **Single modes.** Shipments using only one of the above-listed modes, except parcel or other and unknown.
3. **Multiple modes.** Parcel, U.S. Postal Service or courier shipments or shipments for which two or more of the following modes of transportation were used:

Private truck
For-hire truck
Rail
Shallow draft vessel
Deep draft vessel
Pipeline

We did not allow for multiple modes in combination with “parcel, U.S. Postal Service or courier,” “unknown,” or “other.” By their nature, these shipments may already include various kinds of multiple-mode activity. For example, if the respondent reported a shipment’s mode of transportation as parcel and air, we treated the shipment as parcel only.

4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as “Other” or “Unknown.”
6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as “Other multiple modes.”
8. **Great Lakes.** In the tables in this publication, “Great Lakes” appears as a single mode. ORNL’s transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes (see the “Mileage Calculations” section for more details).

Other Definitions and Terms

Shipment. A shipment (or delivery) is an individual movement of commodities from an establishment to a customer or to another location of the originating company (including a warehouse, distribution center, retail or wholesale outlet). A shipment uses one or more modes of transportation including parcel delivery, U.S. Postal Service, courier, private truck, for-hire truck, rail, water, pipeline, air, and other modes.

Standard Classification of Transported Goods (SCTG)

The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized System to address statistical needs in regard to products transported.

Ton-miles. The weight times the mileage for a shipment. The respondents reported shipment weight in pounds, as described below. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States

exclude any mileages through Canada (see the “Mileage Calculations” section for more details). Aggregated pound-miles were converted to ton-miles. The ton-miles data are displayed in millions.

Tons shipped. The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). The tons data are displayed in thousands.

Total modal activity. The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

Value of shipments. The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in the tables for this publication:

| | |
|--------|---|
| D | Denotes figures withheld to avoid disclosing data for individual companies. |
| - | Represents zero or less than 1 unit of measure. |
| S | Data do not meet publication standards due to high sampling variability or other reasons. |
| CFS | Commodity Flow Survey. |
| lb | Pounds. |
| n.e.c. | Not elsewhere classified. |
| NA | Not applicable. |
| n.o.s. | Not otherwise specified. |

OTHER TRANSPORTATION DATA

Users of transportation data may be especially interested in the following reports:

Economic Census: Transportation Sector covers establishments that provide passenger and freight transportation to the general public, government, or other businesses.

Published data include kind of business, geographic location, total operating revenue, annual and first quarter payroll, and number of employees for pay period including March 12.

Vehicle Inventory and Use Survey covers state and U.S. level statistics on the physical and operational characteristics of the Nation's truck, van, minivan, and sport utility vehicle population. Some of the types of data collected include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 1997 and 1992 for most characteristics.

Transportation Annual Survey covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected

include operating revenue and operating revenue by source, total expenses percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

All results of the 1997 Economic Census are available on the Census Bureau Internet site <http://www.census.gov> and on compact discs (CD-ROM).

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the website or call Customer Services at 301-457-4100.

Table 1a. Shipment Characteristics by Mode of Transportation for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|-----------------------------|---------|-----------------------|---------|----------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| All modes | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 | 378 |
| Single modes | 2 038 992 | 86.8 | 4 233 899 | 94.8 | 879 767 | 91.8 | 174 |
| Truck ¹ | 1 752 338 | 74.6 | 2 897 569 | 64.9 | 389 081 | 40.6 | 145 |
| For-hire truck | 988 765 | 42.1 | 1 273 125 | 28.5 | 272 585 | 28.4 | 472 |
| Private truck | 749 237 | 31.9 | 1 581 694 | 35.4 | 111 987 | 11.7 | 61 |
| Rail | 128 838 | 5.5 | 623 860 | 14.0 | 302 617 | 31.6 | 736 |
| Water | 45 741 | 1.9 | 326 956 | 7.3 | 138 554 | 14.5 | 486 |
| Shallow draft | 36 111 | 1.5 | 259 968 | 5.8 | 94 063 | 9.8 | 265 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 9 630 | .4 | 66 988 | 1.5 | 44 492 | 4.6 | 1 683 |
| Air (includes truck and air) | 47 304 | 2.0 | 913 | — | 1 092 | .1 | 1 147 |
| Pipeline ² | 64 772 | 2.8 | 384 602 | 8.6 | S | S | S |
| Multiple modes | 223 565 | 9.5 | 63 408 | 1.4 | 57 494 | 6.0 | 759 |
| Parcel, U.S. Postal Service or courier | 198 444 | 8.5 | 5 766 | .1 | 3 637 | .4 | 758 |
| Truck and rail | 21 009 | .9 | 16 102 | .4 | 13 505 | 1.4 | 1 078 |
| Truck and water | 2 078 | — | 17 716 | .4 | 19 772 | 2.1 | S |
| Rail and water | 388 | — | 12 703 | .3 | 6 785 | .7 | 502 |
| Other multiple modes | 1 646 | — | 11 121 | .2 | 13 795 | 1.4 | S |
| Other and unknown modes | 85 630 | 3.6 | 168 328 | 3.8 | 21 216 | 2.2 | 64 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Table 1b. Shipment Characteristics by Mode of Transportation for the Region: 1997 and 1993

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation | Value | | | Tons | | | Ton-miles | | | Average miles per shipment | | |
|--|---------------------------|---------------------------|-------------------|---------------------|---------------------|-------------------|--------------------|--------------------|-------------------|----------------------------|-------|-------------------|
| | 1997 (million dollars) | 1993 (million dollars) | Percent change | 1997 (thousands) | 1993 (thousands) | Percent change | 1997 (millions) | 1993 (millions) | Percent change | 1997 | 1993 | Percent change |
| All modes | 2 348 187 | 2 032 802 | 15.5 | 4 465 635 | 3 929 951 | 13.6 | 958 477 | 890 682 | 7.6 | 378 | 355 | 6.5 |
| Single modes | 2 038 992 | 1 800 048 | 13.3 | 4 233 899 | 3 621 999 | 16.9 | 879 767 | 777 348 | 13.2 | 174 | 163 | 6.6 |
| Truck ¹ | 1 752 338 | 1 580 401 | 10.9 | 2 897 569 | 2 449 369 | 18.3 | 389 081 | 325 627 | 19.5 | 145 | 137 | 5.7 |
| For-hire truck | 988 765 | 887 003 | 11.5 | 1 273 125 | 1 104 545 | 15.3 | 272 585 | 220 374 | 23.7 | 472 | 431 | 9.5 |
| Private truck | 749 237 | 679 012 | 10.3 | 1 581 694 | 1 336 256 | 18.4 | 111 987 | 104 057 | 7.6 | 61 | 54 | 11.7 |
| Rail | 128 838 | 102 092 | 26.2 | 623 860 | 629 752 | —.9 | 302 617 | 285 530 | 6.0 | 736 | 738 | —.4 |
| Water | 45 741 | 36 298 | 26.0 | 326 956 | 283 796 | 15.2 | 138 554 | 139 625 | —.8 | 486 | S | S |
| Shallow draft | 36 111 | 25 554 | 41.3 | 259 968 | 213 268 | 21.9 | 94 063 | 75 811 | 24.1 | 265 | S | S |
| Great Lakes | — | — | — | — | — | — | — | — | — | — | — | — |
| Deep draft | 9 630 | 10 744 | —10.4 | 66 988 | 70 529 | —5.0 | 44 492 | 63 814 | —30.3 | 1 683 | 2 136 | —21.2 |
| Air (includes truck and air) | 47 304 | 31 629 | 49.6 | 913 | 653 | 39.7 | 1 092 | 676 | 61.5 | 1 147 | 1 184 | —3.1 |
| Pipeline ² | 64 772 | 49 627 | 30.5 | 384 602 | 258 428 | 48.8 | S | S | S | S | S | S |
| Multiple modes | 223 565 | 166 162 | 34.5 | 63 408 | 98 739 | —35.8 | 57 494 | 82 535 | —30.3 | 759 | 726 | 4.5 |
| Parcel, U.S. Postal Service or courier | 198 444 | 137 114 | 44.7 | 5 766 | 5 086 | 13.4 | 3 637 | 3 185 | 14.2 | 758 | 724 | 4.7 |
| Truck and rail | 21 009 | 21 032 | .1 | 16 102 | 13 577 | 18.6 | 13 505 | 9 271 | 45.7 | 1 078 | 1 126 | —4.2 |
| Truck and water | 2 078 | 3 975 | —47.7 | 17 716 | 37 455 | —52.7 | 19 772 | 18 705 | 5.7 | S | 1 221 | S |
| Rail and water | 388 | 2 347 | —83.5 | 12 703 | 32 141 | —60.5 | 6 785 | 26 042 | —73.9 | 502 | 797 | —37.0 |
| Other multiple modes | 1 646 | 1 694 | —2.8 | 11 121 | S | S | 13 795 | S | S | 1 152 | S | S |
| Other and unknown modes ... | 85 630 | 66 592 | 28.6 | 168 328 | 209 213 | —19.5 | 21 216 | 30 799 | —31.1 | 64 | 143 | —55.2 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Table 1c. Shipment Characteristics by Mode of Transportation for the Region: Percent of Total for 1997 and 1993

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation | Value (percent) | | Tons (percent) | | Ton-miles (percent) | |
|--|-----------------|-------|----------------|-------|---------------------|-------|
| | 1997 | 1993 | 1997 | 1993 | 1997 | 1993 |
| All modes | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Single modes..... | 86.8 | 88.6 | 94.8 | 92.2 | 91.8 | 87.3 |
| Truck ¹ | 74.6 | 77.7 | 64.9 | 62.3 | 40.6 | 36.6 |
| For-hire truck | 42.1 | 43.6 | 28.5 | 28.1 | 28.4 | 24.7 |
| Private truck | 31.9 | 33.4 | 35.4 | 34.0 | 11.7 | 11.7 |
| Rail | 5.5 | 5.0 | 14.0 | 16.0 | 31.6 | 32.1 |
| Water | 1.9 | 1.8 | 7.3 | 7.2 | 14.5 | 15.7 |
| Shallow draft | 1.5 | 1.3 | 5.8 | 5.4 | 9.8 | 8.5 |
| Great Lakes..... | — | — | — | — | — | — |
| Deep draft | .4 | .5 | 1.5 | 1.8 | 4.6 | 7.2 |
| Air (includes truck and air) | 2.0 | 1.6 | — | — | .1 | — |
| Pipeline ² | 2.8 | 2.4 | 8.6 | 6.6 | S | S |
| Multiple modes | 9.5 | 8.2 | 1.4 | 2.5 | 6.0 | 9.3 |
| Parcel, U.S. Postal Service or courier | 8.5 | 6.7 | .1 | .1 | .4 | .4 |
| Truck and rail | .9 | 1.0 | .4 | .3 | 1.4 | 1.0 |
| Truck and water | — | .2 | .4 | 1.0 | 2.1 | 2.1 |
| Rail and water | — | .1 | .3 | .8 | .7 | 2.9 |
| Other multiple modes | — | — | .2 | S | 1.4 | S |
| Other and unknown modes | 3.6 | 3.3 | 3.8 | 5.3 | 2.2 | 3.5 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Table 2. Shipment Characteristics by Total Modal Activity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation ¹ | Ton-miles | | Average miles per shipment |
|--|-------------------|---------|----------------------------|
| | Number (millions) | Percent | |
| Total | 958 476 | 100.0 | 372 |
| Truck | 390 322 | 40.7 | 143 |
| Rail | 318 223 | 33.2 | 791 |
| Shallow draft | 111 970 | 11.7 | 362 |
| Great Lakes | 765 | — | 645 |
| Deep draft | 62 041 | 6.5 | 3 265 |
| Air | 1 009 | .1 | 1 065 |
| Parcel, U.S. Postal Service or courier | 3 637 | .4 | 758 |
| Pipeline | S | S | S |
| Other and unknown modes | 22 086 | 2.3 | 64 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹Data represent activity for a given mode across single and multiple mode shipments. For example, "Truck" ton-miles includes total ton-miles for shipments moving by truck only plus ton-miles for truck segments only of multiple mode shipments.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|-----------------------------|--------------|-----------------------|--------------|----------------------|--------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent |
| All modes | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 |
| Less than 50 miles | 700 923 | 29.8 | 2 511 658 | 56.2 | 52 662 | 5.5 |
| 50 to 99 miles | 194 150 | 8.3 | 473 095 | 10.6 | 45 119 | 4.7 |
| 100 to 249 miles | 401 175 | 17.1 | 603 269 | 13.5 | 141 467 | 14.8 |
| 250 to 499 miles | 380 848 | 16.2 | 439 301 | 9.8 | 211 085 | 22.0 |
| 500 to 749 miles | 250 063 | 10.6 | 203 828 | 4.6 | 171 747 | 17.9 |
| 750 to 999 miles | 154 108 | 6.6 | 121 213 | 2.7 | 132 190 | 13.8 |
| 1,000 to 1,499 miles | 162 475 | 6.9 | 85 265 | 1.9 | 137 318 | 14.3 |
| 1,500 to 1,999 miles | 61 079 | 2.6 | 18 731 | .4 | 41 241 | 4.3 |
| 2,000 miles or more | 43 367 | 1.8 | 9 275 | .2 | 25 647 | 2.7 |
| Single modes | 2 038 992 | 100.0 | 4 233 899 | 100.0 | 879 767 | 100.0 |
| Less than 50 miles | 624 279 | 30.6 | 2 373 802 | 56.1 | 49 661 | 5.6 |
| 50 to 99 miles | 179 172 | 8.8 | 465 968 | 11.0 | 44 382 | 5.0 |
| 100 to 249 miles | 362 470 | 17.8 | 568 018 | 13.4 | 131 557 | 15.0 |
| 250 to 499 miles | 336 749 | 16.5 | 420 467 | 9.9 | 197 313 | 22.4 |
| 500 to 749 miles | 209 064 | 10.3 | 188 500 | 4.5 | 156 424 | 17.8 |
| 750 to 999 miles | 124 859 | 6.1 | 114 928 | 2.7 | 124 783 | 14.2 |
| 1,000 to 1,499 miles | 123 530 | 6.1 | 78 274 | 1.8 | 119 639 | 13.6 |
| 1,500 to 1,999 miles | 48 135 | 2.4 | 16 873 | .4 | 36 943 | 4.2 |
| 2,000 miles or more | 30 735 | 1.5 | 7 069 | .2 | 19 065 | 2.2 |
| Truck¹ | 1 752 338 | 100.0 | 2 897 569 | 100.0 | 389 081 | 100.0 |
| Less than 50 miles | 549 746 | 31.4 | 1 857 724 | 64.1 | 39 019 | 10.0 |
| 50 to 99 miles | 168 031 | 9.6 | 378 483 | 13.1 | 33 444 | 8.6 |
| 100 to 249 miles | 322 828 | 18.4 | 315 315 | 10.9 | 61 786 | 15.9 |
| 250 to 499 miles | 289 962 | 16.5 | 177 346 | 6.1 | 75 377 | 19.4 |
| 500 to 749 miles | 174 047 | 9.9 | 82 759 | 2.9 | 61 325 | 15.8 |
| 750 to 999 miles | 95 020 | 5.4 | 40 790 | 1.4 | 42 159 | 10.8 |
| 1,000 to 1,499 miles | 87 805 | 5.0 | 30 570 | 1.1 | 43 382 | 11.1 |
| 1,500 to 1,999 miles | 39 951 | 2.3 | 9 599 | .3 | 19 640 | 5.0 |
| 2,000 miles or more | 24 948 | 1.4 | 4 984 | .2 | 12 949 | 3.3 |
| For-hire truck | 988 765 | 100.0 | 1 273 125 | 100.0 | 272 585 | 100.0 |
| Less than 50 miles | 148 737 | 15.0 | 645 232 | 50.7 | 15 026 | 5.5 |
| 50 to 99 miles | 67 273 | 6.8 | 189 472 | 14.9 | 16 713 | 6.1 |
| 100 to 249 miles | 175 322 | 17.7 | 171 212 | 13.4 | 34 471 | 12.6 |
| 250 to 499 miles | 228 047 | 23.1 | 126 387 | 9.9 | 55 143 | 20.2 |
| 500 to 749 miles | 148 209 | 15.0 | 67 708 | 5.3 | 50 275 | 18.4 |
| 750 to 999 miles | 85 155 | 8.6 | 34 108 | 2.7 | 35 033 | 12.9 |
| 1,000 to 1,499 miles | 77 890 | 7.9 | 26 142 | 2.1 | 37 062 | 13.6 |
| 1,500 to 1,999 miles | 36 356 | 3.7 | 8 381 | .7 | 17 194 | 6.3 |
| 2,000 miles or more | 21 777 | 2.2 | 4 482 | .4 | 11 667 | 4.3 |
| Private truck | 749 237 | 100.0 | 1 581 694 | 100.0 | 111 987 | 100.0 |
| Less than 50 miles | 396 856 | 53.0 | 1 182 593 | 74.8 | 23 132 | 20.7 |
| 50 to 99 miles | 99 641 | 13.3 | 184 197 | 11.6 | 16 277 | 14.5 |
| 100 to 249 miles | 144 592 | 19.3 | 138 860 | 8.8 | 26 308 | 23.5 |
| 250 to 499 miles | 59 719 | 8.0 | 49 783 | 3.1 | 19 710 | 17.6 |
| 500 to 749 miles | 23 891 | 3.2 | 14 206 | .9 | 10 423 | 9.3 |
| 750 to 999 miles | 9 019 | 1.2 | 6 300 | .4 | 6 733 | 6.0 |
| 1,000 to 1,499 miles | 9 409 | 1.3 | 4 167 | .3 | 5 966 | 5.3 |
| 1,500 to 1,999 miles | 3 324 | .4 | 1 140 | — | 2 288 | 2.0 |
| 2,000 miles or more | 2 785 | .4 | 449 | — | 1 150 | 1.0 |
| Rail | 128 838 | 100.0 | 623 860 | 100.0 | 302 617 | 100.0 |
| Less than 50 miles | 12 872 | 10.0 | 132 921 | 21.3 | 4 307 | 1.4 |
| 50 to 99 miles | 3 230 | 2.5 | 39 390 | 6.3 | 5 012 | 1.7 |
| 100 to 249 miles | 15 035 | 11.7 | 143 361 | 23.0 | 43 762 | 14.5 |
| 250 to 499 miles | 29 087 | 22.6 | 186 228 | 29.9 | 96 951 | 32.0 |
| 500 to 749 miles | 21 590 | 16.8 | 50 913 | 8.2 | 44 125 | 14.6 |
| 750 to 999 miles | 18 216 | 14.1 | 31 540 | 5.1 | 36 829 | 12.2 |
| 1,000 to 1,499 miles | 20 991 | 16.3 | 30 932 | 5.0 | 50 247 | 16.6 |
| 1,500 to 1,999 miles | 4 907 | 3.8 | 6 551 | 1.1 | 15 464 | 5.1 |
| 2,000 miles or more | 2 911 | 2.3 | 2 023 | .3 | 5 920 | 2.0 |
| Water | 45 741 | 100.0 | 326 956 | 100.0 | 138 554 | 100.0 |
| Less than 50 miles | 15 517 | 33.9 | 104 462 | 31.9 | 2 822 | 2.0 |
| 50 to 99 miles | 4 382 | 9.6 | 39 473 | 12.1 | 5 339 | 3.9 |
| 100 to 249 miles | 9 329 | 20.4 | 70 089 | 21.4 | 19 862 | 14.3 |
| 250 to 499 miles | 6 295 | 13.8 | 32 316 | 9.9 | 17 381 | 12.5 |
| 500 to 749 miles | 4 814 | 10.5 | 45 147 | 13.8 | 44 849 | 32.4 |
| 750 to 999 miles | 3 858 | 8.4 | 28 635 | 8.8 | 33 852 | 24.4 |
| 1,000 to 1,499 miles | 1 435 | 3.1 | 6 154 | 1.9 | 12 692 | 9.2 |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | S | S | S | S | S | S |
| Shallow draft | 36 111 | 100.0 | 259 968 | 100.0 | 94 063 | 100.0 |
| Less than 50 miles | 11 868 | 32.9 | 84 722 | 32.6 | 2 448 | 2.6 |
| 50 to 99 miles | 3 963 | 11.0 | 37 655 | 14.5 | 5 156 | 5.5 |
| 100 to 249 miles | 8 886 | 24.6 | 66 482 | 25.6 | 18 798 | 20.0 |
| 250 to 499 miles | 5 491 | 15.2 | 28 085 | 10.8 | 15 555 | 16.5 |
| 500 to 749 miles | 3 334 | 9.2 | 30 982 | 11.9 | 33 616 | 35.7 |
| 750 to 999 miles | 2 243 | 6.2 | 10 518 | 4.0 | 15 589 | 16.6 |
| 1,000 to 1,499 miles | S | S | 1 524 | .6 | 2 900 | 3.1 |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | — | — | — | — | — | — |

See footnotes at end of table.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|-----------------------------|--------------|-----------------------|--------------|----------------------|--------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent |
| Single modes—Con. | | | | | | |
| Great Lakes | — | — | — | — | — | — |
| Less than 50 miles | — | — | — | — | — | — |
| 50 to 99 miles | — | — | — | — | — | — |
| 100 to 249 miles | — | — | — | — | — | — |
| 250 to 499 miles | — | — | — | — | — | — |
| 500 to 749 miles | — | — | — | — | — | — |
| 750 to 999 miles | — | — | — | — | — | — |
| 1,000 to 1,499 miles | — | — | — | — | — | — |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | — | — | — | — | — | — |
| Deep draft | 9 630 | 100.0 | 66 988 | 100.0 | 44 492 | 100.0 |
| Less than 50 miles | 3 650 | 37.9 | 19 740 | 29.5 | S | S |
| 50 to 99 miles | S | S | S | S | S | S |
| 100 to 249 miles | S | S | S | S | S | S |
| 250 to 499 miles | S | S | S | S | S | S |
| 500 to 749 miles | 1 479 | 15.4 | 14 166 | 21.1 | 11 233 | 25.2 |
| 750 to 999 miles | 1 615 | 16.8 | 18 117 | 27.0 | 18 262 | 41.0 |
| 1,000 to 1,499 miles | 1 109 | 11.5 | 4 630 | 6.9 | 9 792 | 22.0 |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | S | S | S | S | S | S |
| Air (includes truck and air) | 47 304 | 100.0 | 913 | 100.0 | 1 092 | 100.0 |
| Less than 50 miles | — | — | — | — | — | — |
| 50 to 99 miles | 910 | 1.9 | 23 | 2.5 | 5 | .5 |
| 100 to 249 miles | 7 061 | 14.9 | 90 | 9.8 | 33 | 3.0 |
| 250 to 499 miles | 6 684 | 14.1 | 168 | 18.4 | 96 | 8.8 |
| 500 to 749 miles | 7 116 | 15.0 | 199 | 21.8 | 203 | 18.6 |
| 750 to 999 miles | 7 091 | 15.0 | 87 | 9.5 | 104 | 9.5 |
| 1,000 to 1,499 miles | 12 399 | 26.2 | S | S | 374 | 34.2 |
| 1,500 to 1,999 miles | 3 178 | 6.7 | 43 | 4.7 | 84 | 7.6 |
| 2,000 miles or more | 2 864 | 6.1 | 63 | 6.9 | 194 | 17.7 |
| Pipeline² | 64 772 | 100.0 | 384 602 | 100.0 | S | S |
| Less than 50 miles | 46 144 | 71.2 | 278 695 | 72.5 | S | S |
| 50 to 99 miles | 2 620 | 4.0 | 8 599 | 2.2 | S | S |
| 100 to 249 miles | 8 216 | 12.7 | 39 163 | 10.2 | S | S |
| 250 to 499 miles | 4 720 | 7.3 | 24 409 | 6.3 | S | S |
| 500 to 749 miles | 1 498 | 2.3 | 9 482 | 2.5 | S | S |
| 750 to 999 miles | 673 | 1.0 | 13 876 | 3.6 | S | S |
| 1,000 to 1,499 miles | S | S | S | S | S | S |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | — | — | — | — | S | S |
| Multiple modes | 223 565 | 100.0 | 63 408 | 100.0 | 57 494 | 100.0 |
| Less than 50 miles | 26 902 | 12.0 | 8 044 | 12.7 | 393 | .7 |
| 50 to 99 miles | 11 316 | 5.1 | 1 219 | 1.9 | 162 | .3 |
| 100 to 249 miles | 29 619 | 13.2 | 19 500 | 30.8 | 6 637 | 11.5 |
| 250 to 499 miles | 36 524 | 16.3 | 11 117 | 17.5 | S | S |
| 500 to 749 miles | 35 334 | 15.8 | 11 689 | 18.4 | 12 697 | 22.1 |
| 750 to 999 miles | 26 141 | 11.7 | 3 889 | 6.1 | 4 898 | 8.5 |
| 1,000 to 1,499 miles | 35 440 | 15.9 | 5 578 | 8.8 | S | S |
| 1,500 to 1,999 miles | 11 203 | 5.0 | 1 420 | 2.2 | 3 402 | 5.9 |
| 2,000 miles or more | 11 085 | 5.0 | 952 | 1.5 | 2 920 | 5.1 |
| Parcel, U.S. Postal Service or courier | 198 444 | 100.0 | 5 766 | 100.0 | 3 637 | 100.0 |
| Less than 50 miles | 25 649 | 12.9 | 1 028 | 17.8 | 24 | .7 |
| 50 to 99 miles | 11 034 | 5.6 | 417 | 7.2 | 39 | 1.1 |
| 100 to 249 miles | 28 571 | 14.4 | 984 | 17.1 | 208 | 5.7 |
| 250 to 499 miles | 30 411 | 15.3 | 1 015 | 17.6 | 455 | 12.5 |
| 500 to 749 miles | 29 563 | 14.9 | 819 | 14.2 | 607 | 16.7 |
| 750 to 999 miles | 23 400 | 11.8 | 572 | 9.9 | 594 | 16.3 |
| 1,000 to 1,499 miles | 31 949 | 16.1 | 523 | 9.1 | 740 | 20.4 |
| 1,500 to 1,999 miles | 8 310 | 4.2 | 214 | 3.7 | 443 | 12.2 |
| 2,000 miles or more | 9 557 | 4.8 | 194 | 3.4 | 526 | 14.5 |
| Truck and rail | 21 009 | 100.0 | 16 102 | 100.0 | 13 505 | 100.0 |
| Less than 50 miles | 494 | 2.4 | 3 043 | 18.9 | S | S |
| 50 to 99 miles | 173 | .8 | 430 | 2.7 | S | S |
| 100 to 249 miles | 508 | 2.4 | 3 589 | 22.3 | 1 020 | 7.6 |
| 250 to 499 miles | 5 223 | 24.9 | 2 252 | 14.0 | 1 155 | 8.6 |
| 500 to 749 miles | 5 287 | 25.2 | 1 921 | 11.9 | 1 684 | 12.5 |
| 750 to 999 miles | 2 431 | 11.6 | 1 083 | 6.7 | 1 286 | 9.5 |
| 1,000 to 1,499 miles | 2 710 | 12.9 | 1 876 | 11.7 | 3 031 | 22.4 |
| 1,500 to 1,999 miles | 2 880 | 13.7 | 1 182 | 7.3 | 2 879 | 21.3 |
| 2,000 miles or more | 1 303 | 6.2 | 727 | 4.5 | 2 186 | 16.2 |
| Truck and water | 2 078 | 100.0 | 17 716 | 100.0 | 19 772 | 100.0 |
| Less than 50 miles | S | S | S | S | S | S |
| 50 to 99 miles | S | S | 276 | 1.6 | 23 | .1 |
| 100 to 249 miles | 294 | 14.2 | 7 296 | 41.2 | 2 387 | 12.1 |
| 250 to 499 miles | 454 | 21.8 | 3 463 | 19.5 | 2 310 | 11.7 |
| 500 to 749 miles | 86 | 4.1 | 2 088 | 11.8 | 2 250 | 11.4 |
| 750 to 999 miles | S | S | 1 090 | 6.2 | 1 571 | 7.9 |
| 1,000 to 1,499 miles | S | S | S | S | S | S |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | 130 | 6.2 | 21 | .1 | 155 | .8 |

See footnotes at end of table.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|-----------------------------|---------|-----------------------|---------|----------------------|---------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent |
| Multiple modes—Con. | | | | | | |
| Rail and water | 388 | 100.0 | 12 703 | 100.0 | 6 785 | 100.0 |
| Less than 50 miles | S | S | S | S | S | S |
| 50 to 99 miles | S | S | S | S | S | S |
| 100 to 249 miles | 241 | 62.2 | 7 624 | 60.0 | 3 021 | 44.5 |
| 250 to 499 miles | S | S | S | S | 1 437 | 21.2 |
| 500 to 749 miles | S | S | S | S | S | S |
| 750 to 999 miles | S | S | S | S | S | S |
| 1,000 to 1,499 miles | — | — | — | — | — | — |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | S | S | S | S | S | S |
| Other multiple modes | 1 646 | 100.0 | 11 121 | 100.0 | 13 795 | 100.0 |
| Less than 50 miles | 698 | 42.4 | 3 061 | 27.5 | 168 | 1.2 |
| 50 to 99 miles | 42 | 2.5 | S | S | S | S |
| 100 to 249 miles | S | S | 7 | — | 1 | — |
| 250 to 499 miles | S | S | S | S | S | S |
| 500 to 749 miles | S | S | S | S | S | S |
| 750 to 999 miles | S | S | S | S | S | S |
| 1,000 to 1,499 miles | S | S | S | S | SS | SS |
| 1,500 to 1,999 miles | S | S | S | S | SS | SS |
| 2,000 miles or more | S | S | S | S | SS | SS |
| Other and unknown modes | 85 630 | 100.0 | 168 328 | 100.0 | 21 216 | 100.0 |
| Less than 50 miles | 49 742 | 58.1 | 129 813 | 77.1 | 2 608 | 12.3 |
| 50 to 99 miles | 3 661 | 4.3 | 5 909 | 3.5 | 575 | 2.7 |
| 100 to 249 miles | 9 086 | 10.6 | 15 751 | 9.4 | 3 273 | 15.4 |
| 250 to 499 miles | 7 576 | 8.8 | 7 717 | 4.6 | 3 108 | 14.7 |
| 500 to 749 miles | 5 664 | 6.6 | 3 639 | 2.2 | 2 627 | 12.4 |
| 750 to 999 miles | 3 108 | 3.6 | 2 396 | 1.4 | 2 510 | 11.8 |
| 1,000 to 1,499 miles | 3 505 | 4.1 | 1 413 | .8 | 1 959 | 9.2 |
| 1,500 to 1,999 miles | 1 742 | 2.0 | 437 | .3 | 895 | 4.2 |
| 2,000 miles or more | 1 547 | 1.8 | 1 254 | .7 | 3 662 | 17.3 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|-----------------------------|--------------|-----------------------|--------------|----------------------|--------------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| All modes | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 | 378 |
| Less than 50 lb | 214 883 | 9.2 | 5 570 | .1 | 2 113 | .2 | 483 |
| 50 to 99 lb | 64 727 | 2.8 | 4 504 | .1 | 1 093 | .1 | 241 |
| 100 to 499 lb | 200 347 | 8.5 | 27 811 | .6 | 5 535 | .6 | 200 |
| 500 to 749 lb | 60 277 | 2.6 | 13 104 | .3 | 2 494 | .3 | 190 |
| 750 to 999 lb | 43 041 | 1.8 | 11 008 | .2 | 2 202 | .2 | 200 |
| 1,000 to 9,999 lb | 522 240 | 22.2 | 185 767 | 4.2 | 39 741 | 4.1 | 206 |
| 10,000 to 49,999 lb | 872 377 | 37.2 | 1 614 987 | 36.2 | 281 419 | 29.4 | 177 |
| 50,000 to 99,999 lb | 109 616 | 4.7 | 857 707 | 19.2 | 71 513 | 7.5 | 81 |
| 100,000 lb or more | 260 679 | 11.1 | 1 745 178 | 39.1 | 552 367 | 57.6 | 474 |
| Single modes | 2 038 992 | 100.0 | 4 233 899 | 100.0 | 879 767 | 100.0 | 174 |
| Less than 50 lb | 75 868 | 3.7 | 2 761 | — | 409 | — | 179 |
| 50 to 99 lb | 36 094 | 1.8 | 3 259 | — | 452 | — | 135 |
| 100 to 499 lb | 159 184 | 7.8 | 24 748 | .6 | 4 366 | .5 | 169 |
| 500 to 749 lb | 54 552 | 2.7 | 12 357 | .3 | 2 315 | .3 | 187 |
| 750 to 999 lb | 39 824 | 2.0 | 10 460 | .2 | 2 068 | .2 | 197 |
| 1,000 to 9,999 lb | 480 582 | 23.6 | 176 635 | 4.2 | 36 924 | 4.2 | 203 |
| 10,000 to 49,999 lb | 842 962 | 41.3 | 1 584 900 | 37.4 | 266 899 | 30.3 | 171 |
| 50,000 to 99,999 lb | 106 548 | 5.2 | 837 681 | 19.8 | 64 719 | 7.4 | 77 |
| 100,000 lb or more | 243 378 | 11.9 | 1 581 098 | 37.3 | 501 616 | 57.0 | 472 |
| Truck¹ | 1 752 338 | 100.0 | 2 897 569 | 100.0 | 389 081 | 100.0 | 145 |
| Less than 50 lb | 55 908 | 3.2 | 2 686 | — | 324 | — | 119 |
| 50 to 99 lb | 31 073 | 1.8 | 3 220 | .1 | 403 | .1 | 121 |
| 100 to 499 lb | 149 621 | 8.5 | 24 606 | .8 | 4 200 | 1.1 | 162 |
| 500 to 749 lb | 52 498 | 3.0 | 12 313 | .4 | 2 256 | .6 | 183 |
| 750 to 999 lb | 39 096 | 2.2 | 10 432 | .4 | 2 030 | .5 | 194 |
| 1,000 to 9,999 lb | 467 328 | 26.7 | 175 956 | 6.1 | 36 114 | 9.3 | 199 |
| 10,000 to 49,999 lb | 828 137 | 47.3 | 1 577 352 | 54.4 | 259 455 | 66.7 | 167 |
| 50,000 to 99,999 lb | 99 257 | 5.7 | 829 941 | 28.6 | 60 537 | 15.6 | 74 |
| 100,000 lb or more | 29 422 | 1.7 | 261 062 | 9.0 | 23 761 | 6.1 | 121 |
| For-hire truck | 988 765 | 100.0 | 1 273 125 | 100.0 | 272 585 | 100.0 | 472 |
| Less than 50 lb | 15 373 | 1.6 | 375 | — | 203 | — | 512 |
| 50 to 99 lb | 9 808 | 1.0 | 443 | — | 244 | — | 546 |
| 100 to 499 lb | 71 824 | 7.3 | 4 897 | .4 | 3 016 | 1.1 | 611 |
| 500 to 749 lb | 26 650 | 2.7 | 2 625 | .2 | 1 598 | .6 | 606 |
| 750 to 999 lb | 20 788 | 2.1 | 2 231 | .2 | 1 392 | .5 | 624 |
| 1,000 to 9,999 lb | 260 909 | 26.4 | 47 369 | 3.7 | 24 498 | 9.0 | 545 |
| 10,000 to 49,999 lb | 518 921 | 52.5 | 707 590 | 55.6 | 190 748 | 70.0 | 289 |
| 50,000 to 99,999 lb | 45 937 | 4.6 | 393 985 | 30.9 | 33 184 | 12.2 | 85 |
| 100,000 lb or more | 18 555 | 1.9 | 113 609 | 8.9 | 17 701 | 6.5 | 203 |
| Private truck | 749 237 | 100.0 | 1 581 694 | 100.0 | 111 987 | 100.0 | 61 |
| Less than 50 lb | 40 011 | 5.3 | 2 296 | .1 | 118 | .1 | 54 |
| 50 to 99 lb | 21 014 | 2.8 | 2 767 | .2 | 156 | .1 | 55 |
| 100 to 499 lb | 76 589 | 10.2 | 19 549 | 1.2 | 1 148 | 1.0 | 57 |
| 500 to 749 lb | 25 213 | 3.4 | 9 573 | .6 | 629 | .6 | 65 |
| 750 to 999 lb | 18 056 | 2.4 | 8 092 | .5 | 620 | .6 | 76 |
| 1,000 to 9,999 lb | 203 153 | 27.1 | 126 576 | 8.0 | 11 203 | 10.0 | 83 |
| 10,000 to 49,999 lb | 302 743 | 40.4 | 844 461 | 53.4 | 65 854 | 58.8 | 79 |
| 50,000 to 99,999 lb | 52 509 | 7.0 | 429 310 | 27.1 | 26 811 | 23.9 | 64 |
| 100,000 lb or more | 9 947 | 1.3 | 139 071 | 8.8 | 5 448 | 4.9 | 54 |
| Rail | 128 838 | 100.0 | 623 860 | 100.0 | 302 617 | 100.0 | 736 |
| Less than 50 lb | 26 | — | S | S | — | — | 280 |
| 50 to 99 lb | S | S | S | S | — | — | S |
| 100 to 499 lb | 82 | — | 8 | — | 9 | — | 1 143 |
| 500 to 749 lb | S | S | 3 | — | S | S | 1 369 |
| 750 to 999 lb | 27 | — | 5 | — | 6 | — | 1 333 |
| 1,000 to 9,999 lb | 4 357 | 3.4 | 421 | — | 544 | .2 | 1 268 |
| 10,000 to 49,999 lb | 12 422 | 9.6 | 5 998 | 1.0 | 7 029 | 2.3 | 1 188 |
| 50,000 to 99,999 lb | 6 958 | 5.4 | 6 912 | 1.1 | 4 005 | 1.3 | 583 |
| 100,000 lb or more | 104 904 | 81.4 | 610 511 | 97.9 | 291 019 | 96.2 | 658 |
| Water | 45 741 | 100.0 | 326 956 | 100.0 | 138 554 | 100.0 | 486 |
| Less than 50 lb | S | S | — | S | — | — | 92 |
| 50 to 99 lb | SS | SS | S | S | — | — | 3 609 |
| 100 to 499 lb | SS | SS | 2 | — | — | — | 17 |
| 500 to 749 lb | SS | SS | 1 | — | — | — | S |
| 750 to 999 lb | 4 | — | 1 | — | S | S | 21 |
| 1,000 to 9,999 lb | 117 | .3 | 27 | — | S | S | 115 |
| 10,000 to 49,999 lb | 426 | .9 | S | S | 144 | .1 | 139 |
| 50,000 to 99,999 lb | S | S | 345 | .1 | S | S | 187 |
| 100,000 lb or more | 44 885 | 98.1 | 325 708 | 99.6 | 138 320 | 99.8 | 457 |
| Shallow draft | 36 111 | 100.0 | 259 968 | 100.0 | 94 063 | 100.0 | 265 |
| Less than 50 lb | 3 | — | — | — | S | S | 83 |
| 50 to 99 lb | 1 | — | — | — | — | — | 16 |
| 100 to 499 lb | S | S | 2 | — | — | — | 26 |
| 500 to 749 lb | S | S | 1 | — | — | — | 15 |
| 750 to 999 lb | S | S | S | S | S | S | 15 |
| 1,000 to 9,999 lb | 74 | .2 | S | S | S | S | 138 |
| 10,000 to 49,999 lb | 254 | .7 | S | S | 128 | .1 | S |
| 50,000 to 99,999 lb | S | S | 334 | .1 | S | S | 192 |
| 100,000 lb or more | 35 507 | 98.3 | 258 793 | 99.5 | 93 847 | 99.8 | 426 |

See footnotes at end of table.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|--------------|--------------------|--------------|-------------------|--------------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| Single modes—Con. | | | | | | | |
| Great Lakes | — | — | — | — | — | — | — |
| Less than 50 lb | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | — | — | — | — | — | — | — |
| 10,000 to 49,999 lb | — | — | — | — | — | — | — |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — |
| Deep draft | 9 630 | 100.0 | 66 988 | 100.0 | 44 492 | 100.0 | 1 683 |
| Less than 50 lb | S | S | S | S | S | S | 216 |
| 50 to 99 lb | S | S | S | S | S | S | 5 099 |
| 100 to 499 lb | S | S | S | S | S | S | 20 |
| 500 to 749 lb | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | 29 |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 89 |
| 10,000 to 49,999 lb | S | S | 51 | S | S | S | 242 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | 22 |
| 100,000 lb or more | 9 378 | 97.4 | 66 915 | 99.9 | 44 473 | 100.0 | 693 |
| Air (includes truck and air) | 47 304 | 100.0 | 913 | 100.0 | 1 092 | 100.0 | 1 147 |
| Less than 50 lb | 19 909 | 42.1 | 72 | 7.9 | 84 | 7.7 | 1 137 |
| 50 to 99 lb | 4 994 | 10.6 | 36 | 3.9 | 46 | 4.2 | 1 288 |
| 100 to 499 lb | 9 456 | 20.0 | 131 | 14.4 | 157 | 14.4 | 1 178 |
| 500 to 749 lb | 1 826 | 3.9 | 40 | 4.4 | 54 | 5.0 | 1 353 |
| 750 to 999 lb | 696 | 1.5 | 22 | 2.4 | 31 | 2.8 | 1 408 |
| 1,000 to 9,999 lb | 8 660 | 18.3 | 219 | 24.0 | 264 | 24.2 | 1 235 |
| 10,000 to 49,999 lb | S | S | 191 | 20.9 | 218 | 19.9 | 1 062 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | 842 |
| 100,000 lb or more | S | S | S | S | S | S | 1 501 |
| Pipeline² | 64 772 | 100.0 | 384 602 | 100.0 | S | S | S |
| Less than 50 lb | S | S | — | — | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | 13 | S | S | S | S |
| 10,000 to 49,999 lb | 278 | .4 | S | .1 | S | S | S |
| 50,000 to 99,999 lb | 198 | .3 | 387 | .1 | S | S | S |
| 100,000 lb or more | 64 156 | 99.0 | 383 710 | 99.8 | S | S | S |
| Multiple modes | 223 565 | 100.0 | 63 408 | 100.0 | 57 494 | 100.0 | 759 |
| Less than 50 lb | 130 484 | 58.4 | 2 418 | 3.8 | 1 677 | 2.9 | 771 |
| 50 to 99 lb | 26 049 | 11.7 | 1 003 | 1.6 | 624 | 1.1 | 618 |
| 100 to 499 lb | 35 247 | 15.8 | 1 845 | 2.9 | 1 097 | 1.9 | 613 |
| 500 to 749 lb | 4 218 | 1.9 | 286 | .5 | 141 | .2 | 495 |
| 750 to 999 lb | 2 084 | .9 | 193 | .3 | 102 | .2 | 522 |
| 1,000 to 9,999 lb | 10 625 | 4.8 | 1 137 | 1.8 | 1 177 | 2.0 | 990 |
| 10,000 to 49,999 lb | 9 185 | 4.1 | 6 185 | 9.8 | 8 109 | 14.1 | 1 322 |
| 50,000 to 99,999 lb | 1 115 | .5 | 10 919 | 17.2 | 5 271 | 9.2 | 457 |
| 100,000 lb or more | 4 559 | 2.0 | 39 421 | 62.2 | 39 297 | 68.4 | 842 |
| Parcel, U.S. Postal Service or courier | 198 444 | 100.0 | 5 766 | 100.0 | 3 637 | 100.0 | 758 |
| Less than 50 lb | 130 479 | 65.8 | 2 418 | 41.9 | 1 676 | 46.1 | 771 |
| 50 to 99 lb | 26 047 | 13.1 | 1 003 | 17.4 | 624 | 17.2 | 618 |
| 100 to 499 lb | 35 217 | 17.7 | 1 840 | 31.9 | 1 085 | 29.8 | 607 |
| 500 to 749 lb | 4 191 | 2.1 | 283 | 4.9 | 137 | 3.8 | 485 |
| 750 to 999 lb | 2 064 | 1.0 | 192 | 3.3 | 100 | 2.7 | 515 |
| 1,000 to 9,999 lb | 446 | .2 | 30 | .5 | S | S | 480 |
| 10,000 to 49,999 lb | — | — | — | — | — | — | — |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — |
| Truck and rail | 21 009 | 100.0 | 16 102 | 100.0 | 13 505 | 100.0 | 1 078 |
| Less than 50 lb | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | 511 |
| 100 to 499 lb | 17 | — | S | S | 1 | — | S |
| 500 to 749 lb | S | S | 2 | — | S | S | 1 481 |
| 750 to 999 lb | S | S | 1 | — | 1 | — | 1 078 |
| 1,000 to 9,999 lb | 10 134 | 48.2 | 1 076 | 6.7 | 1 125 | 8.3 | 1 033 |
| 10,000 to 49,999 lb | 8 718 | 41.5 | 5 839 | 36.3 | 7 880 | 58.3 | 1 364 |
| 50,000 to 99,999 lb | 549 | 2.6 | 1 850 | 11.5 | 867 | 6.4 | 451 |
| 100,000 lb or more | 1 549 | 7.4 | 7 330 | 45.5 | 3 627 | 26.9 | 793 |
| Truck and water | 2 078 | 100.0 | 17 716 | 100.0 | 19 772 | 100.0 | S |
| Less than 50 lb | S | S | — | — | S | S | 4 624 |
| 50 to 99 lb | S | S | 2 | — | S | S | 6 316 |
| 100 to 499 lb | S | S | S | — | S | S | 7 494 |
| 500 to 749 lb | S | S | S | — | S | S | 4 603 |
| 750 to 999 lb | S | S | S | — | S | S | — |
| 1,000 to 9,999 lb | 38 | 1.8 | 10 | — | 36 | .2 | 3 952 |
| 10,000 to 49,999 lb | 221 | 10.6 | 214 | 1.2 | 180 | .9 | S |
| 50,000 to 99,999 lb | 251 | 12.1 | 8 244 | 46.5 | 4 383 | 22.2 | 529 |
| 100,000 lb or more | 1 549 | 74.6 | 9 245 | 52.2 | S | S | 993 |

See footnotes at end of table.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| Multiple modes—Con. | | | | | | | |
| Rail and water | 388 | 100.0 | 12 703 | 100.0 | 6 785 | 100.0 | 502 |
| Less than 50 lb | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 412 |
| 10,000 to 49,999 lb | S | S | S | S | S | S | 3 733 |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | 387 | 99.7 | 12 701 | 100.0 | 6 783 | 100.0 | 446 |
| Other multiple modes | 1 646 | 100.0 | 11 121 | 100.0 | 13 795 | 100.0 | S |
| Less than 50 lb | S | S | S | S | S | S | 37 |
| 50 to 99 lb | S | S | S | S | S | S | 149 |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | 35 |
| 1,000 to 9,999 lb | 7 | .4 | S | S | 1 | — | S |
| 10,000 to 49,999 lb | S | S | 131 | 1.2 | S | S | 347 |
| 50,000 to 99,999 lb | 315 | 19.1 | 825 | 7.4 | 21 | .2 | 25 |
| 100,000 lb or more | 1 073 | 65.2 | 10 145 | 91.2 | 13 727 | 99.5 | 1 577 |
| Other and unknown modes | 85 630 | 100.0 | 168 328 | 100.0 | 21 216 | 100.0 | 64 |
| Less than 50 lb | 8 531 | 10.0 | 391 | .2 | 27 | .1 | 54 |
| 50 to 99 lb | 2 584 | 3.0 | 242 | .1 | 17 | — | 69 |
| 100 to 499 lb | 5 916 | 6.9 | 1 218 | .7 | 73 | .3 | 62 |
| 500 to 749 lb | 1 508 | 1.8 | 461 | .3 | 38 | .2 | 83 |
| 750 to 999 lb | 1 133 | 1.3 | 354 | .2 | 33 | .2 | 97 |
| 1,000 to 9,999 lb | 31 033 | 36.2 | 7 994 | 4.7 | 1 640 | 7.7 | 183 |
| 10,000 to 49,999 lb | 20 230 | 23.6 | 23 902 | 14.2 | 6 412 | 30.2 | 291 |
| 50,000 to 99,999 lb | 1 954 | 2.3 | 9 106 | 5.4 | 1 522 | 7.2 | 156 |
| 100,000 lb or more | 12 742 | 14.9 | 124 659 | 74.1 | 11 454 | 54.0 | 293 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Table 5. Shipment Characteristics by Two-Digit Commodity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment |
|-----------|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| | All commodities | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 | 378 |
| 01 | Live animals and live fish | 2 082 | — | 2 229 | — | 680 | — | 359 |
| 02 | Cereal grains | 12 447 | .5 | 93 425 | 2.1 | 16 401 | 1.7 | 80 |
| 03 | Other agricultural products | 28 044 | 1.2 | 53 544 | 1.2 | 14 667 | 1.5 | 203 |
| 04 | Animal feed and products of animal origin, n.e.c. | 22 814 | 1.0 | 80 762 | 1.8 | 10 660 | 1.1 | 40 |
| 05 | Meat, fish, seafood, and their preparations | 61 878 | 2.6 | 30 812 | .7 | 12 734 | 1.3 | 152 |
| 06 | Milled grain products and preparations, and bakery products | 29 633 | 1.3 | 23 827 | .5 | 9 025 | .9 | 89 |
| 07 | Other prepared foodstuffs and fats and oils | 104 054 | 4.4 | 124 712 | 2.8 | 31 675 | 3.3 | 132 |
| 08 | Alcoholic beverages | 27 871 | 1.2 | 23 651 | .5 | 4 089 | .4 | 31 |
| 09 | Tobacco products | 38 916 | 1.7 | 3 085 | — | 855 | — | 478 |
| 10 | Monumental or building stone | 755 | — | 6 051 | .1 | 486 | — | 158 |
| 11 | Natural sands | 1 481 | — | 177 493 | 4.0 | 11 601 | 1.2 | 42 |
| 12 | Gravel and crushed stone | 4 316 | .2 | 671 150 | 15.0 | 36 406 | 3.8 | 43 |
| 13 | Nonmetallic minerals n.e.c. | 5 293 | .2 | 104 223 | 2.3 | 28 800 | 3.0 | 204 |
| 14 | Metallic ores and concentrates | 2 308 | .1 | 11 063 | .2 | 3 737 | .4 | 212 |
| 15 | Coal | 13 306 | .6 | 529 110 | 11.8 | 147 442 | 15.4 | 96 |
| 17 | Gasoline and aviation turbine fuel | 88 933 | 3.8 | 487 052 | 10.9 | 96 689 | 10.1 | 46 |
| 18 | Fuel oils | 42 177 | 1.8 | 235 449 | 5.3 | 31 596 | 3.3 | 30 |
| 19 | Coal and petroleum products, n.e.c. | 37 583 | 1.6 | 181 176 | 4.1 | 37 801 | 3.9 | 119 |
| 20 | Basic chemicals | 108 045 | 4.6 | 194 411 | 4.4 | 88 699 | 9.3 | 228 |
| 21 | Pharmaceutical products | 70 002 | 3.0 | 4 923 | .1 | 3 095 | .3 | 684 |
| 22 | Fertilizers | 13 073 | .6 | 102 268 | 2.3 | 27 107 | 2.8 | 96 |
| 23 | Chemical products and preparations, n.e.c. | 61 116 | 2.6 | 36 449 | .8 | 17 210 | 1.8 | 318 |
| 24 | Plastics and rubber | 108 620 | 4.6 | 59 035 | 1.3 | 38 201 | 4.0 | 290 |
| 25 | Logs and other wood in the rough | 5 948 | .3 | 231 110 | 5.2 | 16 033 | 1.7 | 68 |
| 26 | Wood products | 51 182 | 2.2 | 174 948 | 3.9 | 42 523 | 4.4 | 242 |
| 27 | Pulp, newsprint, paper, and paperboard | 43 104 | 1.8 | 69 092 | 1.5 | 43 764 | 4.6 | 178 |
| 28 | Paper or paperboard articles | 31 959 | 1.4 | 24 638 | .6 | 8 220 | .9 | 222 |
| 29 | Printed products | 61 379 | 2.6 | 25 874 | .6 | 5 572 | .6 | 416 |
| 30 | Textiles, leather, and articles of textiles or leather | 200 973 | 8.6 | 32 351 | .7 | 15 828 | 1.7 | 817 |
| 31 | Nonmetallic mineral products | 38 260 | 1.6 | 337 896 | 7.6 | 35 463 | 3.7 | 219 |
| 32 | Base metal in primary or semifinished forms and in finished basic shapes | 72 761 | 3.1 | 87 986 | 2.0 | 35 162 | 3.7 | 210 |
| 33 | Articles of base metal | 70 445 | 3.0 | 38 223 | .9 | 15 843 | 1.7 | 306 |
| 34 | Machinery | 125 334 | 5.3 | 14 352 | .3 | 7 756 | .8 | 275 |
| 35 | Electronic and other electrical equipment and components and office equipment | 265 208 | 11.3 | 15 287 | .3 | 9 101 | .9 | 505 |
| 36 | Motorized and other vehicles (including parts) | 155 181 | 6.6 | 22 495 | .5 | 11 082 | 1.2 | 233 |
| 37 | Transportation equipment, n.e.c. | 26 147 | 1.1 | 1 974 | — | 1 297 | .1 | 737 |
| 38 | Precision instruments and apparatus | 40 091 | 1.7 | 1 055 | — | 694 | — | 789 |
| 39 | Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 40 012 | 1.7 | 8 284 | .2 | 4 249 | .4 | 504 |
| 40 | Miscellaneous manufactured products | 115 174 | 4.9 | 37 598 | .8 | 13 073 | 1.4 | 660 |
| 41 | Waste and scrap | 7 954 | .3 | 43 439 | 1.0 | 10 852 | 1.1 | 171 |
| 43 | Mixed freight | 101 032 | 4.3 | 43 088 | 1.0 | 6 087 | .6 | 141 |
| -- | Commodity unknown | 11 297 | .5 | S | S | S | S | 347 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

Table 6. Shipment Characteristics by Three-Digit Commodity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment |
|-----------|--|-----------------------------|---------|-----------------------|---------|----------------------|---------|----------------------------|
| | | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| | All commodities | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 | 378 |
| 010 | Live animals and live fish | 2 082 | — | 2 229 | — | 680 | — | 359 |
| 021 | Wheat | 2 581 | .1 | 19 182 | .4 | 4 569 | .5 | 138 |
| 022 | Corn, except sweet | 5 302 | .2 | 47 408 | 1.1 | 5 151 | .5 | 54 |
| 029 | Other cereal grains | 4 564 | .2 | 26 835 | .6 | 6 681 | .7 | 113 |
| 031 | Fresh or chilled potatoes (Irish potatoes), except sweet | 1 206 | — | 2 173 | — | 287 | — | 49 |
| 032 | Fresh or chilled edible vegetables, except potatoes (Irish potatoes), and dried vegetables | 5 922 | .3 | 7 607 | .2 | 2 493 | .3 | 67 |
| 033 | Fresh, chilled, or dried edible fruit and nuts | 3 274 | .1 | 5 618 | .1 | 2 407 | .3 | 507 |
| 034 | Soya beans | 6 713 | .3 | 25 639 | .6 | 5 150 | .5 | 95 |
| 035 | Oil seeds and nuts, except olives and soya beans | 2 470 | .1 | 5 977 | .1 | 2 429 | .3 | 161 |
| 036 | Bulbs, live plants, and seeds for sowing, n.e.c. | 1 127 | — | 718 | — | 130 | — | 235 |
| 039 | Fresh-cut flowers, plants, and parts of plants, and other agricultural products, except forage products and cereal straw or husks | 7 333 | .3 | 5 812 | .1 | 1 771 | .2 | S |
| 041 | Cereal straw or husks, forage products, residues and waste from the food industries used in animal feeding, and eggs and other products of animal origin, n.e.c. | 6 362 | .3 | 20 838 | .5 | 4 967 | .5 | S |
| 042 | Animal feed preparations | 16 452 | .7 | 59 925 | 1.3 | 5 693 | .6 | 35 |
| 051 | Meat including poultry, except preparations | 53 564 | 2.3 | 28 554 | .6 | 11 562 | 1.2 | 122 |
| 052 | Fish, except live, and seafood, except preparations | 6 756 | .3 | 1 351 | — | 569 | — | 173 |
| 053 | Preparations, extracts, and juices of meat, fish, or seafood | 1 557 | — | S | S | S | S | 844 |
| 061 | Wheat flour, groats, and meal | 1 829 | — | 5 854 | .1 | 1 224 | .1 | 111 |
| 062 | Malt, starches, inulin, wheat gluten, and milled or otherwise worked grains, except wheat flour, groats, and meal | 2 293 | .1 | 4 457 | .1 | 2 981 | .3 | 204 |
| 063 | Food preparations of cereals, flour, starch, or milk | 6 715 | .3 | 3 829 | — | 1 404 | .1 | 155 |
| 064 | Bakery products | 18 795 | .8 | 9 687 | .2 | 3 416 | .4 | 75 |
| 071 | Dairy products, except chocolate milk, eggnog, and food preparations of milk | 12 562 | .5 | 15 278 | .3 | 2 062 | .2 | 50 |
| 072 | Processed or prepared vegetables, fruit, or nuts, except dried or milled, and juices | 20 668 | .9 | 13 725 | .3 | 5 961 | .6 | 409 |
| 073 | Coffee, tea, and spices, except unprocessed coffee and unfermented tea | 5 736 | .2 | 1 695 | — | 999 | .1 | 166 |
| 074 | Animal or vegetable fats and oils and their cleavage products, prepared edible fats, animal or vegetable waxes, and flours and meals | 7 827 | .3 | 15 584 | .3 | 6 047 | .6 | 121 |
| 075 | Cane, beet, and other sugars in solid form, sugar syrups not containing added flavoring or coloring matter, and molasses | 6 090 | .3 | 14 367 | .3 | 6 287 | .7 | 198 |
| 076 | Confectionery, cocoa, and cocoa preparations | 4 724 | .2 | 1 306 | — | 798 | — | 338 |
| 077 | Edible preparations, n.e.c. and vinegar | 15 926 | .7 | 9 970 | .2 | 3 918 | .4 | 294 |
| 078 | Nonalcoholic beverages, n.e.c. and ice | 30 520 | 1.3 | 52 786 | 1.2 | 5 603 | .6 | 39 |
| 081 | Malt Beer | 17 738 | .8 | 20 654 | .5 | 3 311 | .3 | 26 |
| 082 | Wine and other fermented beverages | 2 617 | .1 | 910 | — | 33 | — | 35 |
| 083 | Spirituos beverages and ethyl alcohol | 7 516 | .3 | 2 087 | — | 745 | — | 49 |
| 090 | Tobacco products | 38 916 | 1.7 | 3 085 | — | 855 | — | 478 |
| 100 | Monumental or building stone, except dolomite | 755 | — | 6 051 | .1 | 486 | — | 158 |
| 110 | Natural sands, except metal-bearing | 1 481 | — | 177 493 | 4.0 | 11 601 | 1.2 | 42 |
| 120 | Gravel and crushed stone, except dolomite and slate | 4 316 | .2 | 671 150 | 15.0 | 36 406 | 3.8 | 43 |
| 131 | Salt | 698 | — | 12 689 | .3 | S | S | 121 |
| 132 | Natural calcium phosphates, natural aluminum-calcium phosphates, and phosphatic chalk | 505 | — | 13 844 | .3 | 1 967 | .2 | 783 |
| 133 | Dolomite | 126 | — | S | S | S | S | S |
| 139 | Other nonmetallic minerals | 3 964 | .2 | 63 929 | 1.4 | 16 079 | 1.7 | 197 |
| 141 | Iron ores and concentrates | 145 | — | 2 810 | — | 149 | — | 57 |
| 149 | Other metallic ores and concentrates | 2 163 | — | 8 253 | .2 | 3 588 | .4 | 283 |
| 151 | Nonagglomerated bituminous coal | 12 615 | .5 | 475 641 | 10.7 | 146 488 | 15.3 | 99 |
| 159 | Other coal | 692 | — | 53 469 | 1.2 | 953 | .1 | 35 |
| 171 | Gasoline | 83 549 | 3.6 | 421 579 | 9.4 | 72 937 | 7.6 | 46 |
| 172 | Aviation turbine fuel (types A and B) | 5 384 | .2 | 65 473 | 1.5 | 23 752 | 2.5 | 58 |
| 180 | Fuel oils | 42 177 | 1.8 | 235 449 | 5.3 | 31 596 | 3.3 | 30 |
| 191 | Lubricating oils and greases | 14 321 | .6 | 24 629 | .6 | 11 829 | 1.2 | 167 |
| 192 | Refined petroleum oils and oils obtained from bituminous minerals, n.e.c. | 6 139 | .3 | 31 257 | .7 | 8 267 | .9 | 53 |
| 193 | Gaseous hydrocarbons | 9 225 | .4 | 36 598 | .8 | 3 688 | .4 | 53 |
| 199 | Other products of petroleum refining, and coal products | 7 897 | .3 | 88 693 | 2.0 | 14 018 | 1.5 | 101 |
| 201 | Sodium hydroxide (caustic soda) and potassium hydroxide (caustic potash) | 4 152 | .2 | 26 213 | .6 | 13 935 | 1.5 | 350 |
| 202 | Inorganic chemicals, n.e.c. | 19 823 | .8 | 61 126 | 1.4 | 18 997 | 2.0 | 96 |
| 203 | Cyclic hydrocarbons | 6 566 | .3 | 11 089 | .2 | 3 881 | .4 | 287 |
| 204 | Phenols, phenol-alcohols, aldehydes, cyclic polymers of aldehydes, paraformaldehyde, ketones, quinones, organic acids, and acyclic alcohols | 14 625 | .6 | 19 776 | .4 | 12 588 | 1.3 | 367 |
| 205 | Organic chemicals, n.e.c. | 62 881 | 2.7 | 76 206 | 1.7 | 39 299 | 4.1 | 479 |
| 210 | Pharmaceutical products | 70 002 | 3.0 | 4 923 | .1 | 3 095 | .3 | 684 |
| 220 | Fertilizers and fertilizer materials | 13 073 | .6 | 102 268 | 2.3 | 27 107 | 2.8 | 96 |
| 231 | Paints and varnishes, tanning or dyeing extracts, tannins and their derivatives, dyes, putty and other mastics, inks, and coloring matter, except pigments and synthetic organic dyes, lakes, and toners | 11 246 | .5 | 5 691 | .1 | 2 047 | .2 | 103 |
| 232 | Essential oils and resinoids, and perfumery, cosmetic, or toilet preparations | 8 477 | .4 | 1 442 | — | 825 | — | 644 |
| 233 | Soap, organic surface-active agents, cleaning preparations, polishes and creams, and scouring preparations | 9 961 | .4 | 9 586 | .2 | 5 636 | .6 | 271 |
| 234 | Photographic film, plates, paper, paperboard, or textiles, and chemical preparations for photographic use | 3 544 | .2 | 389 | — | 144 | — | 169 |
| 235 | Insecticides, rodenticides, fungicides, herbicides, antisprouting products, plant-growth regulators, disinfectants, and similar products, in packages for retail sale or as preparations or articles | 11 017 | .5 | 3 748 | — | 1 470 | .2 | 154 |
| 239 | Other chemical products and preparations | 16 872 | .7 | 15 593 | .3 | 7 088 | .7 | 266 |
| 241 | Plastics in primary forms, rubber in primary forms or sheets, and unvulcanized compounded rubber | 34 901 | 1.5 | 33 239 | .7 | 25 142 | 2.6 | 420 |
| 242 | Manmade fibers and plastics basic shapes and articles | 50 159 | 2.1 | 19 562 | .4 | 9 745 | 1.0 | 321 |

See footnotes at end of table.

Table 6. Shipment Characteristics by Three-Digit Commodity for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment |
|-----------------------------|--|-----------------------------|---------|-----------------------|---------|----------------------|---------|----------------------------|
| | | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| All commodities—Con. | | | | | | | | |
| 243 | Rubber articles | 23 560 | 1.0 | 6 234 | .1 | 3 314 | .3 | 201 |
| 250 | Logs and other wood in the rough | 5 948 | .3 | 231 110 | 5.2 | 16 033 | 1.7 | 68 |
| 261 | Wood chips or particles | 1 447 | — | 57 413 | 1.3 | 5 821 | .6 | 72 |
| 262 | Lumber, wood continuously shaped along any of its edges or faces, and shingles and shakes | 24 324 | 1.0 | 57 712 | 1.3 | 14 364 | 1.5 | 205 |
| 263 | Veneer sheets and sheets for plywood, particle board, fiberboard, plywood, veneered panels, and similar boards of ligneous material or laminated wood | 14 843 | .6 | 41 832 | .9 | 19 639 | 2.0 | 243 |
| 264 | Builders' joinery and carpentry of wood, except shingles and shakes | 6 180 | .3 | 2 586 | — | 640 | — | 194 |
| 269 | Other wood products | 4 388 | .2 | 15 405 | .3 | 2 059 | .2 | 484 |
| 271 | Pulp of fibrous cellulosic materials | 3 572 | .2 | 8 460 | .2 | 5 204 | .5 | 276 |
| 272 | Newsprint in large rolls or sheets | 3 134 | .1 | 5 287 | .1 | 2 569 | .3 | 161 |
| 273 | Uncoated paper and paperboard in large rolls or sheets | 23 359 | 1.0 | 39 911 | .9 | 26 371 | 2.8 | 127 |
| 274 | Coated, impregnated, treated, or worked paper and paperboard, in large rolls or sheets | 13 039 | .6 | 15 434 | .3 | 9 620 | 1.0 | 306 |
| 280 | Paper or paperboard articles | 31 959 | 1.4 | 24 638 | .6 | 8 220 | .9 | 222 |
| 291 | Printed books, brochures, leaflets, and similar printed products | 21 541 | .9 | 4 463 | .1 | 1 424 | .1 | 813 |
| 292 | Newspapers, journals, and periodicals | 18 264 | .8 | 14 889 | .3 | 1 108 | .1 | 63 |
| 293 | Advertising material, commercial or trade catalogues, and similar printed products | 8 660 | .4 | 4 242 | — | 1 857 | .2 | 403 |
| 299 | Other printed products | 12 914 | .5 | 2 279 | — | 1 183 | .1 | 492 |
| 301 | Textile fibers, yarns, and broadwoven or knitted fabrics, except coated or treated | 53 282 | 2.3 | 14 523 | .3 | 6 111 | .6 | 647 |
| 302 | Textile clothing and accessories, and headgear, except safety | 86 653 | 3.7 | 5 194 | .1 | 2 603 | .3 | 880 |
| 303 | Textiles and textile articles, n.e.c. | 51 040 | 2.2 | 11 700 | .3 | 6 700 | .7 | 716 |
| 304 | Footwear | 7 194 | .3 | S | S | 277 | — | 904 |
| 305 | Leather and articles, luggage of related materials, and dressed furskins and articles | 2 805 | .1 | 260 | — | 137 | — | 720 |
| 311 | Hydraulic cements | 2 788 | .1 | 51 069 | 1.1 | 4 946 | .5 | 92 |
| 312 | Ceramic products | 5 353 | .2 | 17 463 | .4 | 3 564 | .4 | 538 |
| 313 | Glass and glass products | 11 154 | .5 | 10 346 | .2 | 5 123 | .5 | 298 |
| 319 | Other nonmetallic mineral products | 18 965 | .8 | 259 018 | 5.8 | 21 830 | 2.3 | 71 |
| 321 | Iron and steel in primary forms, in semifinished forms, or in powders or granules, and ferroalloys | 5 737 | .2 | 9 743 | .2 | 2 998 | .3 | 171 |
| 322 | Flat-rolled products of iron or steel | 17 550 | .7 | 32 447 | .7 | 9 747 | 1.0 | 149 |
| 323 | Bars, rods, angles, shapes, sections, and wire, of iron or steel | 18 287 | .8 | 32 034 | .7 | 13 984 | 1.5 | 195 |
| 324 | Nonferrous metal, except precious, in unwrought forms, in finished basic shapes, or in powders or granules | 31 187 | 1.3 | 13 762 | .3 | 8 432 | .9 | 292 |
| 331 | Pipes, tubes, and fittings | 26 337 | 1.1 | 19 398 | .4 | 8 087 | .8 | 231 |
| 332 | Structures and parts, except prefabricated buildings | 12 815 | .5 | 10 046 | .2 | 4 110 | .4 | 252 |
| 333 | Handtools, cutlery, except of precious metals, interchangeable tools for hand- or machine-tools, hardware, and industrial fasteners | 17 825 | .8 | 3 220 | — | 1 344 | .1 | 361 |
| 339 | Other articles of metal | 13 468 | .6 | 5 559 | .1 | 2 303 | .2 | 278 |
| 341 | Internal-combustion piston engines | 16 314 | .7 | 1 438 | — | 745 | — | 198 |
| 342 | Turbines, boilers, nuclear reactors, and nonelectric engines and motors, except internal-combustion piston engines | 9 957 | .4 | 479 | — | 363 | — | 408 |
| 343 | Pumps, compressors, and fans, and ventilating or recycling hoods incorporating a fan | 15 406 | .7 | 1 735 | — | 1 062 | .1 | 330 |
| 344 | Air-conditioning, refrigerating, or freezing equipment | 15 602 | .7 | 2 671 | — | 1 545 | .2 | 188 |
| 345 | Materials-handling, excavating, boring, and related machinery and equipment | 15 939 | .7 | 2 891 | — | 1 479 | .2 | 289 |
| 349 | Other machinery | 52 115 | 2.2 | 5 137 | .1 | 2 561 | .3 | 294 |
| 351 | Electric motors, generators, generating sets, rotary converters, transformers, static converters, and inductors | 13 201 | .6 | 2 047 | — | 1 328 | .1 | 359 |
| 352 | Electric cooking appliances and other electrothermic or electromechanical domestic appliances | 4 849 | .2 | 1 124 | — | 551 | — | 328 |
| 353 | Line telephone or telegraph apparatus | 20 268 | .9 | 348 | — | 235 | — | 613 |
| 354 | Electronic entertainment products, except parts | 17 469 | .7 | 937 | — | 619 | — | 723 |
| 355 | Computer and office equipment | 74 295 | 3.2 | 1 460 | — | 1 217 | .1 | 717 |
| 356 | Prepared unrecorded or prerecorded media | 10 197 | .4 | 551 | — | 350 | — | 903 |
| 357 | Transmission apparatus for radio or television broadcasting, radio transmission and reception apparatus, radar apparatus, radio navigational-aid apparatus, and radio remote-control apparatus, except radio broadcast receivers and parts | 11 929 | .5 | 152 | — | 141 | — | 843 |
| 358 | Electronic components and parts | 48 068 | 2.0 | 872 | — | 439 | — | 971 |
| 359 | Other electronic and electrical equipment | 64 933 | 2.8 | 7 795 | .2 | 4 222 | .4 | 254 |
| 361 | Motor vehicles for the transport of less than 10 people, except motorcycles, armored fighting vehicles, snowmobiles, golf carts and similar vehicles, and parts | 60 088 | 2.6 | 6 420 | .1 | 3 314 | .3 | 405 |
| 362 | Motor vehicles for the transport of goods and road tractors for semitrailers, except parts | 13 475 | .6 | 1 965 | — | 1 325 | .1 | 483 |
| 363 | Other vehicles | 20 564 | .9 | 4 880 | .1 | 1 903 | .2 | 371 |
| 364 | Parts and accessories for motor vehicles, except motorcycles and armored fighting vehicles | 61 054 | 2.6 | 9 229 | .2 | 4 540 | .5 | 210 |
| 371 | Locomotives and rolling stock, railway track fixtures and fittings, mechanical or electromechanical traffic-signalling equipment, and intermodal containers | 3 062 | .1 | 1 350 | — | 779 | — | 690 |
| 372 | Aircraft and spacecraft | 17 501 | .7 | 106 | — | 94 | — | 825 |
| 373 | Ships, boats, and floating structures | 5 584 | .2 | 518 | — | 423 | — | 429 |
| 381 | Optical elements, instruments, and apparatus, except photographic and photocopying equipment and optical instruments and apparatus for measuring or checking | S | S | 172 | — | 160 | — | 866 |
| 382 | Photographic and photocopying machines | 4 536 | .2 | 137 | — | 45 | — | 603 |
| 383 | Surveying, hydrographic, oceanographic, hydrological, geophysical, drawing, or length-measuring instruments and appliances, and navigational and meteorological instruments and appliances, except radar and other radio-type apparatus | S | S | 173 | — | 110 | — | 423 |
| 384 | Instruments, apparatus, and appliances for medical, surgical, dental, or veterinary sciences, or for similar purposes | 1 404 | — | S | S | S | S | 545 |
| 385 | Meters and other instruments and apparatus for measuring, checking, testing, or controlling | 12 842 | .5 | 517 | — | 365 | — | 772 |
| | | 8 452 | .4 | 173 | — | 110 | — | 423 |

See footnotes at end of table.

Table 6. Shipment Characteristics by Three-Digit Commodity for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment |
|-----------------------------|--|-----------------------------|---------|-----------------------|---------|----------------------|---------|----------------------------|
| | | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| All commodities—Con. | | | | | | | | |
| 390 | Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 40 012 | 1.7 | 8 284 | .2 | 4 249 | .4 | 504 |
| 401 | Arms and ammunition | 2 205 | — | 78 | — | 62 | — | 801 |
| 402 | Toys, games, and sporting equipment | 14 835 | .6 | 1 482 | — | 722 | — | 899 |
| 409 | Miscellaneous manufactured products | 98 134 | 4.2 | 36 038 | .8 | 12 288 | 1.3 | 625 |
| 411 | Metallic waste and scrap | 6 524 | .3 | 28 418 | .6 | 6 599 | .7 | 136 |
| 412 | Nonmetallic waste and scrap, except from food processing | 1 430 | — | 15 021 | .3 | 4 253 | .4 | 230 |
| 439 | Mixed freight | 101 032 | 4.3 | 43 088 | 1.0 | 6 087 | .6 | 141 |
| — | Commodity unknown..... | 11 297 | .5 | S | S | S | S | 347 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 160, Crude Petroleum. See the section "Industry Coverage" for additional information.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| ALL COMMODITIES | | | | | | | |
| Total | 2 348 187 | 100.0 | 4 465 635 | 100.0 | 958 477 | 100.0 | 378 |
| Single modes | 2 038 992 | 86.8 | 4 233 899 | 94.8 | 879 767 | 91.8 | 174 |
| Truck ¹ | 1 752 338 | 74.6 | 2 897 569 | 64.9 | 389 081 | 40.6 | 145 |
| For-hire truck | 988 765 | 42.1 | 1 273 125 | 28.5 | 272 585 | 28.4 | 472 |
| Private truck | 749 237 | 31.9 | 1 581 694 | 35.4 | 111 987 | 11.7 | 61 |
| Rail | 128 838 | 5.5 | 623 860 | 14.0 | 302 617 | 31.6 | 736 |
| Water | 45 741 | 1.9 | 326 956 | 7.3 | 138 554 | 14.5 | 486 |
| Shallow draft | 36 111 | 1.5 | 259 968 | 5.8 | 94 063 | 9.8 | 265 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 9 630 | .4 | 66 988 | 1.5 | 44 492 | 4.6 | 1 683 |
| Air (includes truck and air) | 47 304 | 2.0 | 913 | — | 1 092 | .1 | 1 147 |
| Pipeline ² | 64 772 | 2.8 | 384 602 | 8.6 | S | S | S |
| Multiple modes | 223 565 | 9.5 | 63 408 | 1.4 | 57 494 | 6.0 | 759 |
| Parcel, U.S. Postal Service or courier | 198 444 | 8.5 | 5 766 | .1 | 3 637 | .4 | 758 |
| Truck and rail | 21 009 | .9 | 16 102 | .4 | 13 505 | 1.4 | 1 078 |
| Truck and water | 2 078 | — | 17 716 | .4 | 19 772 | 2.1 | S |
| Rail and water | 388 | — | 12 703 | .3 | 6 785 | .7 | 502 |
| Other multiple modes | 1 646 | — | 11 121 | .2 | 13 795 | 1.4 | S |
| Other and unknown modes | 85 630 | 3.6 | 168 328 | 3.8 | 21 216 | 2.2 | 64 |
| SCTG 01, LIVE ANIMALS AND LIVE FISH | | | | | | | |
| Total | 2 082 | 100.0 | 2 229 | 100.0 | 680 | 100.0 | 359 |
| Single modes | 2 065 | 99.2 | 2 223 | 99.7 | 678 | 99.7 | 315 |
| Truck ¹ | 2 062 | 99.0 | 2 223 | 99.7 | 678 | 99.7 | 182 |
| For-hire truck | 1 049 | 50.4 | 818 | 36.7 | 508 | 74.7 | 613 |
| Private truck | 1 013 | 48.7 | 1 405 | 63.0 | 170 | 25.0 | 109 |
| Rail | — | — | — | — | — | — | — |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | S | S | S | S | S | S | 1 336 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 677 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 677 |
| Truck and rail | — | — | — | — | — | — | — |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | 172 |
| SCTG 02, CEREAL GRAINS | | | | | | | |
| Total | 12 447 | 100.0 | 93 425 | 100.0 | 16 401 | 100.0 | 80 |
| Single modes | 7 520 | 60.4 | 58 043 | 62.1 | 14 507 | 88.5 | 74 |
| Truck ¹ | 3 755 | 30.2 | 28 934 | 31.0 | 2 883 | 17.6 | 64 |
| For-hire truck | 1 980 | 15.9 | 16 321 | 17.5 | 1 827 | 11.1 | 140 |
| Private truck | 1 683 | 13.5 | 11 815 | 12.6 | 992 | 6.0 | 41 |
| Rail | 1 366 | 11.0 | 10 059 | 10.8 | 5 473 | 33.4 | 644 |
| Water | 2 400 | 19.3 | 19 050 | 20.4 | 6 151 | 37.5 | 652 |
| Shallow draft | 1 606 | 12.9 | 14 257 | 15.3 | 4 395 | 26.8 | 614 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 790 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 645 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 703 |
| Truck and rail | S | S | S | S | S | S | 183 |
| Truck and water | S | S | S | S | S | S | 399 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | S |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 03, OTHER AGRICULTURAL PRODUCTS | | | | | | | |
| Total | 28 044 | 100.0 | 53 544 | 100.0 | 14 667 | 100.0 | 203 |
| Single modes | 25 837 | 92.1 | 46 887 | 87.6 | 13 084 | 89.2 | 85 |
| Truck ¹ | 21 341 | 76.1 | 30 596 | 57.1 | 8 789 | 59.9 | 83 |
| For-hire truck | 9 825 | 35.0 | 13 531 | 25.3 | 6 993 | 47.7 | 701 |
| Private truck | 11 333 | 40.4 | 16 667 | 31.1 | 1 661 | 11.3 | 37 |
| Rail | 1 295 | 4.6 | 3 842 | 7.2 | 1 431 | 9.8 | 632 |
| Water | 3 181 | 11.3 | 12 445 | 23.2 | 2 856 | 19.5 | 334 |
| Shallow draft | 2 075 | 7.4 | 7 716 | 14.4 | 2 643 | 18.0 | 360 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 52 |
| Air (includes truck and air) | 20 | — | 4 | — | 8 | — | 1 735 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 364 | 1.3 | S | S | 349 | 2.4 | 1 145 |
| Parcel, U.S. Postal Service or courier | 247 | .9 | 44 | — | 48 | .3 | 1 145 |
| Truck and rail | 117 | .4 | S | S | 301 | 2.1 | 1 114 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 1 843 | 6.6 | 5 502 | 10.3 | S | S | 54 |
| SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C. | | | | | | | |
| Total | 22 814 | 100.0 | 80 762 | 100.0 | 10 660 | 100.0 | 40 |
| Single modes | 21 363 | 93.6 | 77 176 | 95.6 | 10 134 | 95.1 | 36 |
| Truck ¹ | 20 265 | 88.8 | 72 121 | 89.3 | 7 842 | 73.6 | 35 |
| For-hire truck | 5 356 | 23.5 | 16 040 | 19.9 | 3 950 | 37.1 | 243 |
| Private truck | 14 865 | 65.2 | 55 861 | 69.2 | 3 875 | 36.3 | 25 |
| Rail | 899 | 3.9 | 3 494 | 4.3 | 1 699 | 15.9 | 577 |
| Water | S | S | S | S | S | S | 526 |
| Shallow draft | S | S | S | S | S | S | 655 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 4 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 445 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 847 | 3.7 | 1 645 | 2.0 | 351 | 3.3 | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | S |
| Truck and rail | 521 | 2.3 | 391 | .5 | 242 | 2.3 | 598 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | 152 | .7 | S | S | S | S | 93 |
| Other and unknown modes | 604 | 2.6 | 1 941 | 2.4 | 176 | 1.6 | 21 |
| SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS | | | | | | | |
| Total | 61 878 | 100.0 | 30 812 | 100.0 | 12 734 | 100.0 | 152 |
| Single modes | 60 670 | 98.0 | 30 163 | 97.9 | 12 497 | 98.1 | 136 |
| Truck ¹ | 59 815 | 96.7 | 29 782 | 96.7 | 12 188 | 95.7 | 126 |
| For-hire truck | 29 009 | 46.9 | 14 750 | 47.9 | 8 934 | 70.2 | 598 |
| Private truck | 30 013 | 48.5 | 14 616 | 47.4 | 3 034 | 23.8 | 78 |
| Rail | S | S | S | S | 262 | 2.1 | 1 077 |
| Water | S | S | S | S | S | S | 24 |
| Shallow draft | S | S | S | S | S | S | 15 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 92 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 666 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 148 | .2 | 45 | .1 | S | S | 1 330 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 1 334 |
| Truck and rail | S | S | 24 | S | S | S | 1 056 |
| Truck and water | S | S | S | S | S | S | S |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 1 059 | 1.7 | 603 | 2.0 | 194 | 1.5 | 121 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS | | | | | | | |
| Total | 29 633 | 100.0 | 23 827 | 100.0 | 9 025 | 100.0 | 89 |
| Single modes | 29 292 | 98.8 | 23 505 | 98.6 | 8 787 | 97.4 | 83 |
| Truck ¹ | 28 605 | 96.5 | 21 781 | 91.4 | 6 996 | 77.5 | 81 |
| For-hire truck | 9 911 | 33.4 | 10 053 | 42.2 | 4 642 | 51.4 | 365 |
| Private truck | 18 585 | 62.7 | 11 671 | 49.0 | 2 330 | 25.8 | 67 |
| Rail | 677 | 2.3 | 1 713 | 7.2 | 1 778 | 19.7 | 1 122 |
| Water | S | S | S | S | S | S | 700 |
| Shallow draft | S | S | S | S | S | S | 15 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 1 204 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 078 |
| Pipeline ² | — | — | — | — | — | — | S |
| Multiple modes | 134 | .5 | 138 | .6 | 180 | 2.0 | 694 |
| Parcel, U.S. Postal Service or courier | 28 | — | 5 | — | 2 | — | 680 |
| Truck and rail | 106 | .4 | 131 | .6 | 165 | 1.8 | 1 139 |
| Truck and water | S | S | S | S | S | S | 7 273 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 208 | .7 | 184 | .8 | 58 | .6 | S |
| SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS | | | | | | | |
| Total | 104 054 | 100.0 | 124 712 | 100.0 | 31 675 | 100.0 | 132 |
| Single modes | 101 320 | 97.4 | 121 041 | 97.1 | 28 922 | 91.3 | 66 |
| Truck ¹ | 97 153 | 93.4 | 110 180 | 88.3 | 22 117 | 69.8 | 65 |
| For-hire truck | 34 156 | 32.8 | 36 197 | 29.0 | 14 123 | 44.6 | 449 |
| Private truck | 61 750 | 59.3 | 72 094 | 57.8 | 7 752 | 24.5 | 47 |
| Rail | 3 146 | 3.0 | 7 709 | 6.2 | 5 577 | 17.6 | 918 |
| Water | 924 | .9 | 2 939 | 2.4 | 1 228 | 3.9 | S |
| Shallow draft | 924 | .9 | 2 939 | 2.4 | 1 228 | 3.9 | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | 1 | — | — | — | — | — | 1 047 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 1 856 | 1.8 | 2 710 | 2.2 | 2 455 | 7.7 | 895 |
| Parcel, U.S. Postal Service or courier | 369 | .4 | 59 | — | 45 | .1 | 894 |
| Truck and rail | 697 | .7 | 726 | .6 | 716 | 2.3 | 1 064 |
| Truck and water | 777 | .7 | 1 899 | 1.5 | S | S | 239 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 872 |
| Other and unknown modes | 878 | .8 | 960 | .8 | 298 | .9 | S |
| SCTG 08, ALCOHOLIC BEVERAGES | | | | | | | |
| Total | 27 871 | 100.0 | 23 651 | 100.0 | 4 089 | 100.0 | 31 |
| Single modes | 27 365 | 98.2 | 23 193 | 98.1 | 3 824 | 93.5 | 30 |
| Truck ¹ | 26 605 | 95.5 | 22 553 | 95.4 | 3 409 | 83.4 | 30 |
| For-hire truck | 5 770 | 20.7 | 5 662 | 23.9 | 2 185 | 53.4 | 221 |
| Private truck | 20 834 | 74.8 | 16 891 | 71.4 | 1 224 | 29.9 | 27 |
| Rail | 758 | 2.7 | S | S | 415 | 10.1 | 901 |
| Water | S | S | S | S | S | S | 14 |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 14 |
| Air (includes truck and air) | S | S | S | S | S | S | 807 |
| Pipeline ² | — | — | — | — | — | — | S |
| Multiple modes | 259 | .9 | S | S | S | S | 385 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 485 |
| Truck and rail | 251 | .9 | S | S | S | S | S |
| Truck and water | S | S | S | S | S | S | 40 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 5 028 |
| Other and unknown modes | 247 | .9 | 239 | 1.0 | S | S | 21 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 09, TOBACCO PRODUCTS | | | | | | | |
| Total | 38 916 | 100.0 | 3 085 | 100.0 | 855 | 100.0 | 478 |
| Single modes | 38 085 | 97.9 | 3 027 | 98.1 | 805 | 94.1 | 129 |
| Truck ¹ | 38 077 | 97.8 | 3 026 | 98.1 | 805 | 94.1 | 129 |
| For-hire truck | 24 674 | 63.4 | 955 | 31.0 | 711 | 83.2 | 678 |
| Private truck | 13 300 | 34.2 | 2 066 | 67.0 | 91 | 10.7 | 66 |
| Rail | — | — | — | — | — | — | — |
| Water | S | S | S | S | S | S | 17 |
| Shallow draft | S | S | S | S | S | S | 23 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 14 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 775 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 562 | 1.4 | 18 | .6 | S | S | 1 398 |
| Parcel, U.S. Postal Service or courier | 337 | .9 | 11 | .4 | 12 | 1.4 | 1 397 |
| Truck and rail | S | S | S | S | S | S | 3 245 |
| Truck and water | S | S | S | S | S | S | 6 990 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 1 730 |
| Other and unknown modes | 269 | .7 | 39 | 1.3 | 6 | .7 | 77 |
| SCTG 10, MONUMENTAL OR BUILDING STONE | | | | | | | |
| Total | 755 | 100.0 | 6 051 | 100.0 | 486 | 100.0 | 158 |
| Single modes | 719 | 95.3 | 6 015 | 99.4 | 471 | 96.9 | 131 |
| Truck ¹ | 716 | 94.8 | 5 976 | 98.8 | 450 | 92.6 | 128 |
| For-hire truck | 262 | 34.8 | 977 | 16.1 | 330 | 65.0 | 380 |
| Private truck | 440 | 58.4 | 3 339 | 55.2 | 110 | 22.7 | S |
| Rail | S | S | S | S | S | S | 548 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | S | S | S | S | S | S | 4 616 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 669 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 669 |
| Truck and rail | — | — | — | — | — | — | — |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | S |
| SCTG 11, NATURAL SANDS | | | | | | | |
| Total | 1 481 | 100.0 | 177 493 | 100.0 | 11 601 | 100.0 | 42 |
| Single modes | 1 445 | 97.5 | 175 033 | 98.6 | 11 142 | 96.0 | 40 |
| Truck ¹ | 1 284 | 86.7 | 162 570 | 91.6 | 6 891 | 59.4 | 38 |
| For-hire truck | 649 | 43.8 | 85 809 | 48.3 | 4 716 | 40.7 | 57 |
| Private truck | 633 | 42.7 | 76 088 | 42.9 | 2 133 | 18.4 | 22 |
| Rail | 145 | 9.8 | 5 882 | 3.3 | 2 016 | 17.4 | 292 |
| Water | 15 | 1.0 | 6 580 | 3.7 | 2 234 | 19.3 | 129 |
| Shallow draft | 15 | 1.0 | 6 580 | 3.7 | 2 234 | 19.3 | 129 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | S | S | S | S | S | S | 821 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 779 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 866 |
| Truck and rail | S | S | S | S | S | S | 180 |
| Truck and water | S | S | S | S | S | S | 212 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 27 | 1.8 | 2 432 | 1.4 | 456 | 3.9 | S |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 12, GRAVEL AND CRUSHED STONE | | | | | | | |
| Total | 4 316 | 100.0 | 671 150 | 100.0 | 36 406 | 100.0 | 43 |
| Single modes | 4 271 | 99.0 | 664 621 | 99.0 | 36 019 | 98.9 | 43 |
| Truck ¹ | 4 012 | 93.0 | 618 569 | 92.2 | 24 831 | 68.2 | 41 |
| For-hire truck | 1 568 | 36.3 | 246 652 | 36.8 | 9 588 | 26.3 | 36 |
| Private truck | 2 345 | 54.3 | 358 047 | 53.3 | 14 880 | 40.9 | 46 |
| Rail | 194 | 4.5 | 34 894 | 5.2 | 7 099 | 19.5 | 217 |
| Water | 65 | 1.5 | 11 158 | 1.7 | 4 089 | 11.2 | 233 |
| Shallow draft | 65 | 1.5 | 11 158 | 1.7 | 4 089 | 11.2 | 233 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | S | S | S | S | S | S | 222 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 5 | .1 | 701 | .1 | S | S | 464 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 1 028 |
| Truck and rail | S | S | S | S | S | S | 425 |
| Truck and water | S | S | S | S | S | S | 182 |
| Rail and water | S | S | S | S | S | S | 184 |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 41 | .9 | 5 828 | .9 | 249 | .7 | 36 |
| SCTG 13, NONMETALLIC MINERALS N.E.C. | | | | | | | |
| Total | 5 293 | 100.0 | 104 223 | 100.0 | 28 800 | 100.0 | 204 |
| Single modes | 5 052 | 95.4 | 101 681 | 97.6 | 26 363 | 91.5 | 191 |
| Truck ¹ | 3 659 | 69.1 | 61 814 | 59.3 | 7 162 | 24.9 | 170 |
| For-hire truck | 2 065 | 39.0 | 23 547 | 22.6 | 5 337 | 18.5 | 267 |
| Private truck | 1 590 | 30.0 | 37 515 | 36.0 | 1 809 | 6.3 | 124 |
| Rail | 1 173 | 22.2 | 23 864 | 22.9 | 10 388 | 36.1 | 593 |
| Water | 109 | 2.1 | S | S | S | S | 813 |
| Shallow draft | 99 | 1.9 | S | S | S | S | 1 015 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 177 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 329 |
| Pipeline ² | 96 | 1.8 | 7 702 | 7.4 | S | S | S |
| Multiple modes | S | S | S | S | S | S | 544 |
| Parcel, U.S. Postal Service or courier | 22 | .4 | S | S | 1 | — | 476 |
| Truck and rail | S | S | S | S | S | S | 1 083 |
| Truck and water | S | S | S | S | S | S | 1 740 |
| Rail and water | S | S | S | S | S | S | 1 214 |
| Other multiple modes | S | S | S | S | 5 | — | 18 |
| Other and unknown modes | 64 | 1.2 | 533 | .5 | 149 | .5 | 220 |
| SCTG 14, METALLIC ORES AND CONCENTRATES | | | | | | | |
| Total | 2 308 | 100.0 | 11 063 | 100.0 | 3 737 | 100.0 | 212 |
| Single modes | 2 096 | 90.8 | 10 590 | 95.7 | 3 359 | 89.9 | 181 |
| Truck ¹ | 1 414 | 61.3 | 6 830 | 61.7 | 929 | 24.9 | 143 |
| For-hire truck | 905 | 39.2 | 5 790 | 52.3 | 809 | 21.6 | 203 |
| Private truck | 496 | 21.5 | 1 036 | 9.4 | 117 | 3.1 | 58 |
| Rail | 289 | 12.5 | 1 646 | 14.9 | 1 444 | 38.6 | 896 |
| Water | S | S | S | S | 983 | 26.3 | 396 |
| Shallow draft | 93 | 4.0 | 562 | 5.1 | 907 | 24.3 | 824 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 48 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 620 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 111 | 4.8 | 218 | 2.0 | 217 | 5.8 | 698 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 672 |
| Truck and rail | S | S | S | S | S | S | 1 834 |
| Truck and water | S | S | 203 | 1.8 | 192 | 5.1 | 947 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | 224 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 15, COAL | | | | | | | |
| Total | 13 306 | 100.0 | 529 110 | 100.0 | 147 442 | 100.0 | 96 |
| Single modes | 11 405 | 85.7 | 434 827 | 82.2 | 127 110 | 86.2 | 51 |
| Truck ¹ | 2 649 | 19.9 | 107 396 | 20.3 | 3 406 | 2.3 | 36 |
| For-hire truck | 2 163 | 16.3 | 81 328 | 15.4 | 2 836 | 1.9 | 38 |
| Private truck | 486 | 3.6 | 26 068 | 4.9 | 571 | .4 | S |
| Rail | 7 634 | 57.4 | 282 026 | 53.3 | 107 937 | 73.2 | 355 |
| Water | 1 122 | 8.4 | 45 404 | 8.6 | 15 767 | 10.7 | 367 |
| Shallow draft | 1 122 | 8.4 | 45 404 | 8.6 | 15 767 | 10.7 | 373 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 11 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 733 | 5.5 | 27 334 | 5.2 | 17 251 | 11.7 | 521 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 25 |
| Truck and rail | S | S | S | S | 389 | .3 | 301 |
| Truck and water | 256 | 1.9 | 9 905 | 1.9 | 5 200 | 3.5 | 527 |
| Rail and water | 339 | 2.5 | 11 533 | 2.2 | 5 701 | 3.9 | 391 |
| Other multiple modes | S | S | S | S | S | S | 1 481 |
| Other and unknown modes | 1 168 | 8.8 | 66 950 | 12.7 | 3 081 | 2.1 | S |
| SCTG 17, GASOLINE AND AVIATION TURBINE FUEL | | | | | | | |
| Total | 88 933 | 100.0 | 487 052 | 100.0 | 96 689 | 100.0 | 46 |
| Single modes | 87 714 | 98.6 | 482 215 | 99.0 | 86 142 | 89.1 | 48 |
| Truck ¹ | 52 601 | 59.1 | 212 097 | 43.5 | 11 808 | 12.2 | 47 |
| For-hire truck | 21 106 | 23.7 | 88 122 | 18.1 | 6 139 | 6.3 | 70 |
| Private truck | 30 408 | 34.2 | 119 343 | 24.5 | 5 112 | 5.3 | 33 |
| Rail | S | S | S | S | 37 | — | 374 |
| Water | 6 768 | 7.6 | 57 294 | 11.8 | 38 617 | 39.9 | 445 |
| Shallow draft | 4 446 | 5.0 | 29 353 | 6.0 | 14 897 | 15.4 | 290 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 2 322 | 2.6 | 27 942 | 5.7 | 23 720 | 24.5 | 845 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 288 |
| Pipeline ² | 28 295 | 31.8 | 212 569 | 43.6 | S | S | S |
| Multiple modes | 704 | .8 | S | S | S | S | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 1 008 |
| Truck and rail | S | S | S | S | S | S | 214 |
| Truck and water | S | S | S | S | S | S | 5 291 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | 380 | .4 | 1 140 | .2 | S | S | S |
| Other and unknown modes | 515 | .6 | 1 817 | .4 | 50 | — | S |
| SCTG 18, FUEL OILS | | | | | | | |
| Total | 42 177 | 100.0 | 235 449 | 100.0 | 31 596 | 100.0 | 30 |
| Single modes | 40 996 | 97.2 | 229 373 | 97.4 | 25 384 | 80.3 | 31 |
| Truck ¹ | 19 243 | 45.6 | 90 799 | 38.6 | 4 971 | 15.7 | 31 |
| For-hire truck | 6 485 | 15.4 | 32 217 | 13.7 | 2 336 | 7.4 | 77 |
| Private truck | 12 349 | 29.3 | 56 771 | 24.1 | 2 577 | 8.2 | 23 |
| Rail | 252 | .6 | 1 644 | .7 | 525 | 1.7 | 430 |
| Water | 5 053 | 12.0 | 38 883 | 16.5 | 10 000 | 31.6 | 115 |
| Shallow draft | 3 907 | 9.3 | 29 822 | 12.7 | 6 410 | 20.3 | 102 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 1 146 | 2.7 | 9 061 | 3.8 | S | S | 268 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline ² | 16 448 | 39.0 | 98 047 | 41.6 | S | S | S |
| Multiple modes | S | S | S | S | S | S | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 23 |
| Truck and rail | — | — | — | — | — | — | — |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | S |
| Other and unknown modes | 468 | 1.1 | 1 971 | .8 | 70 | .2 | 16 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C. | | | | | | | |
| Total | 37 583 | 100.0 | 181 176 | 100.0 | 37 801 | 100.0 | 119 |
| Single modes | 36 074 | 96.0 | 176 557 | 97.5 | 36 837 | 97.4 | 115 |
| Truck ¹ | 16 320 | 43.4 | 71 094 | 39.2 | 10 750 | 28.4 | 109 |
| For-hire truck | 7 411 | 19.7 | 36 257 | 20.0 | 5 991 | 15.8 | 246 |
| Private truck | 8 382 | 22.3 | 31 728 | 17.5 | S | S | 91 |
| Rail | 4 772 | 12.7 | 18 544 | 10.2 | 11 390 | 30.1 | 649 |
| Water | 7 741 | 20.6 | 51 281 | 28.3 | 13 322 | 35.2 | 432 |
| Shallow draft | 6 688 | 17.8 | 44 520 | 24.6 | 6 955 | 18.4 | 335 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 1 053 | 2.8 | 6 761 | 3.7 | 6 367 | 16.8 | 887 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 718 |
| Pipeline ² | 7 232 | 19.2 | 35 634 | 19.7 | S | S | S |
| Multiple modes | 323 | .9 | 495 | .3 | 610 | 1.6 | 523 |
| Parcel, U.S. Postal Service or courier | 64 | .2 | 8 | — | 5 | — | 494 |
| Truck and rail | S | S | S | S | S | S | 1 500 |
| Truck and water | S | S | S | S | S | S | 251 |
| Rail and water | S | S | S | S | S | S | 417 |
| Other multiple modes | S | S | S | S | S | S | 1 856 |
| Other and unknown modes | 1 186 | 3.2 | 4 125 | 2.3 | 354 | .9 | S |
| SCTG 20, BASIC CHEMICALS | | | | | | | |
| Total | 108 045 | 100.0 | 194 411 | 100.0 | 88 699 | 100.0 | 228 |
| Single modes | 102 311 | 94.7 | 185 152 | 95.2 | 85 270 | 96.1 | 154 |
| Truck ¹ | 45 402 | 42.0 | 63 546 | 32.7 | 20 343 | 22.9 | 120 |
| For-hire truck | 36 113 | 33.4 | 40 438 | 20.8 | 17 092 | 19.3 | 414 |
| Private truck | 8 940 | 8.3 | 22 624 | 11.6 | 3 136 | 3.5 | 53 |
| Rail | 31 585 | 29.2 | 49 732 | 25.6 | 39 324 | 44.3 | 949 |
| Water | 14 051 | 13.0 | 45 590 | 23.5 | 24 895 | 28.1 | 464 |
| Shallow draft | 11 712 | 10.8 | 36 435 | 18.7 | 16 951 | 19.1 | 492 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 2 339 | 2.2 | 9 155 | 4.7 | 7 944 | 9.0 | 310 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 319 |
| Pipeline ² | 11 123 | 10.3 | 26 278 | 13.5 | S | S | S |
| Multiple modes | 1 864 | 1.7 | 1 474 | .8 | 1 853 | 2.1 | 579 |
| Parcel, U.S. Postal Service or courier | 944 | .9 | 42 | — | 25 | — | 575 |
| Truck and rail | 761 | .7 | 526 | .3 | 739 | .8 | 1 300 |
| Truck and water | S | S | S | S | S | S | 1 038 |
| Rail and water | S | S | S | S | S | S | 4 355 |
| Other multiple modes | 75 | — | S | S | S | S | 475 |
| Other and unknown modes | 3 870 | 3.6 | 7 785 | 4.0 | 1 577 | 1.8 | S |
| SCTG 21, PHARMACEUTICAL PRODUCTS | | | | | | | |
| Total | 70 002 | 100.0 | 4 923 | 100.0 | 3 095 | 100.0 | 684 |
| Single modes | 52 480 | 75.0 | 4 589 | 93.2 | 2 879 | 93.0 | 244 |
| Truck ¹ | 48 321 | 69.0 | 4 423 | 89.8 | 2 441 | 78.9 | 209 |
| For-hire truck | 32 229 | 46.0 | 2 946 | 59.8 | 2 194 | 70.9 | 355 |
| Private truck | 15 331 | 21.9 | 1 400 | 28.4 | 211 | 6.8 | 137 |
| Rail | S | S | S | S | S | S | 1 993 |
| Water | S | S | S | S | S | S | 15 |
| Shallow draft | S | S | S | S | S | S | 15 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | 4 066 | 5.8 | 16 S | .3 | 18 S | .6 | 1 056 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 16 589 | 23.7 | 215 | 4.4 | 138 | 4.5 | 846 |
| Parcel, U.S. Postal Service or courier | 16 517 | 23.6 | 206 | 4.2 | 120 | 3.9 | 846 |
| Truck and rail | 71 | .1 | 8 | .2 | 13 | .4 | 1 757 |
| Truck and water | S | S | S | S | S | S | 7 411 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 933 | 1.3 | S | S | S | S | S |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 22, FERTILIZERS | | | | | | | |
| Total | 13 073 | 100.0 | 102 268 | 100.0 | 27 107 | 100.0 | 96 |
| Single modes | 12 294 | 94.0 | 98 286 | 96.1 | 24 424 | 90.1 | 97 |
| Truck ¹ | 6 598 | 50.5 | 34 978 | 34.2 | 4 706 | 17.4 | 76 |
| For-hire truck | 2 494 | 19.1 | 16 520 | 16.2 | 3 199 | 11.8 | 218 |
| Private truck | 3 837 | 29.4 | 16 742 | 16.4 | 1 428 | 5.3 | 54 |
| Rail | 3 996 | 30.6 | 52 654 | 51.5 | 15 428 | 56.9 | 734 |
| Water | 1 315 | 10.1 | 8 325 | 8.1 | 3 677 | 13.6 | 314 |
| Shallow draft | 1 017 | 7.8 | 6 782 | 6.6 | 3 460 | 12.8 | 327 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 135 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline ² | 385 | 2.9 | 2 330 | 2.3 | S | S | S |
| Multiple modes | 103 | .8 | 602 | .6 | S | S | 806 |
| Parcel, U.S. Postal Service or courier | S | S | 1 | — | — | — | 796 |
| Truck and rail | S | S | S | S | S | S | 1 216 |
| Truck and water | S | S | S | S | S | S | 1 238 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 1 280 |
| Other and unknown modes | S | S | 3 380 | 3.3 | S | S | S |
| SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C. | | | | | | | |
| Total | 61 116 | 100.0 | 36 449 | 100.0 | 17 210 | 100.0 | 318 |
| Single modes | 55 359 | 90.6 | 33 981 | 93.2 | 15 672 | 91.1 | 197 |
| Truck ¹ | 50 097 | 82.0 | 28 695 | 78.7 | 11 743 | 68.2 | 190 |
| For-hire truck | 32 262 | 52.8 | 18 970 | 52.0 | 10 116 | 58.8 | 511 |
| Private truck | 16 939 | 27.7 | 9 028 | 24.8 | 1 396 | 8.1 | 57 |
| Rail | 4 232 | 6.9 | 3 792 | 10.4 | 3 868 | 22.5 | 1 036 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 32 |
| Air (includes truck and air) | 103 | .2 | 9 | — | 14 | — | 1 267 |
| Pipeline ² | S | S | 455 | 1.2 | S | S | S |
| Multiple modes | 3 989 | 6.5 | 812 | 2.2 | 1 117 | 6.5 | 666 |
| Parcel, U.S. Postal Service or courier | 2 973 | 4.9 | 182 | .5 | 89 | .5 | 664 |
| Truck and rail | 1 005 | 1.6 | 616 | 1.7 | 1 014 | 5.9 | 1 613 |
| Truck and water | S | S | S | S | S | S | 4 858 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 240 |
| Other and unknown modes | 1 769 | 2.9 | 1 656 | 4.5 | 421 | 2.4 | 31 |
| SCTG 24, PLASTICS AND RUBBER | | | | | | | |
| Total | 108 620 | 100.0 | 59 035 | 100.0 | 38 201 | 100.0 | 290 |
| Single modes | 98 152 | 90.4 | 55 772 | 94.5 | 35 872 | 93.9 | 192 |
| Truck ¹ | 81 144 | 74.7 | 35 482 | 60.1 | 17 033 | 44.6 | 175 |
| For-hire truck | 56 084 | 51.6 | 25 105 | 42.5 | 14 908 | 39.0 | 540 |
| Private truck | 24 688 | 22.7 | 10 155 | 17.2 | 2 046 | 5.4 | 62 |
| Rail | 16 584 | 15.3 | 20 207 | 34.2 | 18 799 | 49.2 | 962 |
| Water | S | S | S | S | S | S | 144 |
| Shallow draft | S | S | S | S | S | S | 153 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 107 |
| Air (includes truck and air) | 395 | .4 | 39 | — | 38 | .1 | 1 223 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 6 689 | 6.2 | 1 273 | 2.2 | 1 745 | 4.6 | 601 |
| Parcel, U.S. Postal Service or courier | 4 610 | 4.2 | 248 | .4 | 169 | .4 | 598 |
| Truck and rail | 1 965 | 1.8 | 1 009 | 1.7 | 1 565 | 4.1 | 1 574 |
| Truck and water | S | S | S | S | S | S | 5 325 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 706 |
| Other and unknown modes | 3 779 | 3.5 | S | S | 584 | 1.5 | 47 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH | | | | | | | |
| Total | 5 948 | 100.0 | 231 110 | 100.0 | 16 033 | 100.0 | 68 |
| Single modes | 5 771 | 97.0 | 227 634 | 98.5 | 15 290 | 95.4 | 59 |
| Truck ¹ | 5 506 | 92.6 | 218 090 | 94.4 | 11 836 | 73.8 | 58 |
| For-hire truck | 2 402 | 40.4 | 87 200 | 37.7 | 5 763 | 35.9 | 72 |
| Private truck | 3 071 | 51.6 | 128 448 | 55.6 | 5 861 | 36.6 | 47 |
| Rail | 206 | 3.5 | S | S | S | S | S |
| Water | S | S | S | S | S | S | 179 |
| Shallow draft | S | S | S | S | S | S | 179 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 1 236 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 1 114 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 1 400 |
| Truck and rail | S | S | S | S | S | S | 512 |
| Truck and water | S | S | S | S | S | S | 284 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 96 | 1.6 | 1 522 | .7 | 131 | .8 | S |
| SCTG 26, WOOD PRODUCTS | | | | | | | |
| Total | 51 182 | 100.0 | 174 948 | 100.0 | 42 523 | 100.0 | 242 |
| Single modes | 49 598 | 96.9 | 172 337 | 98.5 | 41 228 | 97.0 | 153 |
| Truck ¹ | 44 258 | 86.5 | 145 617 | 83.2 | 25 535 | 60.0 | 143 |
| For-hire truck | 22 078 | 43.1 | 75 386 | 43.1 | 17 484 | 41.1 | 305 |
| Private truck | 21 902 | 42.8 | 68 763 | 39.3 | 7 736 | 18.2 | 88 |
| Rail | 5 174 | 10.1 | 23 280 | 13.3 | 14 540 | 34.2 | 671 |
| Water | S | S | S | S | S | S | 257 |
| Shallow draft | S | S | S | S | S | S | 294 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 12 |
| Air (includes truck and air)..... | 10 | — | 1 | — | — | — | 1 260 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 674 | 1.3 | 590 | .3 | 742 | 1.7 | 752 |
| Parcel, U.S. Postal Service or courier | 491 | 1.0 | 40 | — | 28 | — | 750 |
| Truck and rail | 182 | .4 | 547 | .3 | 712 | 1.7 | 1 044 |
| Truck and water | S | S | S | S | S | S | 764 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 239 |
| Other and unknown modes | 910 | 1.8 | 2 022 | 1.2 | 553 | 1.3 | 71 |
| SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD | | | | | | | |
| Total | 43 104 | 100.0 | 69 092 | 100.0 | 43 764 | 100.0 | 178 |
| Single modes | 41 848 | 97.1 | 67 083 | 97.1 | 42 273 | 96.6 | 162 |
| Truck ¹ | 29 813 | 69.2 | 39 303 | 56.9 | 19 446 | 44.4 | 139 |
| For-hire truck | 21 000 | 48.7 | 31 448 | 45.5 | 18 089 | 41.3 | 500 |
| Private truck | 8 642 | 20.0 | 7 713 | 11.2 | 1 343 | 3.1 | 48 |
| Rail | 11 963 | 27.8 | 27 639 | 40.0 | 22 812 | 52.1 | 828 |
| Water | S | S | S | S | S | S | 181 |
| Shallow draft | S | S | S | S | S | S | 311 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 78 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 849 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 713 | 1.7 | 1 060 | 1.5 | 1 170 | 2.7 | 440 |
| Parcel, U.S. Postal Service or courier | 220 | .5 | 37 | — | 14 | — | 413 |
| Truck and rail | 464 | 1.1 | 960 | 1.4 | 1 111 | 2.5 | 1 240 |
| Truck and water | S | S | S | S | S | S | 1 067 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 543 | 1.3 | 949 | 1.4 | 321 | .7 | 61 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 28, PAPER OR PAPERBOARD ARTICLES | | | | | | | |
| Total | 31 959 | 100.0 | 24 638 | 100.0 | 8 220 | 100.0 | 222 |
| Single modes | 29 822 | 93.3 | 23 892 | 97.0 | 7 847 | 95.5 | 119 |
| Truck ¹ | 29 469 | 92.2 | 23 187 | 94.1 | 7 236 | 88.0 | 106 |
| For-hire truck | 18 121 | 56.7 | 14 320 | 58.1 | 6 126 | 74.5 | 283 |
| Private truck | 11 269 | 35.3 | 8 839 | 35.9 | 1 096 | 13.3 | 66 |
| Rail | 306 | 1.0 | 696 | 2.8 | 603 | 7.3 | 903 |
| Water | S | S | S | S | S | S | 75 |
| Shallow draft | S | S | S | S | S | S | 78 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 11 |
| Air (includes truck and air) | 37 | .1 | S | S | 6 | — | 1 314 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 1 314 | 4.1 | 243 | 1.0 | 220 | 2.7 | 556 |
| Parcel, U.S. Postal Service or courier | 1 141 | 3.6 | 139 | .6 | 61 | .7 | 555 |
| Truck and rail | 168 | .5 | 103 | .4 | 151 | 1.8 | 1 442 |
| Truck and water | S | S | S | S | S | S | 7 460 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 287 |
| Other and unknown modes | 823 | 2.6 | 503 | 2.0 | 153 | 1.9 | 63 |
| SCTG 29, PRINTED PRODUCTS | | | | | | | |
| Total | 61 379 | 100.0 | 25 874 | 100.0 | 5 572 | 100.0 | 416 |
| Single modes | 43 297 | 70.5 | 22 988 | 88.8 | 4 673 | 83.9 | 155 |
| Truck ¹ | 42 495 | 69.2 | 22 906 | 88.5 | 4 569 | 82.0 | 98 |
| For-hire truck | 21 873 | 35.6 | 9 543 | 36.9 | 3 899 | 70.0 | 407 |
| Private truck | 20 339 | 33.1 | 13 317 | 51.5 | 665 | 11.9 | 27 |
| Rail | S | S | 19 | — | 27 | .5 | S |
| Water | S | S | S | S | S | S | 11 |
| Shallow draft | S | S | S | S | S | S | 15 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 5 |
| Air (includes truck and air) | 720 | 1.2 | 63 | .2 | 77 | 1.4 | 898 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 14 231 | 23.2 | 920 | 3.6 | 690 | 12.4 | 750 |
| Parcel, U.S. Postal Service or courier | 14 018 | 22.8 | 832 | 3.2 | 528 | 9.5 | 750 |
| Truck and rail | 212 | .3 | 87 | .3 | 161 | 2.9 | 2 272 |
| Truck and water | S | S | S | S | S | S | 7 386 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 3 851 | 6.3 | 1 966 | 7.6 | 209 | 3.7 | S |
| SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER | | | | | | | |
| Total | 200 973 | 100.0 | 32 351 | 100.0 | 15 828 | 100.0 | 817 |
| Single modes | 179 803 | 89.5 | 30 931 | 95.6 | 14 628 | 92.4 | 690 |
| Truck ¹ | 178 935 | 89.0 | 30 577 | 94.5 | 14 131 | 89.3 | 639 |
| For-hire truck | 107 263 | 53.4 | 17 212 | 53.2 | 11 045 | 69.8 | 856 |
| Private truck | 70 301 | 35.0 | 13 072 | 40.4 | 2 979 | 18.8 | 168 |
| Rail | 303 | .2 | S | S | 448 | 2.8 | 787 |
| Water | S | S | S | S | S | S | 30 |
| Shallow draft | S | S | S | S | S | S | 41 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 1 |
| Air (includes truck and air) | 563 | .3 | 35 | .1 | 48 | .3 | 1 529 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 16 953 | 8.4 | 835 | 2.6 | 942 | 6.0 | 912 |
| Parcel, U.S. Postal Service or courier | 16 226 | 8.1 | 616 | 1.9 | 519 | 3.3 | 911 |
| Truck and rail | S | S | 218 | .7 | S | S | 1 954 |
| Truck and water | S | S | S | S | S | S | 3 103 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 74 |
| Other and unknown modes | 4 217 | 2.1 | 585 | 1.8 | 259 | 1.6 | 190 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 31, NONMETALLIC MINERAL PRODUCTS | | | | | | | |
| Total | 38 260 | 100.0 | 337 896 | 100.0 | 35 463 | 100.0 | 219 |
| Single modes | 36 066 | 94.3 | 331 160 | 98.0 | 33 169 | 93.5 | 98 |
| Truck ¹ | 34 615 | 90.5 | 320 111 | 94.7 | 27 260 | 76.9 | 90 |
| For-hire truck | 18 293 | 47.8 | 82 256 | 24.3 | 18 695 | 52.7 | 350 |
| Private truck | 16 098 | 42.1 | 234 980 | 69.5 | 8 187 | 23.1 | 42 |
| Rail | 865 | 2.3 | 8 611 | 2.5 | 5 412 | 15.3 | 647 |
| Water | 128 | .3 | 2 362 | .7 | 419 | 1.2 | S |
| Shallow draft | 128 | .3 | 2 362 | .7 | 419 | 1.2 | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 1 222 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 1 232 | 3.2 | 2 127 | .6 | 865 | 2.4 | 909 |
| Parcel, U.S. Postal Service or courier | 951 | 2.5 | 62 | — | 44 | .1 | 913 |
| Truck and rail | 256 | .7 | 1 921 | .6 | 759 | 2.1 | 488 |
| Truck and water | S | S | S | S | 47 | .1 | S |
| Rail and water | S | S | S | S | S | S | 4 692 |
| Other multiple modes | S | S | S | S | S | S | 340 |
| Other and unknown modes | 962 | 2.5 | 4 609 | 1.4 | 1 429 | 4.0 | 103 |
| SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES | | | | | | | |
| Total | 72 761 | 100.0 | 87 986 | 100.0 | 35 162 | 100.0 | 210 |
| Single modes | 69 412 | 95.4 | 82 980 | 94.3 | 31 840 | 90.6 | 162 |
| Truck ¹ | 60 415 | 83.0 | 64 901 | 73.8 | 19 573 | 55.7 | 154 |
| For-hire truck | 39 611 | 54.4 | 38 904 | 44.2 | 16 401 | 46.6 | 452 |
| Private truck | 20 566 | 28.3 | 25 401 | 28.9 | 3 088 | 8.8 | 66 |
| Rail | 8 162 | 11.2 | 15 664 | 17.8 | 10 765 | 30.6 | 722 |
| Water | S | S | S | S | 1 455 | 4.1 | 703 |
| Shallow draft | S | S | S | S | 1 455 | 4.1 | 703 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 183 | .3 | 38 | — | 47 | .1 | 1 151 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 1 451 | 2.0 | 1 028 | 1.2 | 1 317 | 3.7 | 534 |
| Parcel, U.S. Postal Service or courier | 1 210 | 1.7 | 73 | — | 35 | .1 | 532 |
| Truck and rail | 148 | .2 | 152 | .2 | 213 | .6 | 1 402 |
| Truck and water | S | S | S | S | S | S | 1 049 |
| Rail and water | — | — | — | — | — | — | 5 387 |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 1 898 | 2.6 | 3 978 | 4.5 | 2 004 | 5.7 | 126 |
| SCTG 33, ARTICLES OF BASE METAL | | | | | | | |
| Total | 70 445 | 100.0 | 38 223 | 100.0 | 15 843 | 100.0 | 306 |
| Single modes | 60 212 | 85.5 | 36 594 | 95.7 | 14 669 | 92.6 | 187 |
| Truck ¹ | 57 696 | 81.9 | 33 096 | 86.6 | 11 883 | 75.0 | 169 |
| For-hire truck | 34 006 | 48.3 | 19 592 | 51.3 | 8 481 | 53.5 | 509 |
| Private truck | 23 210 | 32.9 | 13 118 | 34.3 | 3 203 | 20.2 | 73 |
| Rail | 1 745 | 2.5 | 3 061 | 8.0 | 2 281 | 14.4 | 963 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 4 956 |
| Air (includes truck and air)..... | 546 | .8 | 55 | .1 | 67 | .4 | 1 244 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 7 520 | 10.7 | 478 | 1.3 | 444 | 2.8 | 552 |
| Parcel, U.S. Postal Service or courier | 7 312 | 10.4 | 332 | .9 | 216 | 1.4 | 552 |
| Truck and rail | 114 | .2 | 36 | — | 64 | .4 | 1 702 |
| Truck and water | 94 | .1 | S | S | S | S | 5 139 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 2 714 | 3.9 | 1 151 | 3.0 | 730 | 4.6 | 85 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 34, MACHINERY | | | | | | | |
| Total | 125 334 | 100.0 | 14 352 | 100.0 | 7 756 | 100.0 | 275 |
| Single modes | 104 513 | 83.4 | 13 203 | 92.0 | 7 138 | 92.0 | 180 |
| Truck ¹ | 100 276 | 80.0 | 12 969 | 90.4 | 6 927 | 89.3 | 147 |
| For-hire truck | 71 794 | 57.3 | 9 203 | 64.1 | 6 102 | 78.7 | 469 |
| Private truck | 28 165 | 22.5 | 3 698 | 25.8 | 792 | 10.2 | 52 |
| Rail | 1 542 | 1.2 | 185 | 1.3 | 154 | 2.0 | 958 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 2 693 | 2.1 | 50 | .3 | 58 | .7 | 1 152 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 15 353 | 12.2 | 532 | 3.7 | 436 | 5.6 | 439 |
| Parcel, U.S. Postal Service or courier | 14 668 | 11.7 | 405 | 2.8 | 191 | 2.5 | 438 |
| Truck and rail | 624 | .5 | 116 | .8 | 215 | 2.8 | 1 713 |
| Truck and water | S | S | S | S | 30 | .4 | 6 406 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 5 468 | 4.4 | 617 | 4.3 | 181 | 2.3 | 65 |
| SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT | | | | | | | |
| Total | 265 208 | 100.0 | 15 287 | 100.0 | 9 101 | 100.0 | 505 |
| Single modes | 194 056 | 73.2 | 13 889 | 90.9 | 8 289 | 91.1 | 298 |
| Truck ¹ | 173 112 | 65.3 | 13 594 | 88.9 | 7 918 | 87.0 | 222 |
| For-hire truck | 131 135 | 49.4 | 9 434 | 61.7 | 6 603 | 72.6 | 709 |
| Private truck | 40 455 | 15.3 | 3 985 | 26.1 | 1 165 | 12.8 | 51 |
| Rail | 685 | .3 | 119 | .8 | 173 | 1.9 | 1 482 |
| Water | S | S | S | S | S | S | 58 |
| Shallow draft | S | S | S | S | S | S | 58 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 58 |
| Air (includes truck and air)..... | 20 181 | 7.6 | 169 | 1.1 | 198 | 2.2 | 1 239 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 60 353 | 22.8 | 773 | 5.1 | 614 | 6.7 | 760 |
| Parcel, U.S. Postal Service or courier | 59 919 | 22.6 | 719 | 4.7 | 470 | 5.2 | 759 |
| Truck and rail | 423 | .2 | 53 | .3 | 136 | 1.5 | 2 519 |
| Truck and water | S | S | S | S | S | S | 7 743 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 88 |
| Other and unknown modes | 10 799 | 4.1 | 625 | 4.1 | 198 | 2.2 | 55 |
| SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS) | | | | | | | |
| Total | 155 181 | 100.0 | 22 495 | 100.0 | 11 082 | 100.0 | 233 |
| Single modes | 119 833 | 77.2 | 18 532 | 82.4 | 9 100 | 82.1 | 121 |
| Truck ¹ | 104 727 | 67.5 | 17 090 | 76.0 | 7 576 | 68.4 | 91 |
| For-hire truck | 75 609 | 49.7 | 11 665 | 51.9 | 5 970 | 53.9 | 398 |
| Private truck | 28 621 | 18.4 | 5 390 | 24.0 | 1 594 | 14.4 | 36 |
| Rail | 13 964 | 9.0 | 1 379 | 6.1 | 1 467 | 13.2 | 975 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 1 141 | .7 | 62 | .3 | 57 | .5 | 1 043 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 16 255 | 10.5 | 1 460 | 6.5 | 1 357 | 12.2 | 559 |
| Parcel, U.S. Postal Service or courier | 6 051 | 3.9 | 312 | 1.4 | 161 | 1.5 | 553 |
| Truck and rail | 10 198 | 6.6 | 1 147 | 5.1 | 1 194 | 10.8 | 1 035 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | S | S | S | S | S | S | 7 000 |
| Other multiple modes | S | S | S | S | S | S | 50 |
| Other and unknown modes | 19 093 | 12.3 | 2 503 | 11.1 | 625 | 5.6 | 54 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C. | | | | | | | |
| Total | 26 147 | 100.0 | 1 974 | 100.0 | 1 297 | 100.0 | 737 |
| Single modes | 21 749 | 83.2 | 1 893 | 95.9 | 1 093 | 84.3 | 674 |
| Truck ¹ | 15 383 | 58.8 | 1 038 | 52.6 | 567 | 43.7 | 325 |
| For-hire truck | 9 974 | 38.1 | 551 | 27.9 | 375 | 28.9 | 706 |
| Private truck | 5 231 | 20.0 | 482 | 24.4 | 185 | 14.3 | 155 |
| Rail | 1 646 | 6.3 | 759 | 38.5 | 496 | 38.3 | 793 |
| Water | 421 | 1.6 | S | S | S | S | 154 |
| Shallow draft | 338 | 1.3 | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 388 |
| Air (includes truck and air)..... | 4 299 | 16.4 | 15 | .8 | 19 | 1.5 | 1 330 |
| Pipeline ² | — | — | — | — | S | S | S |
| Multiple modes | 3 666 | 14.0 | 34 | 1.7 | 52 | 4.0 | 854 |
| Parcel, U.S. Postal Service or courier | 3 570 | 13.7 | 17 | .9 | 15 | 1.1 | 853 |
| Truck and rail | 70 | .3 | 16 | .8 | 37 | 2.9 | 1 832 |
| Truck and water | S | S | S | S | S | S | 21 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 489 |
| Other and unknown modes | 732 | 2.8 | 46 | 2.4 | S | S | 308 |
| SCTG 38, PRECISION INSTRUMENTS AND APPARATUS | | | | | | | |
| Total | 40 091 | 100.0 | 1 055 | 100.0 | 694 | 100.0 | 789 |
| Single modes | 17 825 | 44.5 | 803 | 76.1 | 491 | 70.8 | 472 |
| Truck ¹ | 14 239 | 35.5 | 739 | 70.1 | 453 | 65.3 | 258 |
| For-hire truck | 9 543 | 23.8 | 578 | 54.8 | 433 | 62.3 | 391 |
| Private truck | 4 662 | 11.6 | 160 | 15.2 | 20 | 2.9 | 90 |
| Rail | S | S | S | S | S | S | 1 771 |
| Water | S | S | S | S | S | S | 7 |
| Shallow draft | S | S | S | S | S | S | 15 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 2 |
| Air (includes truck and air)..... | 3 560 | 8.9 | S | S | 37 | 5.3 | 927 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 20 867 | 52.0 | 190 | 18.0 | 160 | 23.0 | 890 |
| Parcel, U.S. Postal Service or courier | 20 837 | 52.0 | 186 | 17.6 | 147 | 21.1 | 890 |
| Truck and rail | S | S | S | S | S | S | 2 078 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 1 400 | 3.5 | 62 | 5.8 | 43 | 6.2 | 230 |
| SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS | | | | | | | |
| Total | 40 012 | 100.0 | 8 284 | 100.0 | 4 249 | 100.0 | 504 |
| Single modes | 38 108 | 95.2 | 8 043 | 97.1 | 4 045 | 95.2 | 433 |
| Truck ¹ | 37 786 | 94.4 | 8 018 | 96.8 | 3 997 | 94.1 | 422 |
| For-hire truck | 19 132 | 47.8 | 4 309 | 52.0 | 2 928 | 68.9 | 729 |
| Private truck | 18 078 | 45.2 | 3 595 | 43.4 | 990 | 23.3 | 143 |
| Rail | 64 | .2 | 18 | .2 | 40 | .9 | 2 273 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 258 | .6 | 6 | — | 8 | .2 | 1 246 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 1 166 | 2.9 | 122 | 1.5 | 120 | 2.8 | 838 |
| Parcel, U.S. Postal Service or courier | 1 063 | 2.7 | 97 | 1.2 | 79 | 1.9 | 835 |
| Truck and rail | 92 | .2 | 23 | .3 | 32 | .8 | 1 636 |
| Truck and water | S | S | S | S | S | S | 7 596 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 739 | 1.8 | 120 | 1.4 | 84 | 2.0 | 81 |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|---|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS | | | | | | | |
| Total | 115 174 | 100.0 | 37 598 | 100.0 | 13 073 | 100.0 | 660 |
| Single modes | 88 166 | 76.6 | 35 335 | 94.0 | 11 870 | 90.8 | 338 |
| Truck ¹ | 80 209 | 69.6 | 34 412 | 91.5 | 10 873 | 83.2 | 255 |
| For-hire truck | 44 037 | 38.2 | 16 813 | 44.7 | 7 950 | 60.8 | 558 |
| Private truck | 35 673 | 31.0 | 17 146 | 45.6 | 2 607 | 19.9 | 146 |
| Rail | S | S | 842 | 2.2 | 950 | 7.3 | 1 068 |
| Water | S | S | S | S | S | S | 604 |
| Shallow draft | S | S | S | S | S | S | 8 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 1 906 |
| Air (includes truck and air) | S | S | 32 | S | 43 | S | 1 269 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 22 726 | 19.7 | 928 | 2.5 | 778 | 5.9 | 863 |
| Parcel, U.S. Postal Service or courier | 22 173 | 19.3 | 733 | 1.9 | 537 | 4.1 | 863 |
| Truck and rail | 545 | 5 | 192 | 5 | 232 | 1.8 | 1 622 |
| Truck and water | S | S | S | S | S | S | 7 512 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | S |
| Other and unknown modes | 4 281 | 3.7 | 1 335 | 3.6 | 425 | 3.2 | 123 |
| SCTG 41, WASTE AND SCRAP | | | | | | | |
| Total | 7 954 | 100.0 | 43 439 | 100.0 | 10 852 | 100.0 | 171 |
| Single modes | 7 591 | 95.4 | 41 270 | 95.0 | 10 167 | 93.7 | 168 |
| Truck ¹ | 5 731 | 72.1 | 27 385 | 63.0 | 5 456 | 50.3 | 150 |
| For-hire truck | 3 500 | 44.0 | 17 694 | 40.7 | 4 389 | 40.4 | 229 |
| Private truck | 2 227 | 28.0 | 9 645 | 22.2 | 1 063 | 9.8 | 77 |
| Rail | 1 630 | 20.5 | 12 256 | 28.2 | 3 976 | 36.6 | 340 |
| Water | 207 | 2.6 | 1 569 | 3.6 | 735 | 6.8 | 483 |
| Shallow draft | 179 | 2.3 | 1 306 | 3.0 | 685 | 6.3 | 522 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 245 |
| Air (includes truck and air) | S | S | S | S | S | S | 1 164 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 219 | 2.8 | 736 | 1.7 | 475 | 4.4 | 1 109 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | — | — | 1 341 |
| Truck and rail | 162 | 2.0 | 252 | 6 | 277 | 2.6 | 1 139 |
| Truck and water | S | S | S | S | S | S | 310 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 144 | 1.8 | S | S | 211 | 1.9 | 108 |
| SCTG 43, MIXED FREIGHT | | | | | | | |
| Total | 101 032 | 100.0 | 43 088 | 100.0 | 6 087 | 100.0 | 141 |
| Single modes | 97 786 | 96.8 | 42 110 | 97.7 | 5 845 | 96.0 | 118 |
| Truck ¹ | 97 704 | 96.7 | 42 105 | 97.7 | 5 842 | 96.0 | 107 |
| For-hire truck | 11 306 | 11.2 | 5 155 | 12.0 | 1 392 | 22.9 | 260 |
| Private truck | 86 219 | 85.3 | 36 865 | 85.6 | 4 436 | 72.9 | 98 |
| Rail | S | S | S | S | S | S | 44 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | S | S | S | S | S | S | 1 467 |
| Pipeline ² | — | — | — | — | — | — | S |
| Multiple modes | 1 426 | 1.4 | S | S | S | S | 242 |
| Parcel, U.S. Postal Service or courier | 1 383 | 1.4 | S | S | S | S | 242 |
| Truck and rail | S | S | S | S | S | S | 1 529 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 1 820 | 1.8 | 790 | 1.8 | 150 | 2.5 | S |

See footnotes at end of table.

Table 7. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment |
|--|--------------------------|---------|--------------------|---------|-------------------|---------|----------------------------|
| | Number (million dollars) | Percent | Number (thousands) | Percent | Number (millions) | Percent | |
| COMMODITY UNKNOWN | | | | | | | |
| Total | 11 297 | 100.0 | S | S | S | S | 347 |
| Single modes | 9 655 | 85.5 | S | S | S | S | 234 |
| Truck ¹ | 8 830 | 78.2 | S | S | S | S | 195 |
| For-hire truck | 4 562 | 40.4 | 2 858 | 14.3 | 995 | 16.0 | 451 |
| Private truck | 4 266 | 37.8 | S | S | S | S | 131 |
| Rail | 295 | 2.6 | 744 | 3.7 | 649 | 10.4 | 910 |
| Water | S | S | S | S | S | S | 2 904 |
| Shallow draft | S | S | S | S | S | S | 217 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 5 715 |
| Air (includes truck and air) | 113 | 1.0 | 2 | — | 2 | — | 1 186 |
| Pipeline ² | S | S | S | S | S | S | S |
| Multiple modes | 1 001 | 8.9 | S | S | S | S | 537 |
| Parcel, U.S. Postal Service or courier | 805 | 7.1 | 28 | .1 | 16 | .3 | 536 |
| Truck and rail | S | S | S | S | S | S | 830 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 3 083 |
| Other and unknown modes | 641 | 5.7 | S | S | 98 | 1.6 | 146 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

¹"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

²CFS data for pipeline exclude most shipments of crude oil. See "Mileage Calculations" section for details of CFS coverage.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|---|----------------------------|---------------------|-------------------------|
| All commodities | 2 348 187 | 4 465 635 | 958 477 |
| Less than 50 miles | | | |
| 50 to 99 miles | 700 923 | 2 511 658 | 52 662 |
| 100 to 249 miles | 194 150 | 473 095 | 45 119 |
| 250 to 499 miles | 401 175 | 603 269 | 141 467 |
| 500 to 749 miles | 380 848 | 439 301 | 211 085 |
| | 250 063 | 203 628 | 171 747 |
| 750 to 999 miles | 154 108 | 121 213 | 132 190 |
| 1,000 to 1,499 miles | 162 475 | 85 265 | 137 318 |
| 1,500 to 1,999 miles | 61 079 | 18 731 | 41 241 |
| 2,000 miles or more | 43 367 | 9 275 | 25 647 |
| SCTG 01, Live animals and live fish | 2 082 | 2 229 | 680 |
| Less than 50 miles | | | |
| 50 to 99 miles | 531 | 856 | 21 |
| 100 to 249 miles | 176 | S | S |
| 250 to 499 miles | 329 | S | S |
| 500 to 749 miles | 401 | 334 | 159 |
| | 327 | 217 | 173 |
| 750 to 999 miles | 215 | 132 | 132 |
| 1,000 to 1,499 miles | 83 | 60 | 77 |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 02, Cereal grains | 12 447 | 93 425 | 16 401 |
| Less than 50 miles | | | |
| 50 to 99 miles | 8 609 | 65 952 | 2 050 |
| 100 to 249 miles | 700 | 5 896 | 535 |
| 250 to 499 miles | 987 | 6 987 | 1 487 |
| 500 to 749 miles | 622 | 5 223 | 2 591 |
| | 1 102 | 7 371 | 6 817 |
| 750 to 999 miles | 216 | S | S |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 03, Other agricultural products | 28 044 | 53 544 | 14 667 |
| Less than 50 miles | | | |
| 50 to 99 miles | 12 527 | 29 220 | 981 |
| 100 to 249 miles | 2 749 | 4 460 | 448 |
| 250 to 499 miles | 5 303 | 6 217 | 1 456 |
| 500 to 749 miles | 3 156 | 5 700 | 2 784 |
| | 1 590 | 4 107 | 3 543 |
| 750 to 999 miles | 880 | 1 641 | 1 798 |
| 1,000 to 1,499 miles | 1 070 | 1 428 | 1 988 |
| 1,500 to 1,999 miles | 563 | 648 | 1 327 |
| 2,000 miles or more | 205 | 122 | 340 |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 22 814 | 80 762 | 10 660 |
| Less than 50 miles | | | |
| 50 to 99 miles | 11 027 | 52 339 | 1 527 |
| 100 to 249 miles | 3 217 | 9 051 | 823 |
| 250 to 499 miles | 3 722 | 9 728 | 1 944 |
| 500 to 749 miles | 2 488 | 5 286 | 2 273 |
| | 1 117 | 3 167 | 2 459 |
| 750 to 999 miles | 701 | 655 | 730 |
| 1,000 to 1,499 miles | 372 | 427 | 646 |
| 1,500 to 1,999 miles | 125 | 80 | 175 |
| 2,000 miles or more | S | 29 | 85 |
| SCTG 05, Meat, fish, seafood, and their preparations | 61 878 | 30 812 | 12 734 |
| Less than 50 miles | | | |
| 50 to 99 miles | 14 806 | 7 056 | 194 |
| 100 to 249 miles | 6 499 | 3 446 | 334 |
| 250 to 499 miles | 12 314 | 6 763 | 1 385 |
| 500 to 749 miles | 11 427 | 6 215 | 2 676 |
| | 7 026 | 3 390 | 2 517 |
| 750 to 999 miles | 3 984 | 1 408 | 1 466 |
| 1,000 to 1,499 miles | 4 043 | 1 771 | 2 482 |
| 1,500 to 1,999 miles | 1 216 | 516 | 1 028 |
| 2,000 miles or more | 561 | 247 | 652 |
| SCTG 06, Milled grain products and preparations, and bakery products | 29 633 | 23 827 | 9 025 |
| Less than 50 miles | | | |
| 50 to 99 miles | 8 076 | 6 040 | 161 |
| 100 to 249 miles | 3 737 | 3 690 | 342 |
| 250 to 499 miles | 7 228 | 4 870 | 980 |
| 500 to 749 miles | 4 763 | 4 114 | 1 796 |
| | 2 854 | 2 227 | 1 678 |
| 750 to 999 miles | 1 425 | 1 396 | 1 528 |
| 1,000 to 1,499 miles | 905 | 998 | 1 443 |
| 1,500 to 1,999 miles | 515 | 411 | 873 |
| 2,000 miles or more | 131 | 82 | 224 |
| SCTG 07, Other prepared foodstuffs and fats and oils | 104 054 | 124 712 | 31 675 |
| Less than 50 miles | | | |
| 50 to 99 miles | 37 648 | 49 990 | 1 181 |
| 100 to 249 miles | 15 250 | 19 441 | 1 788 |
| 250 to 499 miles | 21 140 | 25 038 | 4 909 |
| 500 to 749 miles | 12 966 | 14 652 | 6 648 |
| | 7 193 | 7 717 | 6 104 |
| 750 to 999 miles | 4 162 | 3 262 | 3 422 |
| 1,000 to 1,499 miles | 3 647 | 3 393 | 4 672 |
| 1,500 to 1,999 miles | 1 426 | 860 | 1 958 |
| 2,000 miles or more | 622 | 358 | 993 |

See footnotes at end of table.

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 08, Alcoholic beverages | 27 871 | 23 651 | 4 089 |
| Less than 50 miles | 17 855 | 14 237 | 267 |
| 50 to 99 miles | 1 874 | 1 096 | 95 |
| 100 to 249 miles | 3 340 | 3 675 | 760 |
| 250 to 499 miles | 2 744 | 3 147 | 1 331 |
| 500 to 749 miles | 809 | 708 | 546 |
| 750 to 999 miles | 451 | 451 | 474 |
| 1,000 to 1,499 miles | 500 | 218 | 328 |
| 1,500 to 1,999 miles | 259 | 102 | 232 |
| 2,000 miles or more | 40 | 18 | 55 |
| SCTG 09, Tobacco products | 38 916 | 3 085 | 855 |
| Less than 50 miles | 13 282 | 2 017 | 56 |
| 50 to 99 miles | 1 468 | 117 | 11 |
| 100 to 249 miles | 2 425 | 208 | 42 |
| 250 to 499 miles | 8 993 | 331 | 159 |
| 500 to 749 miles | 5 292 | 176 | 130 |
| 750 to 999 miles | 1 964 | 62 | 65 |
| 1,000 to 1,499 miles | 1 660 | 52 | 71 |
| 1,500 to 1,999 miles | 1 272 | 37 | 79 |
| 2,000 miles or more | 2 561 | 85 | 242 |
| SCTG 10, Monumental or building stone | 755 | 6 051 | 486 |
| Less than 50 miles | 289 | 4 772 | 44 |
| 50 to 99 miles | 39 | 179 | 18 |
| 100 to 249 miles | 208 | 668 | 141 |
| 250 to 499 miles | 105 | 262 | 116 |
| 500 to 749 miles | 54 | 106 | 75 |
| 750 to 999 miles | 17 | 32 | 32 |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 11, Natural sands | 1 481 | 177 493 | 11 601 |
| Less than 50 miles | 831 | 127 719 | 2 619 |
| 50 to 99 miles | 177 | 32 263 | 2 868 |
| 100 to 249 miles | 168 | 13 241 | 3 556 |
| 250 to 499 miles | 165 | 3 305 | 1 431 |
| 500 to 749 miles | 67 | 463 | 395 |
| 750 to 999 miles | 45 | 236 | 290 |
| 1,000 to 1,499 miles | 22 | 236 | 373 |
| 1,500 to 1,999 miles | 2 | S | S |
| 2,000 miles or more | 4 | 9 | 23 |
| SCTG 12, Gravel and crushed stone | 4 316 | 671 150 | 36 406 |
| Less than 50 miles | 3 405 | 545 693 | 9 237 |
| 50 to 99 miles | 374 | 64 173 | 5 854 |
| 100 to 249 miles | 320 | 44 527 | 9 878 |
| 250 to 499 miles | 74 | 10 444 | 4 752 |
| 500 to 749 miles | S | 2 759 | 2 543 |
| 750 to 999 miles | 18 | 2 858 | 3 269 |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 13, Nonmetallic minerals n.e.c. | 5 293 | 104 223 | 28 800 |
| Less than 50 miles | 1 163 | 66 389 | 1 889 |
| 50 to 99 miles | 398 | 5 554 | 544 |
| 100 to 249 miles | 1 518 | 9 035 | 2 214 |
| 250 to 499 miles | 857 | 5 434 | 2 743 |
| 500 to 749 miles | 599 | 8 878 | S |
| 750 to 999 miles | 326 | 5 644 | 7 128 |
| 1,000 to 1,499 miles | 334 | 2 627 | 3 869 |
| 1,500 to 1,999 miles | 37 | 244 | 513 |
| 2,000 miles or more | 62 | 418 | 1 246 |
| SCTG 14, Metallic ores and concentrates | 2 308 | 11 063 | 3 737 |
| Less than 50 miles | 596 | 4 945 | 70 |
| 50 to 99 miles | 151 | S | S |
| 100 to 249 miles | 443 | 2 251 | 608 |
| 250 to 499 miles | 411 | 590 | 324 |
| 500 to 749 miles | 175 | 321 | 255 |
| 750 to 999 miles | 261 | 794 | 1 017 |
| 1,000 to 1,499 miles | 217 | 554 | 946 |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | 11 | S | S |
| SCTG 15, Coal | 13 306 | 529 110 | 147 442 |
| Less than 50 miles | 4 688 | 213 447 | 5 116 |
| 50 to 99 miles | 1 107 | 41 693 | 6 037 |
| 100 to 249 miles | 3 103 | 115 429 | 38 208 |
| 250 to 499 miles | 3 771 | 134 118 | 70 805 |
| 500 to 749 miles | 605 | 23 610 | 25 951 |
| 750 to 999 miles | S | S | S |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | 5 | S | S |
| 2,000 miles or more | S | S | S |

See footnotes at end of table.

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 17, Gasoline and aviation turbine fuel | 88 933 | 487 052 | 96 689 |
| Less than 50 miles | | | |
| 50 to 99 miles | 57 602 | 299 655 | 4 481 |
| 100 to 249 miles | 9 047 | 39 058 | 3 479 |
| 250 to 499 miles | 10 731 | 51 983 | 9 397 |
| 500 to 749 miles | 6 343 | 31 916 | 11 092 |
| | 2 657 | 26 565 | 20 820 |
| 750 to 999 miles | 1 598 | 28 176 | 26 330 |
| 1,000 to 1,499 miles | 939 | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 18, Fuel oils | 42 177 | 235 449 | 31 596 |
| Less than 50 miles | | | |
| 50 to 99 miles | 29 910 | 165 408 | 3 171 |
| 100 to 249 miles | 3 481 | 19 599 | 1 787 |
| 250 to 499 miles | 5 517 | 29 858 | 5 781 |
| 500 to 749 miles | 1 201 | 7 764 | S |
| | 933 | 5 607 | 4 351 |
| 750 to 999 miles | S | S | S |
| 1,000 to 1,499 miles | SS | SS | SS |
| 1,500 to 1,999 miles | SS | SS | SS |
| 2,000 miles or more | S | S | S |
| SCTG 19, Coal and petroleum products, n.e.c. | 37 583 | 181 176 | 37 801 |
| Less than 50 miles | | | |
| 50 to 99 miles | 17 359 | 112 139 | 2 126 |
| 100 to 249 miles | 3 871 | 16 667 | 1 544 |
| 250 to 499 miles | 5 159 | 20 525 | 4 087 |
| 500 to 749 miles | 4 141 | 14 048 | 7 273 |
| | 3 153 | 8 511 | 7 386 |
| 750 to 999 miles | 1 546 | 2 793 | 3 240 |
| 1,000 to 1,499 miles | 2 007 | 5 926 | 10 829 |
| 1,500 to 1,999 miles | 300 | 533 | 1 217 |
| 2,000 miles or more | 47 | 35 | 100 |
| SCTG 20, Basic chemicals | 108 045 | 194 411 | 88 699 |
| Less than 50 miles | | | |
| 50 to 99 miles | 28 744 | 66 791 | 1 320 |
| 100 to 249 miles | 6 488 | 17 568 | 1 653 |
| 250 to 499 miles | 14 514 | 31 173 | 7 478 |
| 500 to 749 miles | 19 758 | 29 949 | 13 426 |
| | 9 156 | 12 161 | 10 359 |
| 750 to 999 miles | 11 633 | 17 269 | 21 800 |
| 1,000 to 1,499 miles | S | 17 573 | 28 028 |
| 1,500 to 1,999 miles | 1 729 | 1 346 | 2 971 |
| 2,000 miles or more | 773 | 580 | 1 665 |
| SCTG 21, Pharmaceutical products | 70 002 | 4 923 | 3 095 |
| Less than 50 miles | | | |
| 50 to 99 miles | 16 106 | 1 093 | 21 |
| 100 to 249 miles | 6 389 | 378 | 37 |
| 250 to 499 miles | 18 608 | 756 | 148 |
| 500 to 749 miles | 11 736 | 894 | 425 |
| | 6 091 | 789 | 598 |
| 750 to 999 miles | 3 755 | 263 | 273 |
| 1,000 to 1,499 miles | 4 306 | 315 | 457 |
| 1,500 to 1,999 miles | 1 302 | 70 | 143 |
| 2,000 miles or more | 1 708 | S | S |
| SCTG 22, Fertilizers | 13 073 | 102 268 | 27 107 |
| Less than 50 miles | | | |
| 50 to 99 miles | 6 932 | 66 897 | 1 988 |
| 100 to 249 miles | 834 | 4 134 | 402 |
| 250 to 499 miles | 1 391 | 7 565 | 1 755 |
| 500 to 749 miles | 1 292 | 8 873 | 4 296 |
| | 1 029 | 6 077 | 5 452 |
| 750 to 999 miles | 875 | 5 008 | 6 126 |
| 1,000 to 1,499 miles | 543 | 2 762 | 4 543 |
| 1,500 to 1,999 miles | 36 | 185 | 391 |
| 2,000 miles or more | S | S | S |
| SCTG 23, Chemical products and preparations, n.e.c. | 61 116 | 36 449 | 17 210 |
| Less than 50 miles | | | |
| 50 to 99 miles | 16 929 | 9 862 | 218 |
| 100 to 249 miles | 4 009 | 2 740 | 263 |
| 250 to 499 miles | 10 533 | 8 005 | 1 692 |
| 500 to 749 miles | 11 360 | 6 077 | 2 747 |
| | 7 738 | 3 668 | 2 811 |
| 750 to 999 miles | 3 879 | 2 145 | 2 251 |
| 1,000 to 1,499 miles | 3 932 | 2 433 | 3 774 |
| 1,500 to 1,999 miles | 1 583 | 1 034 | 2 091 |
| 2,000 miles or more | 1 154 | 485 | 1 364 |
| SCTG 24, Plastics and rubber | 108 620 | 59 035 | 38 201 |
| Less than 50 miles | | | |
| 50 to 99 miles | 23 307 | 13 191 | 311 |
| 100 to 249 miles | 7 615 | 3 839 | 359 |
| 250 to 499 miles | 15 354 | 7 835 | 1 698 |
| 500 to 749 miles | 20 638 | 9 245 | 4 365 |
| | 15 329 | 7 818 | 6 167 |
| 750 to 999 miles | 11 127 | 7 259 | 7 983 |
| 1,000 to 1,499 miles | 10 100 | 7 210 | 11 171 |
| 1,500 to 1,999 miles | 3 185 | 1 920 | 4 195 |
| 2,000 miles or more | 1 964 | 718 | 1 952 |

See footnotes at end of table.

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 25, Logs and other wood in the rough | 5 948 | 231 110 | 16 033 |
| Less than 50 miles | 3 320 | 143 855 | 4 285 |
| 50 to 99 miles | 1 336 | 64 548 | 5 274 |
| 100 to 249 miles | 718 | 19 304 | 3 525 |
| 250 to 499 miles | 285 | 1 286 | 528 |
| 500 to 749 miles | 132 | S | S |
| 750 to 999 miles | 72 | S | S |
| 1,000 to 1,499 miles | 36 | S | S |
| 1,500 to 1,999 miles | 41 | 59 | 121 |
| 2,000 miles or more | 7 | 13 | 34 |
| SCTG 26, Wood products | 51 182 | 174 948 | 42 523 |
| Less than 50 miles | 13 952 | 61 365 | 1 913 |
| 50 to 99 miles | 6 874 | 35 693 | 3 281 |
| 100 to 249 miles | 13 255 | 41 315 | 9 571 |
| 250 to 499 miles | 7 907 | 19 085 | 8 229 |
| 500 to 749 miles | 4 393 | 8 612 | 6 722 |
| 750 to 999 miles | 2 317 | 4 656 | 5 102 |
| 1,000 to 1,499 miles | 1 555 | 3 113 | 5 070 |
| 1,500 to 1,999 miles | 627 | 809 | 1 817 |
| 2,000 miles or more | 301 | 300 | 817 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 43 104 | 69 092 | 43 764 |
| Less than 50 miles | 8 468 | 8 957 | 191 |
| 50 to 99 miles | 2 895 | 4 720 | 495 |
| 100 to 249 miles | 6 575 | 11 743 | 2 845 |
| 250 to 499 miles | 8 370 | 14 754 | 7 548 |
| 500 to 749 miles | 7 703 | 13 264 | 10 900 |
| 750 to 999 miles | 4 860 | 9 189 | 10 077 |
| 1,000 to 1,499 miles | 2 699 | 4 321 | 6 677 |
| 1,500 to 1,999 miles | 1 204 | 1 740 | 3 909 |
| 2,000 miles or more | 331 | 403 | 1 123 |
| SCTG 28, Paper or paperboard articles | 31 959 | 24 638 | 8 220 |
| Less than 50 miles | 9 731 | 7 597 | 179 |
| 50 to 99 miles | 3 080 | 3 195 | 294 |
| 100 to 249 miles | 6 382 | 5 391 | 1 090 |
| 250 to 499 miles | 5 560 | 3 897 | 1 713 |
| 500 to 749 miles | 3 395 | 2 194 | 1 651 |
| 750 to 999 miles | 1 956 | 1 321 | 1 349 |
| 1,000 to 1,499 miles | 1 152 | 627 | 912 |
| 1,500 to 1,999 miles | 392 | 205 | 451 |
| 2,000 miles or more | 312 | 211 | 582 |
| SCTG 29, Printed products | 61 379 | 25 874 | 5 572 |
| Less than 50 miles | 27 467 | 17 012 | 247 |
| 50 to 99 miles | 2 818 | 1 163 | 104 |
| 100 to 249 miles | 6 578 | 1 929 | 411 |
| 250 to 499 miles | 8 021 | 2 439 | 1 097 |
| 500 to 749 miles | 6 532 | 1 731 | 1 275 |
| 750 to 999 miles | 3 526 | 635 | 638 |
| 1,000 to 1,499 miles | 3 202 | 438 | 611 |
| 1,500 to 1,999 miles | 2 097 | 382 | 805 |
| 2,000 miles or more | 1 137 | 146 | 385 |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 200 973 | 32 351 | 15 828 |
| Less than 50 miles | 38 531 | 7 030 | 167 |
| 50 to 99 miles | 23 666 | 2 890 | 278 |
| 100 to 249 miles | 38 176 | 7 058 | 1 464 |
| 250 to 499 miles | 37 078 | 6 640 | 3 015 |
| 500 to 749 miles | 26 335 | 3 864 | 2 878 |
| 750 to 999 miles | 11 704 | 1 620 | 1 674 |
| 1,000 to 1,499 miles | 10 540 | 1 287 | 1 823 |
| 1,500 to 1,999 miles | 9 402 | 1 191 | 2 486 |
| 2,000 miles or more | 5 542 | 771 | 2 042 |
| SCTG 31, Nonmetallic mineral products | 38 260 | 337 896 | 35 463 |
| Less than 50 miles | 14 941 | 239 434 | 4 209 |
| 50 to 99 miles | 3 383 | 30 217 | 2 771 |
| 100 to 249 miles | 7 381 | 40 374 | 8 288 |
| 250 to 499 miles | 5 253 | 15 689 | 6 886 |
| 500 to 749 miles | 3 160 | 5 820 | 4 346 |
| 750 to 999 miles | 1 733 | 2 659 | 2 811 |
| 1,000 to 1,499 miles | 1 518 | 2 893 | 4 134 |
| 1,500 to 1,999 miles | 422 | 465 | 1 040 |
| 2,000 miles or more | 468 | 345 | 978 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 72 761 | 87 986 | 35 162 |
| Less than 50 miles | 17 565 | 25 586 | 614 |
| 50 to 99 miles | 5 802 | 8 323 | 784 |
| 100 to 249 miles | 13 899 | 18 238 | 4 007 |
| 250 to 499 miles | 15 989 | 17 528 | 8 547 |
| 500 to 749 miles | 8 803 | 9 324 | 7 137 |
| 750 to 999 miles | 4 888 | 4 460 | 5 108 |
| 1,000 to 1,499 miles | 3 061 | 2 421 | 3 697 |
| 1,500 to 1,999 miles | 1 675 | 1 501 | 3 620 |
| 2,000 miles or more | 1 080 | 605 | 1 647 |

See footnotes at end of table.

TRANSPORTATION—COMMODITY FLOW SURVEY

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 33, Articles of base metal | 70 445 | 38 223 | 15 843 |
| Less than 50 miles | 21 625 | 11 199 | 218 |
| 50 to 99 miles | 5 452 | 3 634 | 344 |
| 100 to 249 miles | 11 275 | 6 575 | 1 355 |
| 250 to 499 miles | 12 914 | 7 150 | 3 144 |
| 500 to 749 miles | 8 177 | 5 259 | 3 986 |
| 750 to 999 miles | 4 492 | 1 899 | 2 138 |
| 1,000 to 1,499 miles | 3 802 | 1 392 | 2 006 |
| 1,500 to 1,999 miles | 1 797 | 737 | 1 624 |
| 2,000 miles or more | 909 | 378 | 1 029 |
| SCTG 34, Machinery | 125 334 | 14 352 | 7 756 |
| Less than 50 miles | 26 577 | 3 086 | 70 |
| 50 to 99 miles | 9 609 | 1 012 | 95 |
| 100 to 249 miles | 18 826 | 2 271 | 467 |
| 250 to 499 miles | 27 039 | 3 106 | 1 468 |
| 500 to 749 miles | 16 581 | 2 132 | 1 595 |
| 750 to 999 miles | 10 739 | 1 168 | 1 200 |
| 1,000 to 1,499 miles | 9 579 | 930 | 1 318 |
| 1,500 to 1,999 miles | 2 839 | 366 | 787 |
| 2,000 miles or more | 3 544 | 280 | 756 |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 265 208 | 15 287 | 9 101 |
| Less than 50 miles | 62 336 | 3 762 | 79 |
| 50 to 99 miles | 9 218 | 742 | 70 |
| 100 to 249 miles | 35 793 | 2 111 | 465 |
| 250 to 499 miles | 36 189 | 2 637 | 1 201 |
| 500 to 749 miles | 30 385 | 2 406 | 1 784 |
| 750 to 999 miles | 26 864 | 1 336 | 1 398 |
| 1,000 to 1,499 miles | 43 578 | 1 292 | 1 871 |
| 1,500 to 1,999 miles | 12 409 | 757 | 1 573 |
| 2,000 miles or more | 8 436 | 244 | 660 |
| SCTG 36, Motorized and other vehicles (including parts) | 155 181 | 22 495 | 11 082 |
| Less than 50 miles | 37 524 | 5 812 | 135 |
| 50 to 99 miles | 8 301 | 1 466 | 133 |
| 100 to 249 miles | 21 454 | 3 305 | 726 |
| 250 to 499 miles | 36 465 | 5 518 | 2 630 |
| 500 to 749 miles | 26 772 | 3 372 | 2 610 |
| 750 to 999 miles | 10 091 | 1 233 | 1 321 |
| 1,000 to 1,499 miles | 6 724 | 860 | 1 289 |
| 1,500 to 1,999 miles | 4 609 | 544 | 1 223 |
| 2,000 miles or more | 3 241 | 385 | 1 015 |
| SCTG 37, Transportation equipment, n.e.c. | 26 147 | 1 974 | 1 297 |
| Less than 50 miles | 4 603 | 313 | 10 |
| 50 to 99 miles | 402 | 34 | 5 |
| 100 to 249 miles | 4 208 | 401 | 84 |
| 250 to 499 miles | 3 694 | 503 | 276 |
| 500 to 749 miles | 3 985 | 409 | 323 |
| 750 to 999 miles | 2 373 | 151 | 168 |
| 1,000 to 1,499 miles | 2 309 | 67 | 98 |
| 1,500 to 1,999 miles | 3 039 | 46 | 104 |
| 2,000 miles or more | 1 534 | 51 | S |
| SCTG 38, Precision instruments and apparatus | 40 091 | 1 055 | 694 |
| Less than 50 miles | 6 961 | 194 | 5 |
| 50 to 99 miles | 1 525 | S | S |
| 100 to 249 miles | 4 387 | 126 | 24 |
| 250 to 499 miles | 5 261 | 179 | 73 |
| 500 to 749 miles | 5 557 | 210 | 158 |
| 750 to 999 miles | 5 550 | 83 | 85 |
| 1,000 to 1,499 miles | 7 335 | 75 | 106 |
| 1,500 to 1,999 miles | 1 424 | 17 | 34 |
| 2,000 miles or more | 2 092 | S | 200 |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 40 012 | 8 284 | 4 249 |
| Less than 50 miles | 9 604 | 1 653 | 40 |
| 50 to 99 miles | 2 602 | 627 | 56 |
| 100 to 249 miles | 6 402 | 1 358 | 277 |
| 250 to 499 miles | 8 584 | 1 867 | 859 |
| 500 to 749 miles | 6 074 | 1 440 | 1 054 |
| 750 to 999 miles | 3 113 | 653 | 673 |
| 1,000 to 1,499 miles | 1 874 | 380 | 535 |
| 1,500 to 1,999 miles | 773 | 142 | 303 |
| 2,000 miles or more | 985 | 165 | 452 |
| SCTG 40, Miscellaneous manufactured products | 115 174 | 37 598 | 13 073 |
| Less than 50 miles | 23 536 | 12 365 | 273 |
| 50 to 99 miles | 8 896 | 4 009 | 373 |
| 100 to 249 miles | 21 492 | 8 330 | 1 702 |
| 250 to 499 miles | 19 966 | 5 993 | 2 657 |
| 500 to 749 miles | 13 462 | 2 836 | 2 079 |
| 750 to 999 miles | 8 852 | 1 730 | 1 820 |
| 1,000 to 1,499 miles | 11 781 | 1 510 | 2 243 |
| 1,500 to 1,999 miles | 4 190 | 497 | 1 041 |
| 2,000 miles or more | 3 000 | 330 | 887 |

See footnotes at end of table.

Table 8. Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 41, Waste and scrap | 7 954 | 43 439 | 10 852 |
| Less than 50 miles | 2 572 | 15 217 | 353 |
| 50 to 99 miles | 673 | 5 258 | 531 |
| 100 to 249 miles | 1 699 | 10 880 | 2 406 |
| 250 to 499 miles | 1 761 | 8 425 | 4 069 |
| 500 to 749 miles | 747 | 2 532 | 1 890 |
| 750 to 999 miles | 221 | 523 | 560 |
| 1,000 to 1,499 miles | 251 | 487 | 751 |
| 1,500 to 1,999 miles | S | 64 | 152 |
| 2,000 miles or more | 7 | S | S |
| SCTG 43, Mixed freight | 101 032 | 43 088 | 6 087 |
| Less than 50 miles | 36 702 | 17 976 | 551 |
| 50 to 99 miles | 16 927 | 7 853 | 738 |
| 100 to 249 miles | 34 921 | 13 537 | 2 611 |
| 250 to 499 miles | 9 223 | 2 599 | 1 049 |
| 500 to 749 miles | 1 907 | 626 | 456 |
| 750 to 999 miles | 657 | 206 | 211 |
| 1,000 to 1,499 miles | 412 | S | S |
| 1,500 to 1,999 miles | 133 | 41 | 88 |
| 2,000 miles or more | 149 | S | S |
| Commodity unknown | 11 297 | S | S |
| Less than 50 miles | 2 686 | 3 538 | 74 |
| 50 to 99 miles | 1 040 | 862 | 80 |
| 100 to 249 miles | 3 398 | 2 325 | 479 |
| 250 to 499 miles | 1 877 | S | S |
| 500 to 749 miles | 946 | 626 | 512 |
| 750 to 999 miles | 473 | 271 | 288 |
| 1,000 to 1,499 miles | 438 | 201 | 312 |
| 1,500 to 1,999 miles | 194 | 71 | S |
| 2,000 miles or more | S | S | S |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|---|----------------------------|---------------------|-------------------------|
| All commodities | 2 348 187 | 4 465 635 | 958 477 |
| Less than 50 lb | 214 883 | 5 570 | 2 113 |
| 50 to 99 lb | 64 727 | 4 504 | 1 093 |
| 100 to 499 lb | 200 347 | 27 811 | 5 535 |
| 500 to 749 lb | 60 277 | 13 104 | 2 494 |
| 750 to 999 lb | 43 041 | 11 008 | 2 202 |
| 1,000 to 9,999 lb | 522 240 | 185 767 | 39 741 |
| 10,000 to 49,999 lb | 872 377 | 1 614 987 | 281 419 |
| 50,000 to 99,999 lb | 109 616 | 857 707 | 71 513 |
| 100,000 lb or more | 260 679 | 1 745 178 | 552 367 |
| SCTG 01, Live animals and live fish | 2 082 | 2 229 | 680 |
| Less than 50 lb | 14 | 1 | S |
| 50 to 99 lb | 6 | 1 | - |
| 100 to 499 lb | 15 | S | S |
| 500 to 749 lb | 1 | 1 | - |
| 750 to 999 lb | 5 | 2 | S |
| 1,000 to 9,999 lb | 205 | 94 | 11 |
| 10,000 to 49,999 lb | 1 303 | 1 638 | 477 |
| 50,000 to 99,999 lb | 316 | 274 | 122 |
| 100,000 lb or more | 218 | 214 | 68 |
| SCTG 02, Cereal grains | 12 447 | 93 425 | 16 401 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | 3 | 10 | - |
| 100 to 499 lb | 14 | 49 | 1 |
| 500 to 749 lb | 8 | 23 | 2 |
| 750 to 999 lb | 4 | 15 | 1 |
| 1,000 to 9,999 lb | S | 535 | 45 |
| 10,000 to 49,999 lb | 608 | 3 940 | 727 |
| 50,000 to 99,999 lb | 2 476 | 20 859 | 1 919 |
| 100,000 lb or more | 9 062 | 67 994 | 13 707 |
| SCTG 03, Other agricultural products | 28 044 | 53 544 | 14 667 |
| Less than 50 lb | 930 | 145 | 48 |
| 50 to 99 lb | 487 | 127 | 11 |
| 100 to 499 lb | 1 480 | 911 | 72 |
| 500 to 749 lb | 738 | 504 | 42 |
| 750 to 999 lb | 457 | 425 | 34 |
| 1,000 to 9,999 lb | 4 990 | 5 276 | 910 |
| 10,000 to 49,999 lb | 10 283 | 16 062 | 5 833 |
| 50,000 to 99,999 lb | 1 480 | 4 572 | 613 |
| 100,000 lb or more | 7 200 | 25 524 | 7 103 |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 22 814 | 80 762 | 10 660 |
| Less than 50 lb | 109 | S | 3 |
| 50 to 99 lb | S | 195 | 4 |
| 100 to 499 lb | 687 | 987 | 21 |
| 500 to 749 lb | 287 | 475 | 14 |
| 750 to 999 lb | 179 | 233 | 11 |
| 1,000 to 9,999 lb | 2 268 | 4 257 | 326 |
| 10,000 to 49,999 lb | 14 075 | 48 435 | 5 680 |
| 50,000 to 99,999 lb | 3 307 | 17 590 | 2 043 |
| 100,000 lb or more | 1 739 | 8 526 | 2 559 |
| SCTG 05, Meat, fish, seafood, and their preparations | 61 878 | 30 812 | 12 734 |
| Less than 50 lb | 514 | 63 | 8 |
| 50 to 99 lb | 799 | 138 | 13 |
| 100 to 499 lb | 3 471 | 946 | 80 |
| 500 to 749 lb | 1 505 | 496 | 57 |
| 750 to 999 lb | 1 057 | 441 | 60 |
| 1,000 to 9,999 lb | 14 532 | 6 194 | 1 681 |
| 10,000 to 49,999 lb | 37 777 | 20 747 | 10 042 |
| 50,000 to 99,999 lb | 1 076 | 844 | 392 |
| 100,000 lb or more | 1 148 | 944 | 401 |
| SCTG 06, Milled grain products and preparations, and bakery products | 29 633 | 23 827 | 9 025 |
| Less than 50 lb | 370 | 124 | 8 |
| 50 to 99 lb | 434 | 225 | 10 |
| 100 to 499 lb | 1 955 | 759 | 51 |
| 500 to 749 lb | 1 108 | 361 | 39 |
| 750 to 999 lb | 921 | 346 | 49 |
| 1,000 to 9,999 lb | 7 220 | 3 701 | 873 |
| 10,000 to 49,999 lb | 15 799 | 13 920 | 5 812 |
| 50,000 to 99,999 lb | 641 | 2 284 | 323 |
| 100,000 lb or more | 1 186 | 2 107 | 1 859 |
| SCTG 07, Other prepared foodstuffs and fats and oils | 104 054 | 124 712 | 31 675 |
| Less than 50 lb | 1 042 | 216 | 32 |
| 50 to 99 lb | 945 | 438 | 29 |
| 100 to 499 lb | 5 799 | 4 186 | 215 |
| 500 to 749 lb | 2 631 | 1 994 | 115 |
| 750 to 999 lb | 2 078 | 1 637 | 94 |
| 1,000 to 9,999 lb | 19 890 | 17 968 | 1 980 |
| 10,000 to 49,999 lb | 63 085 | 75 785 | 19 919 |
| 50,000 to 99,999 lb | 3 040 | 7 729 | 1 049 |
| 100,000 lb or more | 5 545 | 14 760 | 8 241 |

See footnotes at end of table.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 08, Alcoholic beverages | 27 871 | 23 651 | 4 089 |
| Less than 50 lb | 355 | 69 | 2 |
| 50 to 99 lb | 439 | 144 | 4 |
| 100 to 499 lb | 3 774 | 2 098 | 52 |
| 500 to 749 lb | 1 863 | 1 234 | 32 |
| 750 to 999 lb | 1 408 | 1 073 | 27 |
| 1,000 to 9,999 lb | 9 588 | 7 719 | 214 |
| 10,000 to 49,999 lb | 9 041 | 9 082 | 3 121 |
| 50,000 to 99,999 lb | 977 | 1 513 | 285 |
| 100,000 lb or more | 425 | 720 | S |
| SCTG 09, Tobacco products | 38 916 | 3 085 | 855 |
| Less than 50 lb | 952 | 27 | 8 |
| 50 to 99 lb | 793 | 27 | 3 |
| 100 to 499 lb | 2 772 | 128 | 24 |
| 500 to 749 lb | 727 | 46 | 10 |
| 750 to 999 lb | 526 | 32 | 7 |
| 1,000 to 9,999 lb | 2 529 | 149 | 52 |
| 10,000 to 49,999 lb | 30 408 | 2 611 | 721 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | 58 | S |
| SCTG 10, Monumental or building stone | 755 | 6 051 | 486 |
| Less than 50 lb | S | 1 | S |
| 50 to 99 lb | 4 | 1 | — |
| 100 to 499 lb | 38 | 13 | 2 |
| 500 to 749 lb | 17 | 7 | 2 |
| 750 to 999 lb | S | 8 | 1 |
| 1,000 to 9,999 lb | 153 | 155 | 33 |
| 10,000 to 49,999 lb | 457 | 4 405 | 331 |
| 50,000 to 99,999 lb | S | S | 62 |
| 100,000 lb or more | S | S | 53 |
| SCTG 11, Natural sands | 1 481 | 177 493 | 11 601 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | — | S |
| 100 to 499 lb | 11 | 12 | 1 |
| 500 to 749 lb | 2 | 8 | — |
| 750 to 999 lb | S | 4 | S |
| 1,000 to 9,999 lb | 79 | 1 149 | 43 |
| 10,000 to 49,999 lb | 798 | 74 914 | 2 566 |
| 50,000 to 99,999 lb | 347 | 67 247 | 3 641 |
| 100,000 lb or more | 236 | 34 158 | 5 351 |
| SCTG 12, Gravel and crushed stone | 4 316 | 671 150 | 36 406 |
| Less than 50 lb | S | S | — |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | — | S | S |
| 500 to 749 lb | — | — | S |
| 750 to 999 lb | — | 17 | — |
| 1,000 to 9,999 lb | 51 | 2 463 | 76 |
| 10,000 to 49,999 lb | 2 773 | 427 263 | 15 987 |
| 50,000 to 99,999 lb | 960 | 161 242 | 7 701 |
| 100,000 lb or more | 440 | 80 132 | 12 632 |
| SCTG 13, Nonmetallic minerals n.e.c. | 5 293 | 104 223 | 28 800 |
| Less than 50 lb | 22 | 2 | 1 |
| 50 to 99 lb | S | 9 | S |
| 100 to 499 lb | 105 | 45 | 8 |
| 500 to 749 lb | 41 | 38 | 4 |
| 750 to 999 lb | 15 | 11 | 1 |
| 1,000 to 9,999 lb | 398 | 1 182 | 134 |
| 10,000 to 49,999 lb | 2 803 | 46 376 | 5 092 |
| 50,000 to 99,999 lb | 266 | 9 361 | 1 098 |
| 100,000 lb or more | 1 605 | 47 198 | 22 454 |
| SCTG 14, Metallic ores and concentrates | 2 308 | 11 063 | 3 737 |
| Less than 50 lb | S | 1 | — |
| 50 to 99 lb | 11 | 1 | S |
| 100 to 499 lb | 157 | 7 | 2 |
| 500 to 749 lb | 36 | S | 1 |
| 750 to 999 lb | S | S | S |
| 1,000 to 9,999 lb | 181 | 118 | 22 |
| 10,000 to 49,999 lb | 1 047 | 5 401 | 948 |
| 50,000 to 99,999 lb | 82 | 1 199 | 46 |
| 100,000 lb or more | 772 | 4 327 | 2 718 |
| SCTG 15, Coal | 13 306 | 529 110 | 147 442 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | S | S | S |
| 500 to 749 lb | S | S | S |
| 750 to 999 lb | S | S | S |
| 1,000 to 9,999 lb | S | 45 | 4 |
| 10,000 to 49,999 lb | 87 | 2 438 | 253 |
| 50,000 to 99,999 lb | 1 388 | 53 950 | 5 898 |
| 100,000 lb or more | 11 687 | 472 675 | 141 287 |

See footnotes at end of table.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 17, Gasoline and aviation turbine fuel | 88 933 | 487 052 | 96 689 |
| Less than 50 lb | 8 | 6 | — |
| 50 to 99 lb | 6 | 13 | — |
| 100 to 499 lb | 61 | 133 | 2 |
| 500 to 749 lb | 29 | 49 | 1 |
| 750 to 999 lb | 43 | 59 | 1 |
| 1,000 to 9,999 lb | 4 615 | 8 119 | 300 |
| 10,000 to 49,999 lb | 11 276 | 45 694 | 3 137 |
| 50,000 to 99,999 lb | 35 679 | 139 843 | 8 012 |
| 100,000 lb or more | 37 216 | 293 137 | 85 236 |
| SCTG 18, Fuel oils | 42 177 | 235 449 | 31 596 |
| Less than 50 lb | S | 6 | — |
| 50 to 99 lb | S | 16 | — |
| 100 to 499 lb | 152 | 275 | 4 |
| 500 to 749 lb | 133 | 309 | 6 |
| 750 to 999 lb | 120 | 313 | 5 |
| 1,000 to 9,999 lb | 3 407 | 10 188 | 295 |
| 10,000 to 49,999 lb | 5 109 | 25 313 | 1 507 |
| 50,000 to 99,999 lb | 9 608 | 50 750 | 2 992 |
| 100,000 lb or more | 23 625 | 148 279 | 26 787 |
| SCTG 19, Coal and petroleum products, n.e.c. | 37 583 | 181 176 | 37 801 |
| Less than 50 lb | 252 | 54 | 5 |
| 50 to 99 lb | 206 | 71 | 7 |
| 100 to 499 lb | 1 135 | 723 | 59 |
| 500 to 749 lb | 280 | 321 | 13 |
| 750 to 999 lb | 380 | 448 | S |
| 1,000 to 9,999 lb | 3 031 | 4 352 | S |
| 10,000 to 49,999 lb | 9 674 | 48 524 | 8 573 |
| 50,000 to 99,999 lb | 2 205 | 12 836 | 1 370 |
| 100,000 lb or more | 20 420 | 113 848 | 27 030 |
| SCTG 20, Basic chemicals | 108 045 | 194 411 | 88 699 |
| Less than 50 lb | 1 098 | 50 | 12 |
| 50 to 99 lb | 371 | 66 | 13 |
| 100 to 499 lb | 1 329 | 754 | 49 |
| 500 to 749 lb | 510 | 309 | 29 |
| 750 to 999 lb | 372 | 285 | 26 |
| 1,000 to 9,999 lb | 6 277 | 3 483 | 879 |
| 10,000 to 49,999 lb | 37 783 | 50 179 | 17 958 |
| 50,000 to 99,999 lb | 2 116 | 6 093 | 1 423 |
| 100,000 lb or more | 58 188 | 133 190 | 68 310 |
| SCTG 21, Pharmaceutical products | 70 002 | 4 923 | 3 095 |
| Less than 50 lb | 21 801 | 219 | 99 |
| 50 to 99 lb | 4 276 | 83 | 24 |
| 100 to 499 lb | 11 098 | 313 | 138 |
| 500 to 749 lb | 2 065 | 90 | 51 |
| 750 to 999 lb | 1 764 | 74 | 32 |
| 1,000 to 9,999 lb | 13 037 | 550 | 226 |
| 10,000 to 49,999 lb | 15 895 | 3 162 | 2 508 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | S | S |
| SCTG 22, Fertilizers | 13 073 | 102 268 | 27 107 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | 25 | 15 | — |
| 100 to 499 lb | 85 | 81 | 4 |
| 500 to 749 lb | 35 | 56 | 3 |
| 750 to 999 lb | 27 | 36 | 3 |
| 1,000 to 9,999 lb | 976 | 3 144 | 149 |
| 10,000 to 49,999 lb | 3 727 | 17 000 | 2 792 |
| 50,000 to 99,999 lb | 998 | 8 230 | 853 |
| 100,000 lb or more | 7 122 | 73 694 | 23 302 |
| SCTG 23, Chemical products and preparations, n.e.c. | 61 116 | 36 449 | 17 210 |
| Less than 50 lb | 3 985 | 221 | 64 |
| 50 to 99 lb | 1 539 | 157 | 37 |
| 100 to 499 lb | 5 077 | 980 | 199 |
| 500 to 749 lb | 1 811 | 402 | 103 |
| 750 to 999 lb | 1 235 | 318 | 97 |
| 1,000 to 9,999 lb | 11 916 | 3 905 | 1 493 |
| 10,000 to 49,999 lb | 29 283 | 22 651 | 10 783 |
| 50,000 to 99,999 lb | 583 | 1 260 | 288 |
| 100,000 lb or more | 5 687 | 6 554 | 4 145 |
| SCTG 24, Plastics and rubber | 108 620 | 59 035 | 38 201 |
| Less than 50 lb | 5 285 | 250 | 71 |
| 50 to 99 lb | 2 239 | 239 | 57 |
| 100 to 499 lb | 8 432 | 1 348 | 296 |
| 500 to 749 lb | 2 915 | 576 | 163 |
| 750 to 999 lb | 1 947 | 395 | 129 |
| 1,000 to 9,999 lb | 23 384 | 7 876 | 3 123 |
| 10,000 to 49,999 lb | 46 940 | 26 558 | 15 081 |
| 50,000 to 99,999 lb | 804 | 737 | 305 |
| 100,000 lb or more | 16 673 | 21 055 | 18 978 |

See footnotes at end of table.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 25, Logs and other wood in the rough | 5 948 | 231 110 | 16 033 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | — | S |
| 100 to 499 lb | 13 | 4 | S |
| 500 to 749 lb | 4 | S | S |
| 750 to 999 lb | S | 2 | S |
| 1,000 to 9,999 lb | 145 | 391 | 50 |
| 10,000 to 49,999 lb | 2 191 | 59 913 | 3 842 |
| 50,000 to 99,999 lb | 2 956 | 136 510 | 7 376 |
| 100,000 lb or more | 632 | 34 281 | 4 763 |
| SCTG 26, Wood products | 51 182 | 174 948 | 42 523 |
| Less than 50 lb | 647 | 54 | 21 |
| 50 to 99 lb | 391 | 62 | 12 |
| 100 to 499 lb | 1 837 | 419 | 56 |
| 500 to 749 lb | 856 | 254 | 35 |
| 750 to 999 lb | 648 | 247 | 34 |
| 1,000 to 9,999 lb | 7 778 | 6 241 | 776 |
| 10,000 to 49,999 lb | 27 694 | 82 545 | 18 826 |
| 50,000 to 99,999 lb | 4 983 | 47 692 | 5 954 |
| 100,000 lb or more | 6 347 | 37 435 | 16 809 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 43 104 | 69 092 | 43 764 |
| Less than 50 lb | 345 | 50 | 5 |
| 50 to 99 lb | 277 | 71 | 9 |
| 100 to 499 lb | 1 410 | 526 | 61 |
| 500 to 749 lb | 494 | 246 | 27 |
| 750 to 999 lb | 382 | 191 | 23 |
| 1,000 to 9,999 lb | 4 247 | 2 976 | 528 |
| 10,000 to 49,999 lb | 22 743 | 32 683 | 18 836 |
| 50,000 to 99,999 lb | 1 322 | 3 582 | 1 402 |
| 100,000 lb or more | 11 885 | 28 768 | 22 872 |
| SCTG 28, Paper or paperboard articles | 31 959 | 24 638 | 8 220 |
| Less than 50 lb | 1 256 | 113 | 25 |
| 50 to 99 lb | 621 | 132 | 21 |
| 100 to 499 lb | 2 012 | 617 | 73 |
| 500 to 749 lb | 726 | 299 | 39 |
| 750 to 999 lb | 516 | 210 | 25 |
| 1,000 to 9,999 lb | 6 802 | 4 977 | 804 |
| 10,000 to 49,999 lb | 19 340 | 16 746 | 6 292 |
| 50,000 to 99,999 lb | 206 | 393 | 116 |
| 100,000 lb or more | 479 | 1 152 | 824 |
| SCTG 29, Printed products | 61 379 | 25 874 | 5 572 |
| Less than 50 lb | 11 085 | 620 | 298 |
| 50 to 99 lb | 2 893 | 279 | 81 |
| 100 to 499 lb | 9 691 | 1 509 | 347 |
| 500 to 749 lb | 2 544 | 663 | 112 |
| 750 to 999 lb | 1 879 | 549 | 73 |
| 1,000 to 9,999 lb | 19 016 | 8 997 | 1 272 |
| 10,000 to 49,999 lb | 13 197 | 10 463 | 3 189 |
| 50,000 to 99,999 lb | 301 | 281 | S |
| 100,000 lb or more | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 200 973 | 32 351 | 15 828 |
| Less than 50 lb | 13 801 | 428 | 345 |
| 50 to 99 lb | 4 088 | 220 | 167 |
| 100 to 499 lb | 11 847 | 1 039 | 709 |
| 500 to 749 lb | 4 953 | 569 | 351 |
| 750 to 999 lb | 4 222 | 472 | 302 |
| 1,000 to 9,999 lb | 75 038 | 7 385 | 3 901 |
| 10,000 to 49,999 lb | 80 198 | 19 699 | 8 778 |
| 50,000 to 99,999 lb | 5 922 | 1 632 | 477 |
| 100,000 lb or more | 905 | 907 | 799 |
| SCTG 31, Nonmetallic mineral products | 38 260 | 337 896 | 35 463 |
| Less than 50 lb | 1 199 | 91 | 24 |
| 50 to 99 lb | 487 | 82 | 17 |
| 100 to 499 lb | 1 662 | 440 | 78 |
| 500 to 749 lb | 435 | 193 | 37 |
| 750 to 999 lb | 409 | 211 | 32 |
| 1,000 to 9,999 lb | 5 677 | 9 999 | 923 |
| 10,000 to 49,999 lb | 22 433 | 221 720 | 21 739 |
| 50,000 to 99,999 lb | 4 316 | 66 651 | 6 093 |
| 100,000 lb or more | 1 643 | 38 510 | 6 520 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 72 761 | 87 986 | 35 162 |
| Less than 50 lb | 1 397 | 73 | 16 |
| 50 to 99 lb | 797 | 98 | 16 |
| 100 to 499 lb | 3 384 | 826 | 125 |
| 500 to 749 lb | 1 427 | 460 | 81 |
| 750 to 999 lb | 1 042 | 406 | 64 |
| 1,000 to 9,999 lb | 12 433 | 8 968 | 1 893 |
| 10,000 to 49,999 lb | 39 864 | 50 000 | 17 136 |
| 50,000 to 99,999 lb | 2 794 | 5 807 | 1 710 |
| 100,000 lb or more | 9 623 | 21 347 | 14 120 |

See footnotes at end of table.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|--|----------------------------|---------------------|-------------------------|
| SCTG 33, Articles of base metal | 70 445 | 38 223 | 15 843 |
| Less than 50 lb | | | |
| 50 to 99 lb | 8 160 | 294 | 90 |
| 100 to 499 lb | 2 655 | 200 | 60 |
| 500 to 749 lb | 8 689 | 1 133 | 332 |
| 750 to 999 lb | 2 722 | 491 | 154 |
| | 2 221 | 432 | 163 |
| 1,000 to 9,999 lb | 18 967 | 6 892 | 2 152 |
| 10,000 to 49,999 lb | 21 600 | 20 615 | 8 675 |
| 50,000 to 99,999 lb | 1 912 | 2 347 | 751 |
| 100,000 lb or more | 3 520 | 5 817 | 3 467 |
| SCTG 34, Machinery | 125 334 | 14 352 | 7 756 |
| Less than 50 lb | | | |
| 50 to 99 lb | 15 931 | 362 | 96 |
| 100 to 499 lb | 5 366 | 240 | 66 |
| 500 to 749 lb | 15 722 | 1 106 | 343 |
| 750 to 999 lb | 4 664 | 404 | 161 |
| | 3 206 | 295 | 156 |
| 1,000 to 9,999 lb | 31 003 | 3 537 | 1 879 |
| 10,000 to 49,999 lb | 42 102 | 7 394 | 4 377 |
| 50,000 to 99,999 lb | 4 905 | 666 | 393 |
| 100,000 lb or more | 2 435 | 348 | 284 |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 265 208 | 15 287 | 9 101 |
| Less than 50 lb | | | |
| 50 to 99 lb | 54 856 | 539 | 241 |
| 100 to 499 lb | 19 106 | 324 | 148 |
| 500 to 749 lb | 52 248 | 1 372 | 668 |
| 750 to 999 lb | 10 411 | 454 | 218 |
| | 7 164 | 363 | 201 |
| 1,000 to 9,999 lb | 67 945 | 4 005 | 2 281 |
| 10,000 to 49,999 lb | 50 918 | 7 261 | 4 783 |
| 50,000 to 99,999 lb | 1 753 | 432 | S |
| 100,000 lb or more | 808 | S | 140 |
| SCTG 36, Motorized and other vehicles (including parts) | 155 181 | 22 495 | 11 082 |
| Less than 50 lb | | | |
| 50 to 99 lb | 10 181 | 478 | 113 |
| 100 to 499 lb | 3 122 | 246 | 52 |
| 500 to 749 lb | 10 630 | 894 | 271 |
| 750 to 999 lb | 3 152 | 256 | 103 |
| | 1 846 | 213 | 76 |
| 1,000 to 9,999 lb | 60 400 | 7 229 | 3 410 |
| 10,000 to 49,999 lb | 54 961 | 11 053 | 5 684 |
| 50,000 to 99,999 lb | 5 731 | 1 213 | 844 |
| 100,000 lb or more | S | 912 | 529 |
| SCTG 37, Transportation equipment, n.e.c. | 26 147 | 1 974 | 1 297 |
| Less than 50 lb | | | |
| 50 to 99 lb | 5 141 | 17 | 12 |
| 100 to 499 lb | 1 828 | 7 | 5 |
| 500 to 749 lb | 2 736 | 30 | 23 |
| 750 to 999 lb | 1 286 | 10 | 9 |
| | 620 | 10 | 9 |
| 1,000 to 9,999 lb | 8 636 | 354 | 221 |
| 10,000 to 49,999 lb | 4 482 | 686 | 380 |
| 50,000 to 99,999 lb | 488 | 219 | 139 |
| 100,000 lb or more | 930 | 641 | 499 |
| SCTG 38, Precision instruments and apparatus | 40 091 | 1 055 | 694 |
| Less than 50 lb | | | |
| 50 to 99 lb | 20 904 | 140 | 106 |
| 100 to 499 lb | 2 975 | 37 | 21 |
| 500 to 749 lb | 6 801 | 150 | 69 |
| 750 to 999 lb | 1 295 | 38 | 20 |
| | 686 | 35 | 22 |
| 1,000 to 9,999 lb | 5 563 | 285 | 248 |
| 10,000 to 49,999 lb | 1 803 | 322 | 196 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | S | S |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 40 012 | 8 284 | 4 249 |
| Less than 50 lb | | | |
| 50 to 99 lb | 1 443 | 74 | 40 |
| 100 to 499 lb | 1 135 | 100 | 53 |
| 500 to 749 lb | 6 972 | 797 | 416 |
| 750 to 999 lb | 2 395 | 330 | 170 |
| | 1 421 | 264 | 140 |
| 1,000 to 9,999 lb | 17 014 | 3 696 | 1 759 |
| 10,000 to 49,999 lb | 9 210 | 2 879 | 1 589 |
| 50,000 to 99,999 lb | 254 | 96 | S |
| 100,000 lb or more | S | S | S |
| SCTG 40, Miscellaneous manufactured products | 115 174 | 37 598 | 13 073 |
| Less than 50 lb | | | |
| 50 to 99 lb | 28 404 | 538 | 290 |
| 100 to 499 lb | 4 843 | 270 | 120 |
| 500 to 749 lb | 12 629 | 1 144 | 521 |
| 750 to 999 lb | 4 070 | 453 | 210 |
| | 2 515 | 365 | 169 |
| 1,000 to 9,999 lb | 24 591 | 5 753 | 2 168 |
| 10,000 to 49,999 lb | 34 966 | 22 301 | 7 326 |
| 50,000 to 99,999 lb | 1 680 | 4 525 | 977 |
| 100,000 lb or more | 1 475 | 2 248 | 1 292 |

See footnotes at end of table.

Table 9. Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, and shipment size | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
|---|----------------------------|---------------------|-------------------------|
| SCTG 41, Waste and scrap | 7 954 | 43 439 | 10 852 |
| Less than 50 lb | 1 | S | S |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | 5 | 3 | — |
| 500 to 749 lb | S | S | — |
| 750 to 999 lb | S | S | — |
| 1,000 to 9,999 lb | S | 595 | 31 |
| 10,000 to 49,999 lb | 4 897 | 22 621 | 4 752 |
| 50,000 to 99,999 lb | 464 | 4 153 | 587 |
| 100,000 lb or more | 2 111 | 16 058 | 5 480 |
| SCTG 43, Mixed freight | 101 032 | 43 088 | 6 087 |
| Less than 50 lb | 2 495 | 146 | 20 |
| 50 to 99 lb | 1 083 | 142 | 20 |
| 100 to 499 lb | 3 584 | 935 | 116 |
| 500 to 749 lb | 1 796 | 610 | 70 |
| 750 to 999 lb | 1 476 | 525 | 69 |
| 1,000 to 9,999 lb | 25 360 | 10 226 | 1 726 |
| 10,000 to 49,999 lb | 64 034 | 29 790 | 3 983 |
| 50,000 to 99,999 lb | 619 | 386 | 53 |
| 100,000 lb or more | 585 | 328 | S |
| Commodity unknown | 11 297 | S | S |
| Less than 50 lb | 785 | 19 | 7 |
| 50 to 99 lb | 260 | 16 | 5 |
| 100 to 499 lb | 737 | 95 | 33 |
| 500 to 749 lb | 303 | 43 | 9 |
| 750 to 999 lb | 202 | 39 | 9 |
| 1,000 to 9,999 lb | 2 017 | 641 | 158 |
| 10,000 to 49,999 lb | 5 713 | 4 199 | 1 188 |
| 50,000 to 99,999 lb | 535 | S | S |
| 100,000 lb or more | 745 | 2 912 | 1 237 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| All commodities | 2 348 187 | 4 465 635 | 958 477 | 378 | 700 923 | 2 511 658 | 52 662 | 194 150 | 473 095 | 45 119 |
| Less than 50 lb | 214 883 | 5 570 | 2 113 | 483 | 54 792 | 2 617 | 47 | 12 736 | 434 | 40 |
| 50 to 99 lb | 64 727 | 4 504 | 1 093 | 241 | 21 662 | 2 674 | 51 | 4 460 | 399 | 36 |
| 100 to 499 lb | 200 347 | 27 811 | 5 535 | 200 | 71 964 | 17 747 | 338 | 15 010 | 2 621 | 235 |
| 500 to 749 lb | 60 277 | 13 104 | 2 494 | 190 | 21 263 | 8 107 | 163 | 4 674 | 1 303 | 117 |
| 750 to 999 lb | 43 041 | 11 008 | 2 202 | 200 | 14 166 | 6 612 | 133 | 3 857 | 1 122 | 102 |
| 1,000 to 9,999 lb | 522 240 | 185 767 | 39 741 | 206 | 157 658 | 103 648 | 2 068 | 50 407 | 18 921 | 1 736 |
| 10,000 to 49,999 lb | 872 377 | 1 614 987 | 281 419 | 177 | 204 170 | 976 032 | 19 058 | 74 645 | 167 172 | 15 152 |
| 50,000 to 99,999 lb | 109 616 | 857 707 | 71 513 | 81 | 59 089 | 561 065 | 13 659 | 15 761 | 173 107 | 14 945 |
| 100,000 lb or more | 260 679 | 1 745 178 | 552 367 | 474 | 96 157 | 833 155 | 17 144 | 12 600 | 108 015 | 12 755 |
| SCTG 01, Live animals and live fish | 2 082 | 2 229 | 680 | 359 | 531 | 856 | 21 | 176 | S | S |
| Less than 50 lb | 14 | 1 | S | 507 | 3 | 1 | — | S | S | S |
| 50 to 99 lb | 6 | 1 | — | 152 | 2 | S | — | 1 | S | S |
| 100 to 499 lb | 15 | S | S | 214 | 7 | 2 | — | S | S | S |
| 500 to 749 lb | 1 | 1 | — | 68 | — | — | — | S | S | S |
| 750 to 999 lb | 5 | 2 | S | 369 | 3 | 1 | — | — | — | S |
| 1,000 to 9,999 lb | 205 | 94 | 11 | 103 | 141 | 47 | 2 | S | S | S |
| 10,000 to 49,999 lb | 1 303 | 1 638 | 477 | 272 | 238 | 606 | 13 | 112 | S | S |
| 50,000 to 99,999 lb | 316 | 274 | 122 | 458 | S | S | S | 25 | 16 | 1 |
| 100,000 lb or more | 218 | 214 | 68 | 390 | S | S | S | S | S | S |
| SCTG 02, Cereal grains | 12 447 | 93 425 | 16 401 | 80 | 8 609 | 65 952 | 2 050 | 700 | 5 896 | 535 |
| Less than 50 lb | S | S | S | 194 | S | S | S | S | S | S |
| 50 to 99 lb | 3 | 10 | — | S | 2 | 9 | — | S | S | S |
| 100 to 499 lb | 14 | 49 | 1 | S | 13 | 46 | — | S | S | S |
| 500 to 749 lb | 8 | 23 | 2 | S | 5 | 18 | — | S | S | S |
| 750 to 999 lb | 4 | 15 | 1 | 51 | 3 | 12 | — | S | S | S |
| 1,000 to 9,999 lb | S | 535 | 45 | 77 | 128 | 365 | 7 | 11 | 37 | 3 |
| 10,000 to 49,999 lb | 608 | 3 940 | 727 | 166 | 245 | 1 703 | 57 | 104 | 762 | 72 |
| 50,000 to 99,999 lb | 2 476 | 20 859 | 1 919 | 93 | 1 375 | 11 533 | 358 | 495 | 4 266 | 380 |
| 100,000 lb or more | 9 062 | 67 994 | 13 707 | 486 | 6 838 | 52 264 | 1 628 | 87 | S | S |
| SCTG 03, Other agricultural products | 28 044 | 53 544 | 14 667 | 203 | 12 527 | 29 220 | 981 | 2 749 | 4 460 | 448 |
| Less than 50 lb | 930 | 145 | 48 | 314 | 647 | 92 | 1 | S | 12 | 1 |
| 50 to 99 lb | 487 | 127 | 11 | 89 | 320 | 105 | 2 | S | 12 | 1 |
| 100 to 499 lb | 1 480 | 911 | 72 | 84 | 1 024 | 743 | 12 | 140 | 94 | 8 |
| 500 to 749 lb | 738 | 504 | 42 | 83 | 449 | 383 | 7 | 65 | 62 | 5 |
| 750 to 999 lb | 457 | 425 | 34 | 80 | 275 | 286 | 5 | 99 | 94 | 9 |
| 1,000 to 9,999 lb | 4 990 | 5 276 | 910 | 130 | 2 428 | 2 842 | 47 | 696 | 781 | 72 |
| 10,000 to 49,999 lb | 10 283 | 16 062 | 5 833 | 345 | 2 711 | 6 161 | 176 | 1 093 | 1 695 | 158 |
| 50,000 to 99,999 lb | 1 480 | 4 572 | 613 | 125 | 3 050 | 129 | 129 | 157 | 619 | 55 |
| 100,000 lb or more | 7 200 | 25 524 | 7 103 | 535 | 3 876 | 15 556 | 602 | 331 | 1 092 | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 22 814 | 80 762 | 10 660 | 40 | 11 027 | 52 339 | 1 527 | 3 217 | 9 051 | 823 |
| Less than 50 lb | 109 | S | 3 | S | S | S | S | 2 | 1 | — |
| 50 to 99 lb | S | 195 | 4 | 19 | S | 192 | S | 1 | S | — |
| 100 to 499 lb | 687 | 987 | 21 | 18 | S | 953 | 13 | 21 | 12 | 1 |
| 500 to 749 lb | 287 | 475 | 14 | S | S | 438 | 6 | 17 | 13 | 1 |
| 750 to 999 lb | 179 | 233 | 11 | S | S | 201 | 4 | 13 | 10 | 1 |
| 1,000 to 9,999 lb | 2 268 | 4 257 | 326 | 63 | 1 062 | 3 010 | 68 | 255 | 475 | 43 |
| 10,000 to 49,999 lb | 14 075 | 48 435 | 5 680 | 107 | 6 309 | 32 014 | 897 | S | 5 605 | 518 |
| 50,000 to 99,999 lb | 3 307 | 17 590 | 2 043 | 114 | 1 998 | 11 203 | 321 | 381 | 2 241 | 192 |
| 100,000 lb or more | 1 739 | 8 526 | 2 559 | 461 | 494 | 4 267 | 214 | S | 693 | 66 |
| SCTG 05, Meat, fish, seafood, and their preparations | 61 878 | 30 812 | 12 734 | 152 | 14 806 | 7 056 | 194 | 6 499 | 3 446 | 334 |
| Less than 50 lb | 514 | 63 | 8 | 167 | 290 | 41 | 1 | S | 10 | 1 |
| 50 to 99 lb | 799 | 138 | 13 | 94 | 464 | 86 | 2 | 131 | 28 | 3 |
| 100 to 499 lb | 3 471 | 946 | 80 | 82 | 2 246 | 605 | 15 | 548 | 179 | 16 |
| 500 to 749 lb | 1 505 | 496 | 57 | 114 | 812 | 242 | 6 | 273 | 115 | 10 |
| 750 to 999 lb | 1 057 | 441 | 60 | 134 | 501 | 206 | 5 | 179 | 82 | 7 |
| 1,000 to 9,999 lb | 14 532 | 6 194 | 1 681 | 224 | 3 967 | 1 898 | 48 | 1 744 | 908 | 86 |
| 10,000 to 49,999 lb | 37 777 | 20 747 | 10 042 | 469 | 6 112 | 3 562 | 103 | 3 449 | 2 003 | 197 |
| 50,000 to 99,999 lb | 1 076 | 844 | 392 | 487 | S | S | S | 33 | 37 | 3 |
| 100,000 lb or more | 1 148 | 944 | 401 | 571 | S | 202 | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 29 633 | 23 827 | 9 025 | 89 | 8 076 | 6 040 | 161 | 3 737 | 3 690 | 342 |
| Less than 50 lb | 370 | 124 | 8 | S | 253 | 93 | 2 | 41 | 14 | 1 |
| 50 to 99 lb | 434 | 225 | 10 | S | 339 | 185 | 4 | 44 | 21 | 2 |
| 100 to 499 lb | 1 955 | 759 | 51 | 58 | 1 357 | 535 | 10 | 257 | 112 | 10 |
| 500 to 749 lb | 1 108 | 361 | 39 | 108 | 486 | 170 | 4 | 296 | 92 | 8 |
| 750 to 999 lb | 921 | 346 | 49 | 142 | 373 | 130 | 4 | 171 | 84 | 7 |
| 1,000 to 9,999 lb | 7 220 | 3 701 | 873 | 193 | 2 342 | 1 192 | 29 | 1 042 | 643 | 58 |
| 10,000 to 49,999 lb | 15 799 | 13 920 | 5 812 | 402 | 2 347 | 2 560 | 73 | 1 570 | 2 087 | 197 |
| 50,000 to 99,999 lb | 641 | 2 284 | 323 | 139 | 261 | 1 000 | 30 | 159 | 536 | 50 |
| 100,000 lb or more | 1 186 | 2 107 | 1 859 | 984 | S | 175 | 4 | 158 | 100 | 8 |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 07, Other prepared foodstuffs and fats and oils | 104 054 | 124 712 | 31 675 | 132 | 37 648 | 49 990 | 1 181 | 15 250 | 19 441 | 1 788 |
| Less than 50 lb | 1 042 | 216 | 32 | 317 | 676 | 163 | 4 | 80 | 16 | 1 |
| 50 to 99 lb | 945 | 438 | 29 | 68 | 679 | 360 | 8 | 109 | 37 | 3 |
| 100 to 499 lb | 5 799 | 4 186 | 215 | 49 | 4 348 | 3 457 | 73 | 590 | 415 | 35 |
| 500 to 749 lb | 2 631 | 1 994 | 115 | 58 | 1 807 | 1 611 | 36 | 300 | 188 | 16 |
| 750 to 999 lb | 2 078 | 1 637 | 94 | 58 | 1 381 | 1 313 | 28 | 213 | 131 | 12 |
| 1,000 to 9,999 lb | 19 890 | 17 968 | 1 980 | 94 | 10 322 | 12 366 | 255 | 2 366 | 1 843 | 171 |
| 10,000 to 49,999 lb | 63 085 | 75 785 | 19 919 | 242 | 15 702 | 24 193 | 608 | 10 803 | 14 677 | 1 339 |
| 50,000 to 99,999 lb | 3 040 | 7 729 | 1 049 | 133 | 1 468 | 3 431 | 83 | 568 | 1 517 | 136 |
| 100,000 lb or more | 5 545 | 14 760 | 8 241 | 588 | 1 264 | 3 096 | 85 | 220 | 618 | 75 |
| SCTG 08, Alcoholic beverages | 27 871 | 23 651 | 4 089 | 31 | 17 855 | 14 237 | 267 | 1 874 | 1 096 | 95 |
| Less than 50 lb | 355 | 69 | 2 | 33 | 298 | 59 | 1 | 41 | 7 | 1 |
| 50 to 99 lb | 439 | 144 | 4 | 29 | 366 | 128 | 2 | 39 | 10 | 1 |
| 100 to 499 lb | 3 774 | 2 098 | 52 | 25 | 3 321 | 1 952 | 36 | 312 | 106 | 9 |
| 500 to 749 lb | 1 863 | 1 234 | 32 | 26 | 1 641 | 1 146 | 22 | 139 | 58 | 5 |
| 750 to 999 lb | 1 408 | 1 073 | 27 | 25 | 1 285 | 1 018 | 20 | 78 | 37 | 3 |
| 1,000 to 9,999 lb | 9 588 | 7 719 | 214 | 26 | 8 310 | 7 211 | 134 | 711 | 317 | 27 |
| 10,000 to 49,999 lb | 9 041 | 9 082 | 3 121 | 283 | 2 279 | 2 137 | 43 | 512 | 482 | 43 |
| 50,000 to 99,999 lb | 977 | 1 513 | 285 | 171 | 328 | 491 | 8 | S | S | S |
| 100,000 lb or more | 425 | 720 | S | 486 | S | S | S | — | — | — |
| SCTG 09, Tobacco products | 38 916 | 3 085 | 855 | 478 | 13 282 | 2 017 | 56 | 1 468 | 117 | 11 |
| Less than 50 lb | 952 | 27 | 8 | 656 | 535 | 16 | — | 134 | 4 | — |
| 50 to 99 lb | 793 | 27 | 3 | 118 | 552 | 20 | — | 107 | 3 | — |
| 100 to 499 lb | 2 772 | 128 | 24 | 171 | 1 389 | 61 | 2 | 505 | 22 | 2 |
| 500 to 749 lb | 727 | 46 | 10 | 206 | 259 | 19 | 1 | 167 | 9 | 1 |
| 750 to 999 lb | 526 | 32 | 7 | 232 | S | 12 | — | 144 | 7 | 1 |
| 1,000 to 9,999 lb | 2 529 | 149 | 52 | 356 | 559 | 41 | 1 | 192 | 15 | 1 |
| 10,000 to 49,999 lb | 30 408 | 2 611 | 721 | 209 | 9 775 | 1 817 | S | 219 | 56 | 5 |
| 50,000 to 99,999 lb | S | S | S | 249 | S | S | S | — | — | — |
| 100,000 lb or more | S | S | S | 487 | S | S | S | — | — | — |
| SCTG 10, Monumental or building stone | 755 | 6 051 | 486 | 158 | 289 | 4 772 | 44 | 39 | 179 | 18 |
| Less than 50 lb | S | 1 | S | 394 | 1 | — | S | S | S | S |
| 50 to 99 lb | 4 | 1 | — | 218 | 3 | — | S | S | S | S |
| 100 to 499 lb | 38 | 13 | 2 | 151 | 30 | 9 | — | S | S | S |
| 500 to 749 lb | 17 | 7 | 2 | 312 | 6 | 4 | — | S | S | S |
| 750 to 999 lb | S | 8 | 1 | 183 | S | 4 | — | S | S | S |
| 1,000 to 9,999 lb | 153 | 155 | 33 | 192 | 73 | 88 | 2 | 10 | 10 | 1 |
| 10,000 to 49,999 lb | 457 | 4 405 | 331 | S | 150 | 3 487 | 33 | S | 106 | 10 |
| 50,000 to 99,999 lb | S | S | 62 | S | 4 | S | S | S | S | — |
| 100,000 lb or more | S | S | 53 | 160 | S | S | S | — | — | — |
| SCTG 11, Natural sands | 1 481 | 177 493 | 11 601 | 42 | 831 | 127 719 | 2 619 | 177 | 32 263 | 2 868 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | — | S | 302 | S | — | S | — | — | — |
| 100 to 499 lb | 11 | 12 | 1 | 67 | S | 10 | — | S | 1 | S |
| 500 to 749 lb | 2 | 8 | — | 42 | 2 | 6 | — | S | S | S |
| 750 to 999 lb | S | 4 | S | 89 | S | 3 | — | S | S | S |
| 1,000 to 9,999 lb | 79 | 1 149 | 43 | 36 | 42 | 1 020 | 16 | S | S | S |
| 10,000 to 49,999 lb | 798 | 74 914 | 2 566 | 30 | 499 | 64 948 | 1 116 | 65 | 7 133 | 625 |
| 50,000 to 99,999 lb | 347 | 67 247 | 3 641 | 55 | 222 | 43 484 | 1 142 | 64 | S | 3 532 |
| 100,000 lb or more | 236 | 34 158 | 5 351 | 165 | 57 | 18 248 | 345 | 35 | 3 532 | 341 |
| SCTG 12, Gravel and crushed stone | 4 316 | 671 150 | 36 406 | 43 | 3 405 | 545 693 | 9 237 | 374 | 64 173 | 5 854 |
| Less than 50 lb | S | S | — | S | S | S | S | — | — | — |
| 50 to 99 lb | S | S | S | S | 561 | — | 7 | S | S | S |
| 100 to 499 lb | S | S | S | S | — | S | S | S | S | S |
| 750 to 999 lb | — | 17 | — | S | — | 17 | — | S | S | S |
| 1,000 to 9,999 lb | 51 | 2 463 | 76 | 31 | 40 | 2 245 | 29 | 4 | S | 7 |
| 10,000 to 49,999 lb | 2 773 | 427 263 | 15 987 | 37 | 2 425 | 377 223 | 5 934 | 159 | 26 525 | 2 306 |
| 50,000 to 99,999 lb | 960 | 161 242 | 7 701 | 48 | 734 | 126 666 | 2 396 | 153 | 26 302 | 2 296 |
| 100,000 lb or more | 440 | 80 132 | 12 632 | 164 | 205 | 39 520 | 877 | 57 | 11 259 | 1 244 |
| SCTG 13, Nonmetallic minerals n.e.c. | 5 293 | 104 223 | 28 800 | 204 | 1 163 | 66 389 | 1 889 | 398 | 5 554 | 544 |
| Less than 50 lb | 22 | 2 | 1 | 513 | 7 | 1 | — | S | S | S |
| 50 to 99 lb | S | 9 | S | 625 | 3 | 3 | — | S | S | S |
| 100 to 499 lb | 105 | 45 | 8 | 181 | 60 | 29 | 1 | 2 | S | S |
| 500 to 749 lb | 41 | 38 | 4 | 113 | S | 25 | — | S | S | S |
| 750 to 999 lb | 15 | 11 | 1 | 126 | 4 | 5 | — | S | S | S |
| 1,000 to 9,999 lb | 398 | 1 182 | 134 | 116 | 137 | 770 | 18 | S | 150 | 13 |
| 10,000 to 49,999 lb | 2 803 | 46 376 | 5 092 | 113 | 460 | 36 872 | S | 230 | 1 905 | 174 |
| 50,000 to 99,999 lb | 266 | 9 361 | 1 098 | 116 | 52 | 4 872 | 160 | 44 | S | 192 |
| 100,000 lb or more | 1 605 | 47 198 | 22 454 | 585 | 426 | 23 812 | 784 | 46 | 1 349 | 164 |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 14, Metallic ores and concentrates | 2 308 | 11 063 | 3 737 | 212 | 596 | 4 945 | 70 | 151 | S | S |
| Less than 50 lb | S | 1 | — | 302 | 4 | — | — | S | S | S |
| 50 to 99 lb | 11 | 1 | S | S | 4 | S | S | S | S | S |
| 100 to 499 lb | 157 | 7 | 2 | 248 | S | 4 | S | S | S | S |
| 500 to 749 lb | 36 | S | 1 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 181 | 118 | 22 | S | 36 | S | 1 | S | S | S |
| 10,000 to 49,999 lb | 1 047 | 5 401 | 948 | 183 | 148 | S | S | 128 | S | S |
| 50,000 to 99,999 lb | 82 | 1 199 | 46 | S | S | S | S | S | 29 | 3 |
| 100,000 lb or more | 772 | 4 327 | 2 718 | 795 | S | S | S | 1 | 43 | 5 |
| SCTG 15, Coal | 13 306 | 529 110 | 147 442 | 96 | 4 688 | 213 447 | 5 116 | 1 107 | 41 693 | 6 037 |
| Less than 50 lb | S | S | S | 27 | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | 57 | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | 82 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | 70 | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 45 | 4 | 64 | S | 35 | 1 | S | S | S |
| 10,000 to 49,999 lb | 87 | 2 438 | 253 | 108 | 45 | 1 618 | 44 | 6 | 203 | 23 |
| 50,000 to 99,999 lb | 1 388 | 53 950 | 5 898 | 91 | 1 092 | 42 411 | 1 049 | 46 | 1 478 | 150 |
| 100,000 lb or more | 11 687 | 472 675 | 141 287 | 112 | 3 434 | 169 380 | 4 022 | 1 054 | 40 010 | 5 863 |
| SCTG 17, Gasoline and aviation turbine fuel | 88 933 | 487 052 | 96 689 | 46 | 57 602 | 299 655 | 4 481 | 9 047 | 39 058 | 3 479 |
| Less than 50 lb | 8 | 6 | — | S | 8 | 6 | — | — | — | — |
| 50 to 99 lb | 6 | 13 | — | 12 | 5 | 12 | — | S | S | S |
| 100 to 499 lb | 61 | 133 | 2 | 11 | 60 | 132 | 1 | S | S | S |
| 500 to 749 lb | 29 | 49 | 1 | 23 | 29 | 48 | 1 | S | S | S |
| 750 to 999 lb | 43 | 59 | 1 | 25 | 40 | 55 | 1 | S | S | S |
| 1,000 to 9,999 lb | 4 615 | 8 119 | 300 | 31 | 3 775 | 6 947 | 133 | 468 | 661 | 60 |
| 10,000 to 49,999 lb | 11 276 | 45 694 | 3 137 | 64 | 7 891 | 31 425 | 611 | 1 638 | 7 042 | 638 |
| 50,000 to 99,999 lb | 35 679 | 139 843 | 8 012 | 58 | 27 107 | 102 857 | 2 287 | 5 405 | 22 736 | 1 936 |
| 100,000 lb or more | 37 216 | 293 137 | 85 236 | 144 | 18 687 | 158 172 | 1 447 | 1 534 | 8 617 | 845 |
| SCTG 18, Fuel oils | 42 177 | 235 449 | 31 596 | 30 | 29 910 | 165 408 | 3 171 | 3 481 | 19 599 | 1 787 |
| Less than 50 lb | S | 6 | — | 12 | S | 6 | — | S | S | S |
| 50 to 99 lb | S | 16 | — | 12 | S | 15 | — | S | S | S |
| 100 to 499 lb | 152 | 275 | 4 | 13 | 151 | 272 | 3 | S | S | S |
| 500 to 749 lb | 133 | 309 | 6 | 19 | 130 | 299 | 4 | S | S | S |
| 750 to 999 lb | 120 | 313 | 5 | 17 | 119 | 307 | 5 | S | S | S |
| 1,000 to 9,999 lb | 3 407 | 10 188 | 295 | 23 | 2 939 | 9 293 | 152 | 189 | 396 | 33 |
| 10,000 to 49,999 lb | 5 109 | 25 313 | 1 507 | 55 | 3 832 | 18 626 | 416 | 772 | 3 948 | 348 |
| 50,000 to 99,999 lb | 9 608 | 50 750 | 2 992 | 59 | 7 091 | 36 842 | 742 | 1 465 | 8 005 | 669 |
| 100,000 lb or more | 23 625 | 148 279 | 26 787 | 154 | 15 625 | 99 747 | 1 849 | 1 052 | 7 240 | 737 |
| SCTG 19, Coal and petroleum products, n.e.c. | 37 583 | 181 176 | 37 801 | 119 | 17 359 | 112 139 | 2 126 | 3 871 | 16 667 | 1 544 |
| Less than 50 lb | 252 | 54 | 5 | 116 | 196 | 45 | 1 | 13 | 3 | — |
| 50 to 99 lb | 206 | 71 | 7 | 94 | 149 | 59 | 1 | 18 | 5 | — |
| 100 to 499 lb | 1 135 | 723 | 59 | 86 | 790 | 594 | 10 | 160 | 66 | 5 |
| 500 to 749 lb | 280 | 321 | 13 | 43 | 213 | 291 | 6 | 28 | 13 | 1 |
| 750 to 999 lb | 380 | 448 | S | 119 | 258 | 343 | 7 | 64 | 50 | 5 |
| 1,000 to 9,999 lb | 3 031 | 4 352 | S | 129 | 1 936 | 3 063 | 67 | 402 | 468 | 40 |
| 10,000 to 49,999 lb | 9 674 | 48 524 | 8 573 | 196 | 2 894 | 29 578 | 686 | 954 | 4 127 | 365 |
| 50,000 to 99,999 lb | 2 205 | 12 836 | 1 370 | 106 | 1 138 | 7 619 | 163 | 461 | 1 801 | 168 |
| 100,000 lb or more | 20 420 | 113 848 | 27 030 | 462 | 9 784 | 70 547 | 1 186 | 1 772 | 10 134 | 959 |
| SCTG 20, Basic chemicals .. | 108 045 | 194 411 | 88 699 | 228 | 28 744 | 66 791 | 1 320 | 6 488 | 17 568 | 1 653 |
| Less than 50 lb | 1 098 | 50 | 12 | 327 | 436 | 32 | 1 | 74 | 4 | — |
| 50 to 99 lb | 371 | 66 | 13 | 214 | 103 | 45 | 1 | 21 | 5 | — |
| 100 to 499 lb | 1 329 | 754 | 49 | 64 | 663 | 661 | 12 | 89 | 27 | 2 |
| 500 to 749 lb | 510 | 309 | 29 | 95 | 235 | 251 | 6 | 33 | 18 | 2 |
| 750 to 999 lb | 372 | 285 | 26 | 88 | 166 | 231 | 4 | 27 | 13 | 1 |
| 1,000 to 9,999 lb | 6 277 | 3 483 | 879 | 219 | 1 580 | 1 703 | 40 | 667 | 521 | 47 |
| 10,000 to 49,999 lb | 37 783 | 50 179 | 17 958 | 366 | 7 512 | 14 785 | 358 | 2 320 | 7 050 | 673 |
| 50,000 to 99,999 lb | 2 116 | 6 093 | 1 423 | 205 | 737 | 3 055 | 73 | 209 | 985 | 92 |
| 100,000 lb or more | 58 188 | 133 190 | 68 310 | 720 | 17 313 | 46 027 | 825 | 3 048 | 8 945 | 835 |
| SCTG 21, Pharmaceutical products | 70 002 | 4 923 | 3 095 | 684 | 16 106 | 1 093 | 21 | 6 389 | 378 | 37 |
| Less than 50 lb | 21 801 | 219 | 99 | 709 | 3 379 | 52 | 1 | 1 916 | 26 | 2 |
| 50 to 99 lb | 4 276 | 83 | 24 | 304 | 1 001 | 24 | 1 | 517 | 12 | 1 |
| 100 to 499 lb | 11 098 | 313 | 138 | 449 | 2 510 | 73 | 2 | 1 541 | 52 | 5 |
| 500 to 749 lb | 2 065 | 90 | 51 | 587 | 256 | 15 | — | 207 | 12 | 1 |
| 750 to 999 lb | 1 764 | 74 | 32 | 426 | 247 | 14 | — | 275 | 8 | 1 |
| 1,000 to 9,999 lb | 13 037 | 550 | 226 | 435 | 2 889 | 122 | 3 | 1 263 | 99 | 9 |
| 10,000 to 49,999 lb | 15 895 | 3 162 | 2 508 | 765 | 5 775 | S | 6 | 671 | 167 | 17 |
| 50,000 to 99,999 lb | S | S | S | 495 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | 19 | S | S | S | — | — | — |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 22, Fertilizers..... | 13 073 | 102 268 | 27 107 | 96 | 6 932 | 66 897 | 1 988 | 834 | 4 134 | 402 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 25 | 15 | — | 24 | 14 | — | — | — | — | — |
| 100 to 499 lb | 85 | 81 | 4 | 40 | 56 | 65 | 1 | S | S | S |
| 500 to 749 lb | 35 | 56 | 3 | 56 | 21 | 44 | 1 | 3 | 5 | — |
| 750 to 999 lb | 27 | 36 | 3 | 74 | 12 | 25 | — | 3 | 3 | — |
| 1,000 to 9,999 lb | 976 | 3 144 | 149 | 57 | 659 | 2 671 | 49 | 101 | 182 | 17 |
| 10,000 to 49,999 lb | 3 727 | 17 000 | 2 792 | 131 | 2 026 | 8 809 | 222 | 445 | 2 395 | 229 |
| 50,000 to 99,999 lb | 998 | 8 230 | 853 | 106 | 531 | 5 001 | 116 | 141 | 1 027 | 101 |
| 100,000 lb or more | 7 122 | 73 694 | 23 302 | 651 | 3 579 | 50 261 | 1 598 | 72 | 504 | 53 |
| SCTG 23, Chemical products and preparations, n.e.c. | 61 116 | 36 449 | 17 210 | 318 | 16 929 | 9 862 | 218 | 4 009 | 2 740 | 263 |
| Less than 50 lb | 3 985 | 221 | 64 | 350 | 1 570 | 102 | 2 | 316 | 17 | 2 |
| 50 to 99 lb | 1 539 | 157 | 37 | 229 | 736 | 85 | 1 | 83 | 10 | 1 |
| 100 to 499 lb | 5 077 | 980 | 199 | 203 | 2 380 | 583 | 8 | 408 | 73 | 7 |
| 500 to 749 lb | 1 811 | 402 | 103 | 252 | 693 | 192 | 4 | 138 | 38 | 3 |
| 750 to 999 lb | 1 235 | 318 | 97 | 305 | 425 | 140 | 3 | 130 | 31 | 3 |
| 1,000 to 9,999 lb | 11 916 | 3 905 | 1 493 | 363 | 3 354 | 1 346 | 34 | 908 | 382 | 35 |
| 10,000 to 49,999 lb | 29 283 | 22 651 | 10 783 | 467 | 6 252 | 4 846 | 133 | 1 892 | 1 908 | 184 |
| 50,000 to 99,999 lb | 583 | 1 260 | 288 | 229 | 267 | 555 | 13 | 66 | 161 | 15 |
| 100,000 lb or more | 5 687 | 6 554 | 4 145 | 873 | 1 251 | 2 013 | 20 | 68 | 120 | 14 |
| SCTG 24, Plastics and rubber | 108 620 | 59 035 | 38 201 | 290 | 23 307 | 13 191 | 311 | 7 615 | 3 839 | 359 |
| Less than 50 lb | 5 285 | 250 | 71 | 296 | 2 038 | 134 | 2 | 443 | 23 | 2 |
| 50 to 99 lb | 2 239 | 239 | 57 | 238 | 989 | 140 | 3 | 202 | 26 | 2 |
| 100 to 499 lb | 8 432 | 1 348 | 296 | 215 | 3 832 | 760 | 15 | 1 023 | 189 | 17 |
| 500 to 749 lb | 2 915 | 576 | 163 | 282 | 1 114 | 283 | 6 | 274 | 68 | 6 |
| 750 to 999 lb | 1 947 | 395 | 129 | 326 | 594 | 154 | 4 | 350 | 72 | 7 |
| 1,000 to 9,999 lb | 23 384 | 7 876 | 3 123 | 371 | 5 367 | 2 099 | 47 | 2 146 | 747 | 69 |
| 10,000 to 49,999 lb | 46 940 | 26 558 | 15 081 | 555 | 6 144 | 5 559 | 120 | 2 363 | 1 667 | 157 |
| 50,000 to 99,999 lb | 804 | 737 | 305 | 417 | 215 | 198 | 3 | 159 | 218 | 16 |
| 100,000 lb or more | 16 673 | 21 055 | 18 978 | 901 | 3 015 | 3 864 | 110 | 654 | 829 | 82 |
| SCTG 25, Logs and other wood in the rough | 5 948 | 231 110 | 16 033 | 68 | 3 320 | 143 855 | 4 285 | 1 336 | 64 548 | 5 274 |
| Less than 50 lb | S | S | S | 1 134 | S | S | S | — | — | — |
| 50 to 99 lb | S | — | 114 | 114 | S | S | S | S | S | S |
| 100 to 499 lb | 13 | 4 | S | S | 7 | 4 | S | S | S | S |
| 500 to 749 lb | 4 | S | S | 75 | 1 | S | — | S | S | S |
| 750 to 999 lb | S | 2 | S | 406 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 145 | 391 | 50 | S | 65 | 322 | 13 | 17 | 20 | 2 |
| 10,000 to 49,999 lb | 2 191 | 59 913 | 3 842 | 63 | 1 101 | 38 428 | 1 208 | 421 | 16 286 | 1 323 |
| 50,000 to 99,999 lb | 2 956 | 136 510 | 7 376 | 55 | 1 831 | 84 605 | 2 560 | 826 | 44 790 | 3 591 |
| 100,000 lb or more | 632 | 34 281 | 4 763 | S | 313 | S | S | S | S | S |
| SCTG 26, Wood products .. | 51 182 | 174 948 | 42 523 | 242 | 13 952 | 61 365 | 1 913 | 6 874 | 35 693 | 3 281 |
| Less than 50 lb | 647 | 54 | 21 | 443 | 175 | 19 | — | 72 | 7 | 1 |
| 50 to 99 lb | 391 | 62 | 12 | 191 | 157 | 31 | 1 | 54 | 10 | 1 |
| 100 to 499 lb | 1 837 | 419 | 56 | 126 | 915 | 239 | 5 | 255 | 61 | 6 |
| 500 to 749 lb | 856 | 254 | 35 | 133 | 400 | 143 | 3 | 174 | 49 | 4 |
| 750 to 999 lb | 648 | 247 | 34 | 137 | 302 | 143 | 3 | 85 | 35 | 3 |
| 1,000 to 9,999 lb | 7 778 | 6 241 | 776 | 131 | 3 782 | 3 804 | 83 | 1 097 | 961 | 88 |
| 10,000 to 49,999 lb | 27 694 | 82 545 | 18 826 | 214 | 5 685 | 27 212 | 781 | 3 823 | 13 038 | 1 245 |
| 50,000 to 99,999 lb | 4 983 | 47 692 | 5 954 | 123 | 1 525 | 20 382 | 733 | 1 160 | 17 604 | 1 586 |
| 100,000 lb or more | 6 347 | 37 435 | 16 809 | 563 | 1 010 | 9 391 | 304 | 153 | 3 930 | 346 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 43 104 | 69 092 | 43 764 | 178 | 8 468 | 8 957 | 191 | 2 895 | 4 720 | 495 |
| Less than 50 lb | 345 | 50 | 5 | 109 | 238 | 38 | 1 | 33 | 4 | — |
| 50 to 99 lb | 277 | 71 | 9 | 117 | 173 | 48 | 1 | 33 | 12 | — |
| 100 to 499 lb | 1 410 | 526 | 61 | 116 | 860 | 360 | 7 | 227 | 74 | 7 |
| 500 to 749 lb | 494 | 246 | 27 | 108 | 292 | 168 | 3 | 72 | 30 | 3 |
| 750 to 999 lb | 382 | 191 | 23 | 117 | 245 | 133 | 3 | 48 | 25 | 2 |
| 1,000 to 9,999 lb | 4 247 | 2 976 | 528 | 145 | 2 156 | 1 761 | 35 | 487 | 407 | 36 |
| 10,000 to 49,999 lb | 22 743 | 32 683 | 18 836 | 544 | 3 472 | 4 197 | 83 | 1 120 | 2 083 | 206 |
| 50,000 to 99,999 lb | 1 322 | 3 582 | 1 402 | 342 | 336 | 687 | 11 | 412 | 952 | 93 |
| 100,000 lb or more | 11 885 | 28 768 | 22 872 | 814 | 695 | 1 566 | 47 | 462 | 1 132 | 145 |
| SCTG 28, Paper or paperboard articles | 31 959 | 24 638 | 8 220 | 222 | 9 731 | 7 597 | 179 | 3 080 | 3 195 | 294 |
| Less than 50 lb | 1 256 | 113 | 25 | 288 | 658 | 68 | 1 | 80 | 10 | 1 |
| 50 to 99 lb | 621 | 132 | 21 | 156 | 361 | 83 | 2 | 78 | 18 | 2 |
| 100 to 499 lb | 2 012 | 617 | 73 | 122 | 1 185 | 414 | 9 | 257 | 80 | 7 |
| 500 to 749 lb | 726 | 299 | 39 | 131 | 393 | 185 | 4 | 78 | 31 | 3 |
| 750 to 999 lb | 516 | 210 | 25 | 122 | 305 | 138 | 4 | 52 | 26 | 2 |
| 1,000 to 9,999 lb | 6 802 | 4 977 | 804 | 145 | 3 054 | 2 621 | 56 | 951 | 830 | 75 |
| 10,000 to 49,999 lb | 19 340 | 16 746 | 6 292 | 329 | 3 698 | 3 792 | 98 | 1 536 | 2 087 | 195 |
| 50,000 to 99,999 lb | 206 | 393 | 116 | 274 | S | 160 | 3 | S | 57 | 4 |
| 100,000 lb or more | 479 | 1 152 | 824 | 798 | S | S | S | S | 55 | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 29, Printed products . | 61 379 | 25 874 | 5 572 | 416 | 27 467 | 17 012 | 247 | 2 818 | 1 163 | 104 |
| Less than 50 lb | 11 085 | 620 | 298 | 449 | 3 157 | 261 | 4 | 446 | 37 | 3 |
| 50 to 99 lb | 2 893 | 279 | 81 | 293 | 1 023 | 164 | 2 | 122 | 13 | 1 |
| 100 to 499 lb | 9 691 | 1 509 | 347 | 234 | 4 735 | 1 032 | 17 | 424 | 69 | 6 |
| 500 to 749 lb | 2 544 | 663 | 112 | 168 | 1 179 | 489 | 7 | 175 | 36 | 3 |
| 750 to 999 lb | 1 879 | 549 | 73 | 137 | 944 | 423 | 6 | 97 | 23 | 2 |
| 1,000 to 9,999 lb | 19 016 | 8 997 | 1 272 | 141 | 9 952 | 6 586 | 103 | 973 | 535 | 48 |
| 10,000 to 49,999 lb | 13 197 | 10 463 | 3 189 | 249 | 5 548 | 5 572 | 98 | 553 | 396 | 35 |
| 50,000 to 99,999 lb | 301 | 281 | S | 420 | 201 | 143 | 2 | S | 31 | 3 |
| 100,000 lb or more | S | S | S | S | S | S | 8 | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather . | 200 973 | 32 351 | 15 828 | 817 | 38 531 | 7 030 | 167 | 23 666 | 2 890 | 278 |
| Less than 50 lb | 13 801 | 428 | 345 | 858 | 1 230 | 46 | 1 | 541 | 17 | 2 |
| 50 to 99 lb | 4 088 | 220 | 167 | 752 | 510 | 28 | 1 | 190 | 12 | 1 |
| 100 to 499 lb | 11 847 | 1 039 | 709 | 684 | 1 743 | 183 | 4 | 559 | 65 | 6 |
| 500 to 749 lb | 4 953 | 569 | 351 | 615 | 724 | 105 | 3 | 268 | 46 | 5 |
| 750 to 999 lb | 4 222 | 472 | 302 | 640 | 648 | 93 | 2 | 234 | 28 | 3 |
| 1,000 to 9,999 lb | 75 038 | 7 385 | 3 901 | 564 | 14 539 | 1 549 | 37 | S | 680 | 64 |
| 10,000 to 49,999 lb | 80 198 | 19 699 | 8 778 | 440 | 15 880 | 4 432 | 109 | 7 255 | 1 905 | 183 |
| 50,000 to 99,999 lb | 5 922 | 1 632 | 477 | 274 | S | 482 | 7 | 103 | 96 | 9 |
| 100,000 lb or more | 905 | 907 | 799 | 777 | 312 | 112 | S | S | S | S |
| SCTG 31, Nonmetallic mineral products . | 38 260 | 337 896 | 35 463 | 219 | 14 941 | 239 434 | 4 209 | 3 383 | 30 217 | 2 771 |
| Less than 50 lb | 1 199 | 91 | 24 | 444 | 500 | 55 | 1 | 63 | 6 | 1 |
| 50 to 99 lb | 487 | 82 | 17 | 203 | 216 | 46 | 1 | 57 | 11 | 1 |
| 100 to 499 lb | 1 662 | 440 | 78 | 177 | 787 | 277 | 5 | 124 | 39 | 3 |
| 500 to 749 lb | 435 | 193 | 37 | 191 | 174 | 117 | 2 | 30 | 16 | 1 |
| 750 to 999 lb | 409 | 211 | 32 | 152 | 169 | 148 | 2 | 15 | 10 | 1 |
| 1,000 to 9,999 lb | 5 677 | 9 999 | 923 | 101 | 1 987 | 7 760 | 125 | 364 | 673 | 60 |
| 10,000 to 49,999 lb | 22 433 | 221 720 | 21 739 | 89 | 8 432 | 163 929 | 2 604 | 1 886 | 17 392 | 1 549 |
| 50,000 to 99,999 lb | 4 316 | 66 651 | 6 093 | 92 | 1 988 | 40 794 | 1 045 | 739 | 10 461 | 972 |
| 100,000 lb or more | 1 643 | 38 510 | 6 520 | 194 | 687 | 26 308 | 424 | 105 | 1 609 | 182 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes . | 72 761 | 87 986 | 35 162 | 210 | 17 565 | 25 586 | 614 | 5 802 | 8 323 | 784 |
| Less than 50 lb | 1 397 | 73 | 16 | 241 | 584 | 43 | 1 | 98 | 6 | 1 |
| 50 to 99 lb | 797 | 98 | 16 | 165 | 396 | 67 | 1 | 54 | 8 | 1 |
| 100 to 499 lb | 3 384 | 826 | 125 | 152 | 1 607 | 531 | 10 | 335 | 88 | 8 |
| 500 to 749 lb | 1 427 | 460 | 81 | 175 | 553 | 264 | 6 | 150 | 59 | 5 |
| 750 to 999 lb | 1 042 | 406 | 64 | 157 | 409 | 229 | 5 | 129 | 62 | 6 |
| 1,000 to 9,999 lb | 12 433 | 8 968 | 1 893 | 193 | 4 449 | 4 531 | 95 | 1 477 | 1 254 | 114 |
| 10,000 to 49,999 lb | 39 864 | 50 000 | 17 136 | 322 | 7 000 | 12 692 | 375 | 3 218 | 5 926 | 558 |
| 50,000 to 99,999 lb | 2 794 | 5 807 | 1 710 | 285 | 760 | 2 200 | 47 | 297 | 742 | 72 |
| 100,000 lb or more | 9 623 | 21 347 | 14 120 | 685 | S | S | 75 | 44 | 179 | 19 |
| SCTG 33, Articles of base metal . | 70 445 | 38 223 | 15 843 | 306 | 21 625 | 11 199 | 218 | 5 452 | 3 634 | 344 |
| Less than 50 lb | 8 160 | 294 | 90 | 305 | 3 380 | 155 | 3 | 651 | 20 | 2 |
| 50 to 99 lb | 2 655 | 200 | 60 | 293 | 1 083 | 98 | 2 | 196 | 21 | 2 |
| 100 to 499 lb | 8 689 | 1 133 | 332 | 286 | 3 337 | 563 | 11 | 709 | 105 | 9 |
| 500 to 749 lb | 2 722 | 491 | 154 | 312 | 804 | 215 | 4 | 186 | 46 | 4 |
| 750 to 999 lb | 2 221 | 432 | 163 | 376 | 636 | 171 | 3 | 174 | 37 | 3 |
| 1,000 to 9,999 lb | 18 967 | 6 892 | 2 152 | 316 | 6 155 | 2 587 | 55 | 1 524 | 739 | 69 |
| 10,000 to 49,999 lb | 21 600 | 20 615 | 8 675 | 417 | 4 270 | 4 956 | 103 | 1 738 | 1 883 | 173 |
| 50,000 to 99,999 lb | 1 912 | 2 347 | 751 | 298 | 545 | 764 | 16 | 148 | S | S |
| 100,000 lb or more | 3 520 | 5 817 | 3 467 | 673 | 1 415 | 1 688 | 21 | 126 | 364 | 39 |
| SCTG 34, Machinery . | 125 334 | 14 352 | 7 756 | 275 | 26 577 | 3 086 | 70 | 9 609 | 1 012 | 95 |
| Less than 50 lb | 15 931 | 362 | 96 | 256 | 5 816 | 181 | 4 | 1 665 | 38 | 3 |
| 50 to 99 lb | 5 366 | 240 | 66 | 272 | 2 069 | 117 | 3 | 534 | 23 | 2 |
| 100 to 499 lb | 15 722 | 1 106 | 343 | 297 | 5 259 | 531 | 10 | 1 585 | 108 | 10 |
| 500 to 749 lb | 4 664 | 404 | 161 | 392 | 1 110 | 156 | 3 | 311 | 34 | 3 |
| 750 to 999 lb | 3 206 | 295 | 156 | 525 | 637 | 83 | 2 | 175 | 21 | 2 |
| 1,000 to 9,999 lb | 31 003 | 3 537 | 1 879 | 510 | 6 028 | 911 | 22 | 1 729 | 230 | 21 |
| 10,000 to 49,999 lb | 42 102 | 7 394 | 4 377 | 587 | 4 922 | 935 | 21 | 2 275 | 496 | 47 |
| 50,000 to 99,999 lb | 4 905 | 666 | 393 | 623 | 648 | 151 | 5 | S | 53 | 5 |
| 100,000 lb or more | 2 435 | 348 | 284 | 822 | S | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment . | 265 208 | 15 287 | 9 101 | 505 | 62 336 | 3 762 | 79 | 9 218 | 742 | 70 |
| Less than 50 lb | 54 856 | 539 | 241 | 509 | 13 516 | 243 | 4 | 2 456 | 32 | 3 |
| 50 to 99 lb | 19 106 | 324 | 148 | 448 | 5 348 | 141 | 2 | 807 | 16 | 2 |
| 100 to 499 lb | 52 248 | 1 372 | 668 | 489 | 12 941 | 514 | 9 | 1 569 | 105 | 10 |
| 500 to 749 lb | 10 411 | 454 | 218 | 476 | 3 002 | 138 | 2 | 253 | 25 | 2 |
| 750 to 999 lb | 7 164 | 363 | 201 | 560 | 1 785 | 98 | 2 | 240 | S | 3 |
| 1,000 to 9,999 lb | 67 945 | 4 005 | 2 281 | 557 | 14 337 | 1 028 | 22 | 2 469 | 256 | 27 |
| 10,000 to 49,999 lb | 50 918 | 7 261 | 4 783 | 640 | 1 126 | 28 | 1 412 | 262 | 23 | S |
| 50,000 to 99,999 lb | 1 753 | 432 | S | 920 | 573 | 97 | S | S | S | S |
| 100,000 lb or more | 808 | 140 | 315 | 267 | S | S | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|--|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 36, Motorized and other vehicles (including parts) | 155 181 | 22 495 | 11 082 | 233 | 37 524 | 5 812 | 135 | 8 301 | 1 466 | 133 |
| Less than 50 lb | 10 181 | 478 | 113 | 218 | 4 580 | 270 | 4 | 735 | 38 | 3 |
| 50 to 99 lb | 3 122 | 246 | 52 | 210 | 1 228 | 129 | 3 | 322 | 27 | 2 |
| 100 to 499 lb | 10 630 | 894 | 271 | 283 | 2 970 | 338 | 8 | 1 087 | 109 | 10 |
| 500 to 749 lb | 3 152 | 256 | 103 | 391 | 767 | 84 | 2 | 225 | 21 | 2 |
| 750 to 999 lb | 1 846 | 213 | 76 | 354 | 462 | 60 | 2 | S | S | S |
| 1,000 to 9,999 lb | 60 400 | 7 229 | 3 410 | 430 | 16 831 | 2 205 | 36 | 2 506 | 400 | 37 |
| 10,000 to 49,999 lb | 54 961 | 11 053 | 5 684 | 522 | 9 472 | 2 348 | 74 | 2 310 | 692 | 63 |
| 50,000 to 99,999 lb | 5 731 | 1 213 | 844 | 694 | 817 | 210 | 3 | 120 | 45 | 4 |
| 100,000 lb or more | S | 912 | 529 | 395 | 397 | S | S | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 26 147 | 1 974 | 1 297 | 737 | 4 603 | 313 | 10 | 402 | 34 | 5 |
| Less than 50 lb | 5 141 | 17 | 12 | 742 | 543 | 4 | — | 62 | 1 | — |
| 50 to 99 lb | 1 828 | 7 | 5 | 768 | 174 | 2 | — | S | S | — |
| 100 to 499 lb | 2 736 | 30 | 23 | 753 | 534 | 5 | — | 47 | 1 | — |
| 500 to 749 lb | 1 286 | 10 | 9 | 849 | 503 | 1 | — | S | S | S |
| 750 to 999 lb | 620 | 10 | 9 | 905 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 8 636 | 354 | 221 | 604 | S | 25 | 1 | 195 | 12 | 1 |
| 10,000 to 49,999 lb | 4 482 | 686 | 380 | 616 | 555 | S | S | S | 6 | 1 |
| 50,000 to 99,999 lb | 488 | 219 | 139 | 638 | S | S | S | — | — | — |
| 100,000 lb or more | 930 | 641 | 499 | 859 | S | S | S | S | S | S |
| SCTG 38, Precision instruments and apparatus | 40 091 | 1 055 | 694 | 789 | 6 961 | 194 | 5 | 1 525 | S | S |
| Less than 50 lb | 20 904 | 140 | 106 | 801 | 2 346 | 27 | 1 | 744 | 9 | 1 |
| 50 to 99 lb | 2 975 | 37 | 21 | 558 | 579 | 10 | — | 109 | 2 | — |
| 100 to 499 lb | 6 801 | 150 | 69 | 449 | 2 284 | 62 | 1 | 408 | 12 | 1 |
| 500 to 749 lb | 1 295 | 38 | 20 | 530 | 337 | 11 | — | S | 1 | — |
| 750 to 999 lb | 686 | 35 | 22 | 608 | 128 | 5 | — | 19 | S | S |
| 1,000 to 9,999 lb | 5 563 | 285 | 248 | 677 | 1 071 | 62 | 2 | 159 | 13 | 1 |
| 10,000 to 49,999 lb | 1 803 | 322 | 196 | 595 | 217 | 17 | 1 | 24 | S | S |
| 50,000 to 99,999 lb | S | S | S | 261 | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | 137 | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 40 012 | 8 284 | 4 249 | 504 | 9 604 | 1 653 | 40 | 2 602 | 627 | 56 |
| Less than 50 lb | 1 443 | 74 | 40 | 498 | 582 | 29 | — | 55 | 3 | — |
| 50 to 99 lb | 1 135 | 100 | 53 | 521 | 396 | 34 | 1 | 58 | 5 | — |
| 100 to 499 lb | 6 972 | 797 | 416 | 508 | 2 321 | 223 | 4 | 342 | 50 | 5 |
| 500 to 749 lb | 2 395 | 330 | 170 | 515 | 767 | 77 | 1 | 133 | 26 | 2 |
| 750 to 999 lb | 1 421 | 264 | 140 | 532 | 317 | 61 | 1 | 88 | 17 | 2 |
| 1,000 to 9,999 lb | 17 014 | 3 696 | 1 759 | 472 | 3 956 | 878 | 23 | 1 506 | 330 | 30 |
| 10,000 to 49,999 lb | 9 210 | 2 879 | 1 589 | 545 | 1 033 | 307 | 8 | 410 | 194 | 17 |
| 50,000 to 99,999 lb | 254 | 96 | S | 719 | S | 19 | — | S | S | S |
| 100,000 lb or more | S | S | S | 397 | S | S | S | — | — | — |
| SCTG 40, Miscellaneous manufactured products | 115 174 | 37 598 | 13 073 | 660 | 23 536 | 12 365 | 273 | 8 896 | 4 009 | 373 |
| Less than 50 lb | 28 404 | 538 | 290 | 704 | 5 407 | 167 | 3 | 1 378 | 44 | 4 |
| 50 to 99 lb | 4 843 | 270 | 120 | 432 | 1 342 | 97 | 2 | 335 | 28 | 3 |
| 100 to 499 lb | 12 629 | 1 144 | 521 | 450 | 3 722 | 404 | 8 | 740 | 101 | 10 |
| 500 to 749 lb | 4 070 | 453 | 210 | 459 | 937 | 144 | 3 | 265 | 43 | 4 |
| 750 to 999 lb | 2 515 | 365 | 169 | 463 | 583 | 105 | 2 | 173 | 36 | 3 |
| 1,000 to 9,999 lb | 24 591 | 5 753 | 2 168 | 369 | 5 917 | 2 016 | 47 | 1 686 | 573 | 53 |
| 10,000 to 49,999 lb | 34 966 | 22 301 | 7 326 | 329 | 5 132 | 7 523 | 146 | 4 084 | 2 112 | 203 |
| 50,000 to 99,999 lb | 1 680 | 4 525 | 977 | 206 | S | 1 439 | S | 212 | 868 | 80 |
| 100,000 lb or more | 1 475 | 2 248 | 1 292 | 694 | 66 | S | S | 23 | S | S |
| SCTG 41, Waste and scrap | 7 954 | 43 439 | 10 852 | 171 | 2 572 | 15 217 | 353 | 673 | 5 258 | 531 |
| Less than 50 lb | 1 | S | S | 146 | — | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 5 | 3 | — | 88 | 2 | 2 | — | 1 | S | S |
| 500 to 749 lb | S | S | — | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | — | 38 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 595 | 31 | S | 537 | 13 | 16 | 23 | 2 | 2 |
| 10,000 to 49,999 lb | 4 897 | 22 621 | 4 752 | 196 | 1 392 | 9 159 | 222 | 510 | 3 545 | 340 |
| 50,000 to 99,999 lb | 464 | 4 153 | 587 | 132 | 251 | 2 111 | 40 | 56 | 853 | 86 |
| 100,000 lb or more | 2 111 | 16 058 | 5 480 | 321 | 500 | 3 401 | 78 | 89 | 836 | 102 |
| SCTG 43, Mixed freight | 101 032 | 43 088 | 6 087 | 141 | 36 702 | 17 976 | 551 | 16 927 | 7 853 | 738 |
| Less than 50 lb | 2 495 | 146 | 20 | 142 | 1 378 | 87 | 2 | 302 | 18 | 2 |
| 50 to 99 lb | 1 083 | 142 | 20 | 140 | 584 | 81 | 2 | 112 | 17 | 2 |
| 100 to 499 lb | 3 584 | 935 | 116 | 130 | 1 706 | 469 | 12 | 660 | 179 | 17 |
| 500 to 749 lb | 1 796 | 610 | 70 | 113 | 824 | 282 | 8 | 318 | 120 | 10 |
| 750 to 999 lb | 1 476 | 525 | 69 | 130 | 488 | 214 | 6 | 376 | 97 | 9 |
| 1,000 to 9,999 lb | 25 360 | 10 226 | 1 726 | 162 | 8 059 | 3 814 | 114 | 5 213 | 2 029 | 192 |
| 10,000 to 49,999 lb | 64 034 | 29 790 | 3 983 | 131 | 23 062 | 12 779 | 403 | 9 706 | 5 252 | 495 |
| 50,000 to 99,999 lb | 619 | 386 | 53 | 137 | 192 | 108 | 2 | S | 106 | 9 |
| 100,000 lb or more | 585 | 328 | S | 129 | S | 141 | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles ¹ | | | 50 to 99 miles ¹ | | |
|---|-------------------------|------------------|----------------------|----------------------------|---------------------------------|------------------|----------------------|-----------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Average miles per shipment | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| Commodity unknown | 11 297 | S | S | 347 | 2 686 | 3 538 | 74 | 1 040 | 862 | 80 |
| Less than 50 lb | 785 | 19 | 7 | 387 | 220 | 9 | — | 81 | 2 | — |
| 50 to 99 lb | 260 | 16 | 5 | S | 123 | 11 | — | 10 | 1 | — |
| 100 to 499 lb | 737 | 95 | 33 | 320 | 212 | 45 | 1 | 58 | 9 | 1 |
| 500 to 749 lb | 303 | 43 | 9 | 215 | 82 | 22 | — | 20 | 5 | S |
| 750 to 999 lb | 202 | 39 | 9 | 239 | 60 | 22 | — | S | S | S |
| 1,000 to 9,999 lb | 2 017 | 641 | 158 | 241 | 630 | 210 | 5 | 258 | 98 | 9 |
| 10,000 to 49,999 lb | 5 713 | 4 199 | 1 188 | 270 | 964 | 1 484 | 38 | 567 | 442 | 42 |
| 50,000 to 99,999 lb | 535 | S | S | 297 | 123 | 711 | 22 | 28 | 269 | 24 |
| 100,000 lb or more | 745 | 2 912 | 1 237 | 637 | S | 1 024 | 7 | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|--|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| All commodities | 401 175 | 603 269 | 141 467 | 380 848 | 439 301 | 211 085 | 250 063 | 203 828 | 171 747 | 154 108 | 121 213 | 132 190 |
| Less than 50 lb | 28 333 | 664 | 137 | 27 417 | 562 | 254 | 25 115 | 436 | 327 | 20 574 | 318 | 329 |
| 50 to 99 lb | 8 728 | 482 | 96 | 7 293 | 325 | 147 | 6 932 | 247 | 185 | 4 551 | 141 | 146 |
| 100 to 499 lb | 25 556 | 2 646 | 523 | 24 791 | 1 787 | 792 | 17 995 | 1 193 | 888 | 14 206 | 679 | 708 |
| 500 to 749 lb | 8 834 | 1 491 | 292 | 8 589 | 917 | 399 | 6 523 | 535 | 397 | 3 813 | 306 | 314 |
| 750 to 999 lb | 5 930 | 1 341 | 263 | 6 484 | 764 | 331 | 4 126 | 500 | 369 | 3 371 | 267 | 275 |
| 1,000 to 9,999 lb | 90 912 | 26 262 | 5 194 | 88 596 | 16 441 | 7 213 | 52 957 | 9 292 | 6 935 | 29 847 | 4 515 | 4 692 |
| 10,000 to 49,999 lb | 180 530 | 206 142 | 41 492 | 168 048 | 129 622 | 56 375 | 107 951 | 65 225 | 48 382 | 53 440 | 32 098 | 33 326 |
| 50,000 to 99,999 lb | 14 759 | 78 893 | 15 361 | 8 276 | 30 559 | 12 378 | 4 407 | 7 479 | 6 030 | 2 731 | 3 352 | 3 680 |
| 100,000 lb or more | 37 593 | 285 348 | 78 109 | 41 355 | 258 324 | 133 197 | 24 056 | 118 922 | 108 234 | 21 575 | 79 538 | 88 720 |
| SCTG 01, Live animals and live fish | 329 | \$ | \$ | 401 | 334 | 159 | 327 | 217 | 173 | 215 | 132 | 132 |
| Less than 50 lb | 2 | — | — | 3 | \$ | \$ | 1 | — | — | \$ | \$ | \$ |
| 50 to 99 lb | 5 | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | — | — | — |
| 100 to 499 lb | 5 | \$ | \$ | \$ | — | — | — | — | — | — | — | — |
| 500 to 749 lb | \$ | \$ | \$ | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | \$ | \$ | \$ | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | 23 | 17 | 3 | 10 | 6 | 2 | \$ | \$ | \$ | \$ | \$ | \$ |
| 10,000 to 49,999 lb | S | S | S | 236 | 214 | 103 | 216 | 140 | 111 | 185 | 115 | 112 |
| 50,000 to 99,999 lb | 30 | 25 | 6 | 76 | 60 | 29 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | S | S | S |
| SCTG 02, Cereal grains | 987 | 6 987 | 1 487 | 622 | 5 223 | 2 591 | 1 102 | 7 371 | 6 817 | 216 | \$ | \$ |
| Less than 50 lb | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ |
| 50 to 99 lb | \$ | \$ | \$ | \$ | — | — | — | — | — | — | — | — |
| 100 to 499 lb | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ |
| 500 to 749 lb | 1 | \$ | \$ | \$ | — | — | — | — | — | — | — | — |
| 750 to 999 lb | S | \$ | \$ | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 107 | 657 | 128 | 91 | S | S | 40 | 126 | 93 | 12 | S | S |
| 50,000 to 99,999 lb | 469 | 3 817 | 654 | S | S | S | 17 | 150 | S | — | S | S |
| 100,000 lb or more | 285 | 2 393 | 683 | 409 | 3 494 | 1 891 | 1 044 | 7 094 | 6 613 | 203 | S | S |
| SCTG 03, Other agricultural products | 5 303 | 6 217 | 1 456 | 3 156 | 5 700 | 2 784 | 1 590 | 4 107 | 3 543 | 880 | 1 641 | 1 798 |
| Less than 50 lb | 19 | 3 | 1 | 22 | S | S | 23 | 5 | S | 38 | S | 12 |
| 50 to 99 lb | S | 2 | — | 14 | 1 | 1 | 8 | 1 | 1 | 15 | 2 | 2 |
| 100 to 499 lb | 89 | 34 | 7 | 39 | 8 | 4 | 36 | 6 | 4 | 39 | 6 | 6 |
| 500 to 749 lb | 69 | 38 | 7 | 20 | 7 | 3 | S | 1 | 1 | 7 | 2 | 2 |
| 750 to 999 lb | 50 | 34 | 7 | 4 | 3 | 1 | 3 | 1 | 1 | S | S | S |
| 1,000 to 9,999 lb | 937 | 925 | 173 | 397 | 357 | 155 | 164 | 107 | 76 | 80 | 66 | 72 |
| 10,000 to 49,999 lb | 2 872 | 2 748 | 550 | 1 659 | 2 297 | 1 008 | 748 | 964 | 720 | 342 | 628 | 665 |
| 50,000 to 99,999 lb | 336 | 585 | 125 | 69 | 118 | 55 | 8 | S | S | S | 29 | 32 |
| 100,000 lb or more | S | S | S | 931 | 2 904 | 1 555 | 586 | 2 974 | 2 704 | 341 | S | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 3 722 | 9 728 | 1 944 | 2 488 | 5 286 | 2 273 | 1 117 | 3 167 | 2 459 | 701 | 655 | 730 |
| Less than 50 lb | 1 | — | — | 4 | S | S | S | S | S | S | S | — |
| 50 to 99 lb | S | 1 | S | 2 | 1 | — | S | S | S | S | S | S |
| 100 to 499 lb | S | 19 | S | 9 | 2 | 1 | S | S | S | S | S | S |
| 500 to 749 lb | 36 | 20 | 4 | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 25 | 13 | 2 | 13 | 7 | 3 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 532 | 583 | 111 | 282 | 135 | 57 | 83 | S | S | 28 | 9 | 10 |
| 10,000 to 49,999 lb | 2 401 | 5 425 | 1 078 | 1 789 | 3 517 | 1 479 | 580 | 1 278 | 919 | 440 | 335 | 360 |
| 50,000 to 99,999 lb | 468 | 2 645 | 507 | 180 | 818 | 368 | 94 | 441 | 326 | S | S | S |
| 100,000 lb or more | 215 | 1 021 | 238 | 204 | 803 | 363 | S | S | S | 78 | 197 | 239 |
| SCTG 05, Meat, fish, seafood, and their preparations | 12 314 | 6 763 | 1 385 | 11 427 | 6 215 | 2 676 | 7 026 | 3 390 | 2 517 | 3 984 | 1 408 | 1 466 |
| Less than 50 lb | 49 | 7 | 1 | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 83 | 15 | 3 | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 424 | 129 | 22 | 121 | 20 | 8 | 23 | 4 | 3 | 24 | 3 | 3 |
| 500 to 749 lb | 283 | 111 | 20 | 76 | 17 | 7 | 21 | 5 | 4 | 14 | 3 | 3 |
| 750 to 999 lb | 246 | 122 | 23 | 58 | 17 | 7 | 15 | 4 | 3 | 16 | S | S |
| 1,000 to 9,999 lb | 3 671 | 1 772 | 343 | 2 004 | 852 | 352 | 1 132 | 332 | 247 | 962 | 1 191 | 1 196 |
| 10,000 to 49,999 lb | 6 919 | 4 143 | 877 | 8 378 | 4 864 | 2 107 | 5 669 | 2 905 | 2 150 | 2 913 | 1 162 | 1 216 |
| 50,000 to 99,999 lb | S | 295 | 65 | 146 | 104 | 40 | 98 | 75 | 57 | S | S | S |
| 100,000 lb or more | S | 169 | 31 | S | 333 | 151 | 43 | S | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 7 228 | 4 870 | 980 | 4 763 | 4 114 | 1 796 | 2 854 | 2 227 | 1 678 | 1 425 | 1 396 | 1 528 |
| Less than 50 lb | S | S | S | 13 | 2 | 1 | 3 | 1 | — | 2 | — | — |
| 50 to 99 lb | 41 | 17 | 3 | 6 | 1 | 1 | S | S | S | S | S | S |
| 100 to 499 lb | 253 | 89 | 16 | S | 15 | 6 | 13 | 4 | 3 | 9 | 2 | 2 |
| 500 to 749 lb | S | 78 | 15 | S | S | 6 | S | S | S | S | 1 | 1 |
| 750 to 999 lb | S | 108 | 21 | 41 | 16 | 7 | 8 | 3 | 2 | S | S | S |
| 1,000 to 9,999 lb | 1 811 | 892 | 173 | 1 238 | 605 | 264 | 2 502 | 241 | 176 | 130 | 57 | 57 |
| 10,000 to 49,999 lb | 4 291 | 2 944 | 589 | 3 176 | 2 897 | 1 247 | 2 218 | 1 678 | 1 247 | 1 011 | 772 | 787 |
| 50,000 to 99,999 lb | 121 | 474 | 70 | S | 364 | 188 | 14 | 248 | 212 | 252 | 544 | 660 |
| 100,000 lb or more | 101 | 253 | 62 | 106 | S | 84 | 248 | S | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|---|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 07, Other prepared foodstuffs and fats and oils | 21 140 | 25 038 | 4 909 | 12 966 | 14 652 | 6 648 | 7 193 | 7 717 | 6 104 | 4 162 | 3 262 | 3 422 |
| Less than 50 lb | 99 | 15 | 3 | 51 | 7 | 3 | 32 | 3 | 3 | 42 | 4 | 5 |
| 50 to 99 lb | 70 | 25 | 4 | 41 | 6 | 3 | S | S | S | S | S | S |
| 100 to 499 lb | 496 | 222 | 40 | 212 | 54 | 21 | 63 | 16 | 12 | S | 4 | 4 |
| 500 to 749 lb | 333 | 140 | 27 | 107 | 32 | 14 | 45 | 13 | 10 | 18 | 4 | 4 |
| 750 to 999 lb | 321 | 141 | 26 | 126 | 41 | 16 | 17 | 4 | 3 | 11 | 3 | 3 |
| 1,000 to 9,999 lb | 3 726 | 2 170 | 425 | 1 909 | 904 | 369 | 742 | 340 | 248 | 369 | 157 | 161 |
| 10,000 to 49,999 lb | 14 772 | 18 454 | 3 594 | 8 940 | 9 168 | 3 870 | 5 211 | 4 336 | 3 273 | 3 256 | 2 191 | 2 261 |
| 50,000 to 99,999 lb | 681 | 2 136 | 382 | 161 | 437 | 187 | 22 | 42 | 32 | 43 | 45 | 48 |
| 100,000 lb or more | 644 | 1 735 | 408 | 1 418 | 4 002 | 2 165 | 1 034 | 2 957 | 2 519 | 385 | 851 | 932 |
| SCTG 08, Alcoholic beverages | 3 340 | 3 675 | 760 | 2 744 | 3 147 | 1 331 | 809 | 708 | 546 | 451 | 451 | 474 |
| Less than 50 lb | 16 | 3 | — | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 33 | 5 | 1 | S | — | S | S | S | S | S | S | S |
| 100 to 499 lb | 138 | 40 | 6 | 2 | 1 | — | S | S | S | S | S | S |
| 500 to 749 lb | 80 | 28 | 5 | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 43 | 16 | 3 | 1 | S | S | S | — | — | S | S | S |
| 1,000 to 9,999 lb | 479 | 165 | 27 | 27 | 8 | 4 | 17 | 7 | 6 | 12 | S | S |
| 10,000 to 49,999 lb | 1 991 | 2 554 | 541 | 2 434 | 2 713 | 1 164 | 705 | 556 | 411 | 379 | 331 | 348 |
| 50,000 to 99,999 lb | 427 | 665 | 124 | 134 | 219 | 82 | S | S | S | S | S | S |
| 100,000 lb or more | 133 | 197 | 53 | S | S | S | S | S | S | S | S | S |
| SCTG 09, Tobacco products | 2 425 | 208 | 42 | 8 993 | 331 | 159 | 5 292 | 176 | 130 | 1 964 | 62 | 65 |
| Less than 50 lb | 63 | 2 | — | 25 | 1 | — | 28 | 1 | 1 | 51 | 2 | 2 |
| 50 to 99 lb | 87 | 2 | — | 20 | 1 | — | 13 | 1 | — | 4 | — | — |
| 100 to 499 lb | 369 | 19 | 4 | 300 | 16 | 6 | 129 | 6 | 4 | 46 | 2 | 2 |
| 500 to 749 lb | 105 | 6 | 1 | 130 | 6 | 3 | 39 | 2 | S | S | S | S |
| 750 to 999 lb | 53 | 4 | 1 | 71 | 4 | 2 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 508 | 34 | 7 | 595 | 25 | 11 | 502 | 26 | 18 | 87 | 4 | 5 |
| 10,000 to 49,999 lb | 1 105 | 117 | 24 | 7 852 | 279 | 136 | 4 514 | 136 | 101 | 1 744 | 51 | 54 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | S | — | — | — | — | — |
| 100,000 lb or more | S | S | S | — | — | — | S | — | — | — | — | — |
| SCTG 10, Monumental or building stone | 208 | 668 | 141 | 105 | 262 | 116 | 54 | 106 | 75 | 17 | 32 | 32 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | 1 | — | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | 1 | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | 1 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | 1 | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 29 | 27 | 6 | 20 | 14 | 7 | 12 | 9 | 7 | 5 | 4 | 4 |
| 10,000 to 49,999 lb | 515 | 112 | 60 | 189 | 81 | 36 | 74 | 53 | S | 16 | 16 | 16 |
| 50,000 to 99,999 lb | 4 | S | S | — | 5 | 2 | S | — | S | S | S | S |
| 100,000 lb or more | 2 | S | S | S | S | S | S | S | S | S | S | S |
| SCTG 11, Natural sands ... | 168 | 13 241 | 3 556 | 165 | 3 305 | 1 431 | 67 | 463 | 395 | 45 | 236 | 290 |
| Less than 50 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 2 | 12 | 2 | S | 8 | 4 | 1 | 5 | S | S | S | S |
| 10,000 to 49,999 lb | 75 | 2 157 | 381 | 83 | 447 | 180 | 34 | 78 | 54 | 28 | 73 | 76 |
| 50,000 to 99,999 lb | 26 | 1 614 | 292 | 10 | 554 | 219 | S | 70 | 51 | — | — | — |
| 100,000 lb or more | 59 | 9 456 | 2 880 | 49 | 2 295 | 1 027 | S | 310 | 285 | S | 162 | 212 |
| SCTG 12, Gravel and crushed stone | 320 | 44 527 | 9 878 | 74 | 10 444 | 4 752 | S | 2 759 | 2 543 | 18 | 2 858 | 3 269 |
| Less than 50 lb | S | S | S | S | — | S | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | — | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 102 | 18 | — | 15 | 6 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 137 | 17 470 | 3 539 | 30 | 3 694 | 1 630 | S | 291 | 207 | 12 | 1 882 | 2 148 |
| 50,000 to 99,999 lb | 55 | 6 118 | 1 131 | 10 | 844 | 347 | S | S | 4 | 753 | 848 | S |
| 100,000 lb or more | 121 | 20 838 | 5 189 | 34 | 5 891 | 2 769 | 21 | 2 408 | S | 1 | S | S |
| SCTG 13, Nonmetallic minerals n.e.c. | 1 518 | 9 035 | 2 214 | 857 | 5 434 | 2 743 | 599 | 8 878 | S | 326 | 5 644 | 7 128 |
| Less than 50 lb | 2 | S | S | S | — | S | S | S | S | S | S | S |
| 50 to 99 lb | S | 5 | 1 | S | 3 | 1 | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | 3 | 2 | — | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 111 | 178 | 35 | 26 | 39 | 16 | 9 | 19 | 14 | 5 | 6 | 6 |
| 10,000 to 49,999 lb | S | 2 972 | 636 | 608 | 2 179 | 978 | 261 | 1 460 | 1 099 | 117 | 550 | 566 |
| 50,000 to 99,999 lb | 120 | 1 775 | 361 | 20 | 354 | 152 | 12 | 148 | S | 22 | 121 | 22 |
| 100,000 lb or more | 234 | 4 096 | 1 180 | 180 | 2 857 | 1 595 | 290 | S | 183 | 5 065 | 6 533 | 6 533 |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|---|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 14, Metallic ores and concentrates | 443 | 2 251 | 608 | 411 | 590 | 324 | 175 | 321 | 255 | 261 | 794 | 1 017 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 4 | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | 20 | 7 | 3 | 28 | 8 | 6 | 7 | 3 | 3 |
| 10,000 to 49,999 lb | 227 | S | S | 295 | 304 | 148 | 80 | 132 | 98 | 78 | 112 | 114 |
| 50,000 to 99,999 lb | 6 | S | S | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 180 | 848 | 316 | 54 | 267 | 166 | 22 | 179 | 150 | 112 | 677 | 897 |
| SCTG 15, Coal | 3 103 | 115 429 | 38 208 | 3 771 | 134 118 | 70 805 | 605 | 23 610 | 25 951 | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 5 | 1 | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 17 | 464 | 98 | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 160 | 6 211 | 1 717 | 53 | 2 213 | 1 391 | S | S | S | S | S | S |
| 100,000 lb or more | 2 917 | 108 749 | 36 392 | 3 695 | 131 761 | 69 340 | 557 | 21 969 | 24 357 | S | S | S |
| SCTG 17, Gasoline and aviation turbine fuel | 10 731 | 51 983 | 9 397 | 6 343 | 31 916 | 11 092 | 2 657 | 26 565 | 20 820 | 1 598 | 28 176 | 26 330 |
| Less than 50 lb | — | — | — | S | S | S | S | S | S | S | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 1,000 to 9,999 lb | 359 | 483 | 94 | 8 | 24 | 9 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 1 336 | 6 119 | 1 121 | 200 | 622 | 259 | S | S | S | S | 63 | S |
| 50,000 to 99,999 lb | 2 460 | 11 017 | 2 003 | 476 | 2 236 | 979 | S | S | S | S | S | S |
| 100,000 lb or more | 6 572 | 34 362 | 6 179 | 5 659 | 29 033 | 9 844 | 2 405 | 25 570 | 20 136 | 1 497 | 27 795 | 25 881 |
| SCTG 18, Fuel oils | 5 517 | 29 858 | 5 781 | 1 201 | 7 764 | S | 933 | 5 607 | 4 351 | S | S | S |
| Less than 50 lb | — | — | — | S | S | S | S | S | S | S | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 1,000 to 9,999 lb | 262 | 462 | 91 | S | 24 | 9 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 406 | 2 205 | 423 | 70 | 375 | 167 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 857 | 4 806 | 926 | 135 | 743 | 323 | S | S | S | S | S | S |
| 100,000 lb or more | 3 992 | 22 379 | 4 340 | 981 | 6 620 | S | 897 | 5 395 | 4 203 | S | S | S |
| SCTG 19, Coal and petroleum products, n.e.c. | 5 159 | 20 525 | 4 087 | 4 141 | 14 048 | 7 273 | 3 153 | 8 511 | 7 386 | 1 546 | 2 793 | 3 240 |
| Less than 50 lb | 20 | 3 | 1 | 4 | 1 | — | 3 | S | S | 4 | — | S |
| 50 to 99 lb | 18 | 3 | 1 | S | — | — | S | S | S | S | — | S |
| 100 to 499 lb | 75 | 28 | 5 | 32 | 7 | 3 | 19 | S | S | 10 | 22 | S |
| 500 to 749 lb | 12 | 6 | 1 | 19 | S | S | S | S | S | 1 | S | S |
| 750 to 999 lb | 22 | 16 | 3 | S | 5 | 2 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 319 | 390 | 76 | 155 | 107 | 44 | 62 | 51 | 40 | S | 38 | 38 |
| 10,000 to 49,999 lb | 1 840 | 7 337 | 1 361 | 1 369 | 2 820 | 1 203 | 1 256 | 5 S | S | 708 | 988 | 1 027 |
| 50,000 to 99,999 lb | 423 | 2 749 | 523 | 84 | 436 | 209 | S | 77 | 61 | S | 32 | 34 |
| 100,000 lb or more | 2 430 | 9 994 | 2 117 | 2 465 | 10 663 | 5 809 | 1 766 | 5 878 | 5 348 | 698 | 1 731 | 2 137 |
| SCTG 20, Basic chemicals .. | 14 514 | 31 173 | 7 478 | 19 758 | 29 949 | 13 426 | 9 156 | 12 161 | 10 359 | 11 633 | 17 269 | 21 800 |
| Less than 50 lb | 103 | 4 | 1 | 116 | 3 | 1 | 154 | 3 | 2 | 104 | 2 | 2 |
| 50 to 99 lb | 28 | 4 | 1 | 58 | 4 | 2 | 28 | 1 | 1 | S | 3 | 3 |
| 100 to 499 lb | 140 | 30 | 6 | 151 | 17 | 7 | 121 | 8 | 6 | 71 | 5 | 5 |
| 500 to 749 lb | 50 | 16 | 3 | 77 | 14 | 6 | 61 | 3 | 3 | S | 3 | 3 |
| 750 to 999 lb | 31 | 16 | 3 | S | S | S | 17 | 3 | 2 | 22 | 3 | 3 |
| 1,000 to 9,999 lb | 816 | 488 | 94 | 1 381 | 314 | 128 | 594 | 128 | 95 | 457 | 127 | 135 |
| 10,000 to 49,999 lb | 6 059 | 11 547 | 2 342 | 7 372 | 7 299 | 2 981 | 3 851 | 2 714 | 1 990 | 3 246 | 2 152 | 2 235 |
| 50,000 to 99,999 lb | 418 | 849 | 167 | 205 | 402 | 184 | 128 | 211 | 173 | 300 | 428 | 442 |
| 100,000 lb or more | 6 868 | 18 220 | 4 862 | 10 321 | 21 879 | 10 109 | 4 202 | 9 090 | 8 088 | 7 334 | 14 547 | 18 972 |
| SCTG 21, Pharmaceutical products | 18 608 | 756 | 148 | 11 736 | 894 | 425 | 6 091 | 789 | 598 | 3 755 | 263 | 273 |
| Less than 50 lb | 5 406 | 57 | 12 | 2 806 | 26 | 11 | 2 385 | 18 | 13 | 2 460 | 16 | 17 |
| 50 to 99 lb | 1 739 | 27 | 5 | 509 | 9 | 4 | 133 | S | 189 | 3 | 3 | S |
| 100 to 499 lb | 2 928 | 87 | 18 | 2 313 | 29 | 12 | 348 | 13 | 10 | S | 11 | 12 |
| 500 to 749 lb | 797 | 24 | 5 | S | 10 | 4 | 57 | 5 | 3 | S | 3 | 4 |
| 750 to 999 lb | 243 | 21 | 4 | S | 15 | 6 | 51 | 3 | 2 | S | S | S |
| 1,000 to 9,999 lb | 4 415 | 139 | 25 | 2 370 | 51 | 24 | 1 194 | 61 | 43 | 352 | 21 | 22 |
| 10,000 to 49,999 lb | 3 075 | 401 | 79 | 2 879 | 745 | 361 | 1 922 | 681 | 519 | 261 | 201 | 209 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S | S | — | — |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | S | — | — |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|---|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 22, Fertilizers | 1 391 | 7 565 | 1 755 | 1 292 | 8 873 | 4 296 | 1 029 | 6 077 | 5 452 | 875 | 5 008 | 6 126 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 7 | 4 | 1 | 2 | 1 | 1 | S | S | S | S | S | S |
| 500 to 749 lb | 8 | 5 | 1 | 1 | 1 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | 1 | — | S | S | S | — | — | — |
| 1,000 to 9,999 lb | 150 | 229 | 43 | 50 | 43 | 20 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 623 | 3 106 | 606 | 344 | 1 516 | 647 | 175 | 759 | 545 | 63 | 237 | 242 |
| 50,000 to 99,999 lb | 226 | 1 585 | 322 | 70 | 457 | 178 | 23 | 117 | 92 | S | S | S |
| 100,000 lb or more | 367 | 2 629 | 780 | 822 | 6 853 | 3 450 | 819 | 5 191 | 4 807 | 801 | 4 731 | 5 843 |
| SCTG 23, Chemical products and preparations, n.e.c. | 10 533 | 8 005 | 1 692 | 11 360 | 6 077 | 2 747 | 7 738 | 3 668 | 2 811 | 3 879 | 2 145 | 2 251 |
| Less than 50 lb | 669 | 32 | 7 | 646 | 33 | 14 | 297 | 18 | 13 | 149 | 6 | 6 |
| 50 to 99 lb | 234 | 22 | 4 | 224 | 21 | 9 | 109 | 9 | 7 | 49 | 3 | 3 |
| 100 to 499 lb | 707 | 112 | 22 | 744 | 105 | 48 | 435 | 58 | 42 | 154 | 22 | 22 |
| 500 to 749 lb | 325 | 70 | 14 | 265 | 47 | 20 | 230 | 25 | 18 | 85 | 14 | 15 |
| 750 to 999 lb | 186 | 48 | 9 | 168 | 37 | 15 | 209 | 29 | 21 | 55 | 16 | 16 |
| 1,000 to 9,999 lb | 1 789 | 682 | 140 | 2 242 | 608 | 268 | 1 414 | 347 | 256 | 851 | 261 | 273 |
| 10,000 to 49,999 lb | 5 815 | 5 572 | 1 138 | 5 615 | 4 306 | 1 875 | 4 606 | 2 691 | 2 022 | 1 783 | 1 038 | 1 056 |
| 50,000 to 99,999 lb | 85 | 295 | 52 | 38 | 95 | 46 | 72 | S | S | S | S | S |
| 100,000 lb or more | 723 | S | 1 419 | 826 | 452 | 364 | 384 | 346 | 346 | 759 | 762 | 836 |
| SCTG 24, Plastics and rubber..... | 15 354 | 7 835 | 1 698 | 20 638 | 9 245 | 4 365 | 15 329 | 7 818 | 6 167 | 11 127 | 7 259 | 7 983 |
| Less than 50 lb | 753 | 30 | 6 | 558 | 19 | 8 | 503 | 15 | 12 | 452 | 14 | 14 |
| 50 to 99 lb | 229 | 27 | 5 | 200 | 14 | 6 | 196 | 13 | 10 | 158 | 7 | 8 |
| 100 to 499 lb | 1 164 | 149 | 29 | 755 | 84 | 37 | 661 | 66 | 50 | 344 | 39 | 40 |
| 500 to 749 lb | 435 | 82 | 16 | 391 | 53 | 24 | 232 | 30 | 23 | 180 | 24 | 25 |
| 750 to 999 lb | 224 | 50 | 10 | 285 | 48 | 21 | 189 | 27 | 20 | 131 | 19 | 19 |
| 1,000 to 9,999 lb | 4 644 | 1 717 | 349 | 4 655 | 1 476 | 654 | 2 805 | 840 | 623 | 1 566 | 456 | 466 |
| 10,000 to 49,999 lb | 6 622 | 4 212 | 895 | 12 037 | 5 440 | 2 491 | 8 193 | 3 728 | 2 776 | 5 053 | 2 529 | 2 614 |
| 50,000 to 99,999 lb | 85 | 83 | 18 | 86 | 47 | 22 | 101 | 73 | 52 | 47 | 48 | 50 |
| 100,000 lb or more | 1 198 | 1 485 | 368 | 1 673 | 2 065 | 1 101 | 2 449 | 3 026 | 2 602 | 3 197 | 4 121 | 4 747 |
| SCTG 25, Logs and other wood in the rough | 718 | 19 304 | 3 525 | 285 | 1 286 | 528 | 132 | S | S | 72 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | S | S | S | S | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | — | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 11 | 18 | 3 | S | 7 | 3 | S | 3 | 2 | S | 18 | 21 |
| 10,000 to 49,999 lb | 325 | 4 234 | 714 | 177 | 622 | 251 | S | 214 | 160 | 20 | 67 | 69 |
| 50,000 to 99,999 lb | 251 | 6 845 | 1 068 | 34 | 214 | 92 | 6 | 37 | 30 | S | S | S |
| 100,000 lb or more | S | S | 43 | S | 214 | S | 28 | S | S | S | S | S |
| SCTG 26, Wood products .. | 13 255 | 41 315 | 9 571 | 7 907 | 19 085 | 8 229 | 4 393 | 8 612 | 6 722 | 2 317 | 4 656 | 5 102 |
| Less than 50 lb | 107 | 9 | 2 | 88 | 6 | 3 | 75 | 5 | 4 | 50 | 3 | 3 |
| 50 to 99 lb | 79 | 10 | 2 | 37 | 5 | 2 | 36 | 3 | 2 | S | 1 | 1 |
| 100 to 499 lb | 367 | 76 | 14 | 146 | 25 | 11 | 68 | 9 | 7 | 42 | 4 | 5 |
| 500 to 749 lb | 134 | 35 | 6 | 59 | 12 | 5 | 41 | 7 | 5 | 11 | 2 | 2 |
| 750 to 999 lb | 130 | 43 | 8 | 69 | 14 | 6 | 30 | 5 | 4 | 7 | 2 | 2 |
| 1,000 to 9,999 lb | 1 438 | 943 | 178 | 604 | 236 | 101 | 395 | 153 | 113 | 153 | 50 | 50 |
| 10,000 to 49,999 lb | 8 158 | 22 119 | 4 639 | 5 598 | 13 361 | 5 584 | 2 445 | 4 311 | 3 104 | 984 | 1 395 | 1 405 |
| 50,000 to 99,999 lb | 1 312 | 5 789 | 1 131 | 522 | 2 642 | 1 022 | 217 | 617 | 463 | 120 | 250 | 276 |
| 100,000 lb or more | S | 12 291 | 3 591 | 783 | 2 783 | 1 496 | 1 086 | 3 502 | 3 021 | 935 | 2 950 | 3 358 |
| SCTG 27, Pulp, newsprint, paper, and paperboard .. | 6 575 | 11 743 | 2 845 | 8 370 | 14 754 | 7 548 | 7 703 | 13 264 | 10 900 | 4 860 | 9 189 | 10 077 |
| Less than 50 lb | 39 | 4 | 1 | 14 | 1 | 1 | 9 | 1 | 1 | S | S | S |
| 50 to 99 lb | 37 | 6 | 1 | 14 | 2 | 1 | 7 | 1 | 1 | 2 | — | — |
| 100 to 499 lb | 127 | 46 | 9 | 62 | 20 | 8 | 62 | 9 | 7 | 29 | 5 | 5 |
| 500 to 749 lb | 74 | 31 | 6 | 29 | 6 | 2 | 9 | 3 | 3 | 11 | 4 | 5 |
| 750 to 999 lb | 35 | 14 | 3 | 24 | 11 | 5 | 11 | 4 | 3 | S | 1 | 1 |
| 1,000 to 9,999 lb | 473 | 329 | 66 | 315 | 169 | 74 | 487 | 173 | 128 | 129 | 66 | 68 |
| 10,000 to 49,999 lb | 3 865 | 5 927 | 1 310 | 4 929 | 7 230 | 3 304 | 4 304 | 6 492 | 4 947 | 2 680 | 3 857 | 3 959 |
| 50,000 to 99,999 lb | 110 | S | S | 195 | 499 | 270 | 144 | 379 | 320 | 75 | 198 | 239 |
| 100,000 lb or more | 1 814 | 4 665 | 1 255 | 2 788 | 6 817 | 3 884 | 2 670 | 6 204 | 5 492 | 1 923 | 5 057 | 5 800 |
| SCTG 28, Paper or paperboard articles | 6 382 | 5 391 | 1 090 | 5 560 | 3 897 | 1 713 | 3 395 | 2 194 | 1 651 | 1 956 | 1 321 | 1 349 |
| Less than 50 lb | 172 | 13 | 2 | 106 | 7 | 3 | 88 | 5 | 4 | 52 | 3 | 3 |
| 50 to 99 lb | 57 | 11 | 2 | 50 | 7 | 3 | 33 | 5 | 3 | 21 | 3 | 4 |
| 100 to 499 lb | 237 | 67 | 12 | 135 | 25 | 11 | 96 | 13 | 10 | 46 | 8 | 8 |
| 500 to 749 lb | 104 | 44 | 9 | S | 10 | 25 | 5 | 4 | 4 | 6 | 2 | 2 |
| 750 to 999 lb | 76 | 25 | 5 | 45 | 11 | 5 | 18 | 4 | 3 | 8 | 2 | 2 |
| 1,000 to 9,999 lb | 1 317 | 823 | 155 | 681 | 371 | 157 | 2 415 | 169 | 123 | 164 | 76 | 80 |
| 10,000 to 49,999 lb | 4 339 | 4 266 | 876 | 4 281 | 3 009 | 1 303 | 2 530 | 1 724 | 1 278 | 1 581 | 1 080 | 1 096 |
| 50,000 to 99,999 lb | S | 48 | 10 | 32 | 73 | 32 | S | 262 | 221 | S | S | S |
| 100,000 lb or more | S | 93 | 19 | 126 | 367 | 188 | 178 | 262 | 221 | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|---|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 29, Printed products | 6 578 | 1 929 | 411 | 8 021 | 2 439 | 1 097 | 6 532 | 1 731 | 1 275 | 3 526 | 635 | 638 |
| Less than 50 lb | 1 078 | 56 | 12 | 1 592 | 73 | 35 | 1 461 | 62 | 46 | 1 171 | 49 | 51 |
| 50 to 99 lb | 305 | 25 | 5 | 513 | 27 | 13 | 378 | 22 | 16 | 234 | 11 | 11 |
| 100 to 499 lb | 695 | 75 | 16 | 1 354 | 136 | 62 | 885 | 83 | 60 | 443 | 34 | 35 |
| 500 to 749 lb | 232 | 41 | 8 | 295 | 35 | 16 | 356 | 30 | 21 | 84 | 8 | 9 |
| 750 to 999 lb | 152 | 33 | 7 | 206 | 29 | 13 | 210 | 18 | 13 | 165 | 9 | 9 |
| 1,000 to 9,999 lb | 2 746 | 678 | 142 | 1 815 | 500 | 215 | 1 424 | 357 | 269 | 928 | 158 | 160 |
| 10,000 to 49,999 lb | 1 336 | 914 | 204 | 2 227 | 1 578 | 712 | 1 807 | 1 154 | 845 | 475 | 350 | 346 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | 5 | 4 | S | S | S |
| 100,000 lb or more | 26 | 96 | 15 | S | S | S | — | — | S | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 38 176 | 7 058 | 1 464 | 37 078 | 6 640 | 3 015 | 26 335 | 3 864 | 2 878 | 11 704 | 1 620 | 1 674 |
| Less than 50 lb | 1 718 | 54 | 12 | 2 729 | 85 | 40 | 2 418 | 81 | 60 | 1 703 | 52 | 53 |
| 50 to 99 lb | 496 | 27 | 6 | 793 | 40 | 19 | 818 | 46 | 34 | 410 | 22 | 24 |
| 100 to 499 lb | 1 390 | 134 | 28 | 2 245 | 186 | 87 | 2 130 | 191 | 143 | 1 381 | 114 | 118 |
| 500 to 749 lb | 802 | 77 | 17 | 1 168 | 115 | 53 | 694 | 101 | 75 | 493 | 47 | 49 |
| 750 to 999 lb | 573 | 61 | 13 | 885 | 82 | 39 | 848 | 99 | 72 | 343 | 42 | 43 |
| 1,000 to 9,999 lb | 14 066 | 1 221 | 247 | 12 355 | 1 515 | 696 | 8 816 | 1 183 | 876 | 3 693 | 440 | 448 |
| 10,000 to 49,999 lb | 17 536 | 4 797 | 989 | 15 553 | 3 948 | 1 754 | 10 392 | 2 052 | 1 528 | 3 650 | 829 | 865 |
| 50,000 to 99,999 lb | S | S | S | S | 436 | 203 | 165 | 84 | 68 | S | S | S |
| 100,000 lb or more | 135 | 205 | 41 | S | S | S | S | S | S | S | S | S |
| SCTG 31, Nonmetallic mineral products | 7 381 | 40 374 | 8 288 | 5 253 | 15 689 | 6 886 | 3 160 | 5 820 | 4 346 | 1 733 | 2 659 | 2 811 |
| Less than 50 lb | 115 | 9 | 2 | 166 | 6 | 3 | 113 | 4 | 3 | 54 | 3 | 3 |
| 50 to 99 lb | 61 | 11 | 2 | 50 | 5 | 2 | 29 | 3 | 2 | 37 | 3 | 3 |
| 100 to 499 lb | 248 | 58 | 11 | 146 | 22 | 9 | 112 | 17 | 13 | 106 | 14 | 15 |
| 500 to 749 lb | 79 | 28 | 6 | 51 | 9 | 4 | 48 | 12 | 9 | 30 | 7 | 7 |
| 750 to 999 lb | 98 | 25 | 5 | 28 | 8 | 3 | 29 | 7 | 5 | S | S | 8 |
| 1,000 to 9,999 lb | 1 519 | 804 | 155 | 710 | 358 | 156 | 564 | 215 | 159 | 161 | 83 | 86 |
| 10,000 to 49,999 lb | 3 849 | 20 997 | 4 147 | 3 702 | 11 158 | 4 803 | 1 884 | 3 828 | 2 824 | 1 199 | 2 024 | 2 086 |
| 50,000 to 99,999 lb | 1 011 | 12 546 | 2 395 | 243 | 1 882 | 754 | S | 602 | 431 | 57 | 185 | 205 |
| 100,000 lb or more | 402 | 5 695 | 1 565 | 158 | 2 241 | 1 152 | 130 | 1 132 | 900 | 38 | 332 | 398 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 13 899 | 18 238 | 4 007 | 15 989 | 17 528 | 8 547 | 8 803 | 9 324 | 7 137 | 4 888 | 4 460 | 5 108 |
| Less than 50 lb | 196 | 8 | 2 | 163 | 5 | 2 | S | 4 | 3 | 82 | 3 | 3 |
| 50 to 99 lb | 97 | 10 | 2 | 97 | 7 | 3 | 62 | 4 | 3 | 42 | 2 | 2 |
| 100 to 499 lb | 517 | 101 | 20 | 329 | 48 | 20 | 213 | 22 | 16 | 196 | 17 | 18 |
| 500 to 749 lb | 231 | 70 | 14 | 152 | 33 | 14 | 57 | 10 | 7 | 114 | 8 | 9 |
| 750 to 999 lb | 173 | 63 | 13 | 178 | 27 | 12 | 60 | 14 | 10 | 28 | 5 | 5 |
| 1,000 to 9,999 lb | 2 261 | 1 468 | 283 | 1 828 | 792 | 342 | 1 034 | 391 | 287 | 633 | 226 | 236 |
| 10,000 to 49,999 lb | 8 722 | 11 314 | 2 362 | 10 327 | 10 953 | 4 869 | 5 588 | 5 404 | 3 828 | 2 712 | 2 141 | 2 206 |
| 50,000 to 99,999 lb | 704 | 1 082 | 226 | 605 | 819 | 365 | 195 | 674 | 514 | 34 | 107 | 119 |
| 100,000 lb or more | 998 | 4 123 | 1 085 | 2 309 | 4 845 | 2 919 | 1 426 | 2 802 | 2 318 | 1 047 | 1 951 | 2 510 |
| SCTG 33, Articles of base metal | 11 275 | 6 575 | 1 355 | 12 914 | 7 150 | 3 144 | 8 177 | 5 259 | 3 986 | 4 492 | 1 899 | 2 138 |
| Less than 50 lb | 926 | 35 | 7 | 1 047 | 28 | 13 | 846 | 23 | 17 | 506 | 13 | 14 |
| 50 to 99 lb | 353 | 30 | 6 | 314 | 17 | 8 | 292 | 12 | 9 | 154 | 10 | 11 |
| 100 to 499 lb | 1 168 | 159 | 32 | 1 165 | 122 | 54 | 830 | 70 | 52 | 585 | 48 | 50 |
| 500 to 749 lb | 354 | 70 | 14 | 513 | 71 | 32 | 260 | 36 | 26 | 351 | 29 | 29 |
| 750 to 999 lb | 350 | 66 | 13 | 382 | 69 | 30 | 236 | 32 | 24 | 125 | 18 | 19 |
| 1,000 to 9,999 lb | 3 429 | 1 351 | 275 | 3 299 | 1 069 | 476 | 1 891 | 546 | 407 | 977 | 242 | 247 |
| 10,000 to 49,999 lb | 4 062 | 3 845 | 791 | 5 007 | 4 637 | 2 023 | 3 003 | 2 904 | 2 113 | 1 538 | 1 002 | 1 049 |
| 50,000 to 99,999 lb | 272 | 353 | 73 | S | 412 | 189 | 127 | 228 | 184 | 27 | 38 | 40 |
| 100,000 lb or more | 361 | 665 | 143 | 473 | 726 | 320 | 692 | 1 408 | 1 153 | 230 | 499 | 680 |
| SCTG 34, Machinery | 18 826 | 2 271 | 467 | 27 039 | 3 106 | 1 468 | 16 581 | 2 132 | 1 595 | 10 739 | 1 168 | 1 200 |
| Less than 50 lb | 2 373 | 56 | 12 | 2 006 | 35 | 16 | 1 277 | 20 | 15 | 1 322 | 14 | 15 |
| 50 to 99 lb | 823 | 39 | 8 | 665 | 25 | 11 | 492 | 14 | 11 | 325 | 11 | 11 |
| 100 to 499 lb | 2 166 | 141 | 29 | 2 490 | 122 | 56 | 1 602 | 87 | 66 | 1 191 | 50 | 52 |
| 500 to 749 lb | 686 | 47 | 10 | 844 | 61 | 28 | 927 | 48 | 37 | 310 | 24 | 24 |
| 750 to 999 lb | 558 | 43 | 8 | 583 | 41 | 19 | 434 | 41 | 31 | 387 | 31 | 32 |
| 1,000 to 9,999 lb | 3 589 | 500 | 106 | 6 584 | 658 | 303 | 4 862 | 520 | 387 | 3 315 | 325 | 336 |
| 10,000 to 49,999 lb | 7 271 | 1 282 | 258 | 12 813 | 1 974 | 947 | 6 526 | 1 263 | 949 | 3 700 | 652 | 670 |
| 50,000 to 99,999 lb | 342 | 99 | 20 | 498 | 118 | 53 | 320 | 105 | 74 | 166 | 33 | 33 |
| 100,000 lb or more | S | 63 | 15 | S | 71 | 36 | 141 | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 35 793 | 2 111 | 465 | 36 189 | 2 637 | 1 201 | 30 385 | 2 406 | 1 784 | 26 864 | 1 336 | 1 398 |
| Less than 50 lb | 5 975 | 69 | 15 | 6 254 | 51 | 24 | 6 366 | 43 | 33 | 4 545 | 33 | 35 |
| 50 to 99 lb | 2 005 | 42 | 9 | 1 625 | 33 | 16 | 2 069 | 31 | 24 | 1 347 | 17 | 18 |
| 100 to 499 lb | 5 536 | 180 | 38 | 5 092 | 156 | 70 | 4 788 | 117 | 88 | 5 842 | 91 | 97 |
| 500 to 749 lb | 1 200 | S | S | 1 259 | 68 | 29 | 1 709 | 47 | 35 | 1 066 | 39 | 41 |
| 750 to 999 lb | 476 | 44 | 10 | 1 273 | 60 | 26 | 542 | 43 | 31 | 1 331 | 28 | 30 |
| 1,000 to 9,999 lb | 9 543 | 615 | 143 | S | 602 | 276 | 7 804 | 606 | 451 | 6 088 | 272 | 284 |
| 10,000 to 49,999 lb | 10 900 | 1 037 | 220 | 6 765 | 1 613 | 730 | 6 959 | 1 464 | 1 081 | 6 061 | 675 | 691 |
| 50,000 to 99,999 lb | 42 | 9 | 2 | 97 | 20 | 10 | 64 | 17 | 12 | S | S | S |
| 100,000 lb or more | S | 31 | 8 | S | 33 | 20 | 83 | 38 | 30 | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|--|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 36, Motorized and other vehicles (including parts) | 21 454 | 3 305 | 726 | 36 465 | 5 518 | 2 630 | 26 772 | 3 372 | 2 610 | 10 091 | 1 233 | 1 321 |
| Less than 50 lb | 1 494 | 55 | 12 | 1 446 | 52 | 23 | 873 | 31 | 23 | 440 | 14 | 15 |
| 50 to 99 lb | 605 | 35 | 7 | 532 | 30 | 13 | 260 | 15 | 11 | 69 | 3 | 4 |
| 100 to 499 lb | 2 143 | 152 | 31 | 2 270 | 146 | 64 | 1 199 | 77 | 57 | 458 | 36 | 38 |
| 500 to 749 lb | 408 | 38 | 7 | 907 | 50 | 22 | 489 | 31 | 23 | 148 | 14 | 14 |
| 750 to 999 lb | 322 | 43 | 9 | 413 | 36 | 15 | 277 | 27 | 20 | 106 | 8 | 8 |
| 1,000 to 9,999 lb | 7 414 | 937 | 196 | 15 404 | 1 744 | 807 | 8 495 | 962 | 771 | 4 159 | 412 | 448 |
| 10,000 to 49,999 lb | 7 186 | 1 669 | 374 | 13 820 | 2 981 | 1 416 | 13 500 | 1 962 | 1 478 | 3 344 | 507 | 527 |
| 50,000 to 99,999 lb | S | 120 | 26 | 910 | 298 | 161 | S | S | S | 843 | 183 | 203 |
| 100,000 lb or more | S | S | S | S | 181 | 108 | S | S | S | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 4 208 | 401 | 84 | 3 694 | 503 | 276 | 3 985 | 409 | 323 | 2 373 | 151 | 168 |
| Less than 50 lb | 1 304 | S | 1 | 491 | 2 | 1 | 812 | 2 | 2 | 573 | 2 | 2 |
| 50 to 99 lb | 43 | 1 | — | 158 | 1 | — | S | 1 | 1 | 295 | 1 | 1 |
| 100 to 499 lb | 244 | 3 | 1 | 358 | 5 | 2 | 574 | 8 | 6 | 237 | 3 | 3 |
| 500 to 749 lb | S | 1 | — | 120 | 3 | 1 | 63 | 2 | 1 | 139 | 2 | 2 |
| 750 to 999 lb | S | 1 | — | 40 | 1 | 1 | 75 | 2 | 1 | 80 | 2 | 2 |
| 1,000 to 9,999 lb | 1 723 | 102 | 20 | 1 290 | 85 | 38 | 898 | 55 | 42 | 561 | 30 | 31 |
| 10,000 to 49,999 lb | 596 | 181 | 35 | 641 | 110 | 49 | 583 | 148 | 108 | 380 | 55 | 56 |
| 50,000 to 99,999 lb | S | S | S | 358 | 191 | 130 | S | 7 | 5 | — | — | — |
| 100,000 lb or more | S | S | S | 237 | 106 | 53 | 203 | 185 | 156 | 108 | 57 | 72 |
| SCTG 38, Precision instruments and apparatus | 4 387 | 126 | 24 | 5 261 | 179 | 73 | 5 557 | 210 | 158 | 5 550 | 83 | 85 |
| Less than 50 lb | 2 087 | 15 | 3 | 2 349 | 14 | 6 | 2 999 | 17 | 13 | 3 235 | 22 | 22 |
| 50 to 99 lb | 293 | 6 | 1 | 472 | 4 | 2 | 372 | 5 | 4 | S | S | S |
| 100 to 499 lb | 633 | 16 | 3 | 881 | 17 | 8 | 725 | 17 | 13 | 655 | 10 | 11 |
| 500 to 749 lb | 196 | 5 | 1 | 180 | 8 | 3 | 267 | 5 | 4 | 92 | 3 | 3 |
| 750 to 999 lb | 143 | 4 | 1 | 108 | 6 | 3 | 97 | 6 | 5 | 51 | S | S |
| 1,000 to 9,999 lb | 795 | 35 | 7 | 713 | 42 | 19 | 517 | 35 | 27 | S | 23 | 24 |
| 10,000 to 49,999 lb | 207 | S | S | 529 | 44 | 20 | 580 | S | S | 63 | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | — | — | — | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 6 402 | 1 358 | 277 | 8 584 | 1 867 | 859 | 6 074 | 1 440 | 1 054 | 3 113 | 653 | 673 |
| Less than 50 lb | 94 | 5 | 1 | 226 | 12 | 5 | 155 | 8 | 6 | 103 | 6 | 6 |
| 50 to 99 lb | 96 | 10 | 2 | 148 | 15 | 7 | 147 | 15 | 11 | 84 | 9 | 9 |
| 100 to 499 lb | 659 | 100 | 22 | 1 164 | 153 | 70 | 921 | 124 | 92 | 746 | 63 | 66 |
| 500 to 749 lb | 303 | 50 | 11 | 466 | 74 | 33 | 287 | 47 | 34 | 184 | 23 | 24 |
| 750 to 999 lb | 179 | 35 | 7 | 258 | 50 | 23 | 284 | 51 | 37 | 143 | 26 | 26 |
| 1,000 to 9,999 lb | 2 012 | 494 | 104 | 4 587 | 843 | 372 | 2 601 | 629 | 464 | 1 095 | 269 | 279 |
| 10,000 to 49,999 lb | S | 660 | 130 | 1 657 | 671 | 324 | 1 618 | 544 | 394 | 749 | 253 | 259 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | 16 | 13 | S | S | S |
| 100,000 lb or more | — | — | — | S | S | S | S | S | S | S | S | S |
| SCTG 40, Miscellaneous manufactured products... | 21 492 | 8 330 | 1 702 | 19 966 | 5 993 | 2 657 | 13 462 | 2 836 | 2 079 | 8 852 | 1 730 | 1 820 |
| Less than 50 lb | 2 822 | 75 | 16 | 4 168 | 73 | 33 | 3 847 | 59 | 45 | 3 290 | 41 | 42 |
| 50 to 99 lb | 581 | 41 | 8 | 558 | 32 | 14 | 569 | 24 | 18 | 373 | 17 | 18 |
| 100 to 499 lb | 1 676 | 168 | 35 | 1 726 | 151 | 69 | 1 669 | 126 | 92 | 1 031 | 71 | 74 |
| 500 to 749 lb | 495 | 65 | 14 | 790 | 74 | 32 | 504 | 50 | 38 | 368 | 33 | 34 |
| 750 to 999 lb | 354 | 57 | 12 | 432 | 65 | 28 | 352 | 40 | 30 | 158 | 20 | 21 |
| 1,000 to 9,999 lb | 4 481 | 1 031 | 212 | 4 601 | 897 | 388 | 2 870 | 508 | 374 | 1 598 | 272 | 283 |
| 10,000 to 49,999 lb | 10 354 | 5 135 | 1 051 | 6 553 | 3 580 | 1 551 | 3 425 | 1 793 | 1 294 | 1 900 | 995 | 1 029 |
| 50,000 to 99,999 lb | 445 | 1 397 | 272 | 343 | 519 | 227 | 92 | 96 | 78 | 58 | 92 | 95 |
| 100,000 lb or more | 284 | 361 | 83 | 794 | 602 | 314 | 135 | 139 | 108 | 76 | 188 | 223 |
| SCTG 41, Waste and scrap | 1 699 | 10 880 | 2 406 | 1 761 | 8 425 | 4 069 | 747 | 2 532 | 1 890 | 221 | 523 | 560 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 1,000 to 9,999 lb | 16 | 16 | 3 | 11 | 8 | 4 | 3 | S | S | S | S | S |
| 10,000 to 49,999 lb | 934 | 4 231 | 844 | 1 051 | 3 550 | 1 451 | 627 | 1 525 | 1 091 | 183 | 318 | 327 |
| 50,000 to 99,999 lb | 86 | 878 | 210 | 29 | 192 | 95 | S | S | S | S | S | S |
| 100,000 lb or more | 660 | 5 753 | 1 349 | 670 | 4 674 | 2 519 | 114 | 966 | 768 | 22 | 174 | 199 |
| SCTG 43, Mixed freight... | 34 921 | 13 537 | 2 611 | 9 223 | 2 599 | 1 049 | 1 907 | 626 | 456 | 657 | 206 | 211 |
| Less than 50 lb | 399 | 24 | S | 204 | S | S | 94 | S | S | S | 2 | 2 |
| 50 to 99 lb | 161 | 24 | 4 | 84 | 10 | 4 | S | S | S | S | 16 | 16 |
| 100 to 499 lb | 738 | 185 | 36 | 333 | 81 | 31 | 69 | 9 | 6 | 58 | 29 | 10 |
| 500 to 749 lb | 472 | 156 | 29 | 142 | 47 | 17 | S | 4 | 3 | S | S | S |
| 750 to 999 lb | 493 | 169 | 32 | 93 | 37 | 15 | 16 | 5 | 3 | 7 | S | 2 |
| 1,000 to 9,999 lb | 8 805 | 3 118 | 605 | 2 344 | 827 | 335 | 1 458 | 156 | 120 | 192 | S | S |
| 10,000 to 49,999 lb | 23 527 | 9 560 | 1 848 | 5 994 | 1 571 | 632 | 1 114 | 435 | 311 | 287 | 89 | 86 |
| 50,000 to 99,999 lb | 209 | 150 | 29 | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | S | S | S | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles ¹ | | | 250 to 499 miles ¹ | | | 500 to 749 miles ¹ | | | 750 to 999 miles ¹ | | |
|---|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|-------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| Commodity unknown..... | 3 398 | 2 325 | 479 | 1 877 | S | S | 946 | 626 | 512 | 473 | 271 | 288 |
| Less than 50 lb | 174 | 2 | — | 76 | 1 | 1 | 69 | 2 | 1 | 33 | 1 | 1 |
| 50 to 99 lb | 41 | — | — | 18 | 1 | — | 23 | 1 | 1 | S | S | S |
| 100 to 499 lb | 151 | 13 | 3 | 115 | 9 | 4 | 30 | 6 | 4 | 28 | 2 | 2 |
| 500 to 749 lb | S | S | 1 | 25 | 4 | 1 | 14 | 2 | 1 | S | 1 | 1 |
| 750 to 999 lb | 11 | 4 | 1 | 80 | 4 | 3 | 11 | 2 | 1 | S | S | S |
| 1,000 to 9,999 lb | 532 | 180 | 34 | 217 | 80 | 35 | 133 | 33 | 24 | 101 | S | S |
| 10,000 to 49,999 lb | 2 196 | 1 228 | 253 | 893 | 376 | 168 | 567 | 420 | S | 217 | 121 | 125 |
| 50,000 to 99,999 lb | 73 | 388 | 79 | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| All commodities | 162 475 | 85 265 | 137 318 | 61 079 | 18 731 | 41 241 | 43 367 | 9 275 | 25 647 |
| Less than 50 lb | 30 444 | 320 | 453 | 7 202 | 107 | 220 | 8 270 | 111 | 305 |
| 50 to 99 lb | 6 608 | 134 | 192 | 2 307 | 57 | 117 | 2 186 | 44 | 122 |
| 100 to 499 lb | 18 670 | 654 | 932 | 7 607 | 273 | 560 | 4 549 | 210 | 559 |
| 500 to 749 lb | 3 622 | 244 | 345 | 1 601 | 109 | 220 | 1 360 | 92 | 245 |
| 750 to 999 lb | 3 220 | 231 | 331 | 1 055 | 104 | 219 | 832 | 67 | 178 |
| 1,000 to 9,999 lb | 30 071 | 4 090 | 5 869 | 13 113 | 1 578 | 3 329 | 8 678 | 1 021 | 2 704 |
| 10,000 to 49,999 lb | 46 336 | 25 115 | 36 247 | 23 723 | 9 054 | 19 123 | 13 533 | 4 526 | 12 265 |
| 50,000 to 99,999 lb | 2 903 | 2 464 | 3 592 | 680 | 545 | 1 199 | S | 243 | 668 |
| 100,000 lb or more | 20 601 | 52 013 | 89 357 | 3 792 | 6 903 | 16 253 | 2 950 | 2 961 | 8 599 |
| SCTG 01, Live animals and live fish | 83 | 60 | 77 | S | S | S | S | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | - | - | - | - | - | - | - | - | - |
| 100 to 499 lb | S | S | S | - | - | - | - | - | - |
| 500 to 749 lb | - | - | - | - | - | - | - | - | - |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | S | S | S | - | - | - | - | - | - |
| 10,000 to 49,999 lb | 49 | 33 | 42 | S | S | S | - | - | - |
| 50,000 to 99,999 lb | 11 | 8 | 10 | S | - | - | - | - | - |
| 100,000 lb or more | 23 | S | S | - | - | - | - | - | - |
| SCTG 02, Cereal grains | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | - | - | - | - | - | - | S | S | S |
| 50 to 99 lb | - | - | - | - | - | - | - | - | - |
| 100 to 499 lb | - | - | - | - | - | - | - | - | - |
| 500 to 749 lb | - | - | - | - | - | - | - | - | - |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | - | - |
| 10,000 to 49,999 lb | S | S | S | S | S | S | - | - | - |
| 50,000 to 99,999 lb | - | - | - | S | S | S | - | - | - |
| 100,000 lb or more | S | S | S | S | S | S | - | - | - |
| SCTG 03, Other agricultural products | 1 070 | 1 428 | 1 988 | 563 | 648 | 1 327 | 205 | 122 | 340 |
| Less than 50 lb | 68 | 13 | 18 | 11 | S | S | 6 | S | S |
| 50 to 99 lb | 23 | 3 | 4 | 4 | S | 1 | 1 | - | - |
| 100 to 499 lb | 90 | 15 | 20 | 14 | S | 5 | 9 | 2 | 6 |
| 500 to 749 lb | 27 | 6 | 9 | S | S | S | S | S | S |
| 750 to 999 lb | 17 | 5 | 6 | - | - | - | S | 1 | 4 |
| 1,000 to 9,999 lb | 220 | 160 | 219 | 24 | 15 | 32 | 43 | 23 | 63 |
| 10,000 to 49,999 lb | 555 | 1 065 | 1 496 | 247 | 429 | 853 | 56 | 75 | 208 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | 210 | 168 | 370 | S | S | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 372 | 427 | 646 | 125 | 80 | 175 | S | 29 | 85 |
| Less than 50 lb | S | - | - | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | - | - | - | S | S | S |
| 1,000 to 9,999 lb | 21 | 3 | 4 | 5 | S | S | S | S | S |
| 10,000 to 49,999 lb | 196 | 201 | 288 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 34 | S | S | 3 | 23 | 46 | S | S | S |
| 100,000 lb or more | 111 | 116 | 190 | S | S | S | 8 | S | S |
| SCTG 05, Meat, fish, seafood, and their preparations | 4 043 | 1 771 | 2 482 | 1 216 | 516 | 1 028 | 561 | 247 | 652 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | 3 | 3 | S | 1 | S | S | S | S |
| 500 to 749 lb | 12 | 2 | 2 | S | S | S | S | S | S |
| 750 to 999 lb | 31 | 5 | 7 | 4 | 1 | 2 | S | S | S |
| 1,000 to 9,999 lb | 627 | 150 | 211 | 286 | 65 | 129 | 140 | 26 | 71 |
| 10,000 to 49,999 lb | 3 205 | 1 537 | 2 161 | 860 | 407 | 804 | 273 | 165 | 428 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 905 | 998 | 1 443 | 515 | 411 | 873 | 131 | 82 | 224 |
| Less than 50 lb | 2 | - | - | - | S | S | - | - | - |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 109 | 46 | 65 | 35 | 18 | 37 | 11 | 6 | 15 |
| 10,000 to 49,999 lb | 624 | 608 | 866 | 446 | 298 | 599 | 116 | 75 | 206 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 140 | 328 | 491 | 28 | 93 | 234 | - | - | - |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 07, Other prepared foodstuffs and fats and oils | 3 647 | 3 393 | 4 672 | 1 426 | 860 | 1 958 | 622 | 358 | 993 |
| Less than 50 lb | S | S | S | 11 | 2 | 3 | 17 | 2 | 5 |
| 50 to 99 lb | 3 | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | 14 | 3 | 5 | S | S | S | S | S | S |
| 750 to 999 lb | 8 | 3 | 5 | 1 | — | — | S | S | S |
| 1,000 to 9,999 lb | 274 | 107 | 153 | 103 | 36 | 74 | 79 | 45 | 123 |
| 10,000 to 49,999 lb | 2 662 | 1 735 | 2 487 | 1 225 | 722 | 1 629 | 514 | 309 | 859 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | 541 | 1 423 | 1 861 | 39 | 78 | S | — | — | — |
| SCTG 08, Alcoholic beverages | 500 | 218 | 328 | 259 | 102 | 232 | 40 | 18 | 55 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | S | S | 12 | 2 | 5 | S | S | S |
| 10,000 to 49,999 lb | 456 | 191 | 289 | 246 | 99 | 226 | 39 | 18 | 55 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 09, Tobacco products | 1 660 | 52 | 71 | 1 272 | 37 | 79 | 2 561 | 85 | 242 |
| Less than 50 lb | 58 | 1 | 1 | 13 | — | 1 | 44 | 1 | 2 |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 11 | 1 | 1 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 1 | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 1 549 | 48 | 66 | 1 185 | 35 | 73 | 2 466 | 73 | 209 |
| 50,000 to 99,999 lb | — | — | — | — | — | — | S | S | S |
| 100,000 lb or more | — | — | — | — | — | — | S | S | S |
| SCTG 10, Monumental or building stone | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 11, Natural sands | 22 | 236 | 373 | 2 | S | S | 4 | 9 | 23 |
| Less than 50 lb | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | 11 | 156 | 260 | — | — | — | — | — | — |
| SCTG 12, Gravel and crushed stone | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | — | — | — | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | — | — | — | S | S | S | S | S | S |
| 750 to 999 lb | — | — | — | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 13, Nonmetallic minerals n.e.c. | 334 | 2 627 | 3 869 | 37 | 244 | 513 | 62 | 418 | 1 246 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | 20 | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 77 | 311 | 421 | 22 | 74 | 160 | 14 | 53 | 134 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 188 | 2 254 | 3 356 | 12 | S | 350 | 46 | 352 | 1 076 |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 14, Metallic ores and concentrates | 217 | 554 | 946 | \$ | \$ | \$ | 11 | \$ | \$ |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | - | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | - | - | - | S | S | S |
| 1,000 to 9,999 lb | S | 1 | 1 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | 79 | 114 | 15 | 10 | 21 | 2 | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 15, Coal | \$ | \$ | \$ | 5 | \$ | \$ | \$ | \$ | \$ |
| Less than 50 lb | - | - | - | - | - | - | - | - | - |
| 50 to 99 lb | - | - | - | - | - | - | - | - | - |
| 100 to 499 lb | - | - | - | - | - | - | - | - | - |
| 500 to 749 lb | - | - | - | - | - | - | - | - | - |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | S | S | S | - | - | - | - | - | - |
| 10,000 to 49,999 lb | S | S | S | S | S | S | - | - | - |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 17, Gasoline and aviation turbine fuel | 939 | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ |
| Less than 50 lb | - | - | - | - | - | - | - | - | - |
| 50 to 99 lb | S | S | S | S | S | S | - | - | - |
| 100 to 499 lb | S | S | S | S | S | S | - | - | - |
| 500 to 749 lb | - | - | - | - | - | - | - | - | - |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | S | S | S | S | S | S | - | - | - |
| 10,000 to 49,999 lb | S | S | S | S | S | S | - | - | - |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 18, Fuel oils | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ | \$ |
| Less than 50 lb | - | - | - | - | - | - | - | - | - |
| 50 to 99 lb | - | - | - | - | - | - | - | - | - |
| 100 to 499 lb | S | S | S | S | S | S | - | - | - |
| 500 to 749 lb | - | - | - | - | - | - | - | - | - |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | S | S | S | S | S | S | - | - | - |
| 10,000 to 49,999 lb | S | S | S | S | S | S | - | - | - |
| 50,000 to 99,999 lb | S | S | S | S | S | S | - | - | - |
| 100,000 lb or more | S | S | S | S | S | S | - | - | - |
| SCTG 19, Coal and petroleum products, n.e.c. | 2 007 | 5 926 | 10 829 | 300 | 533 | 1 217 | 47 | 35 | 100 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | - | S | S |
| 100 to 499 lb | 43 | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 3 | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 54 | S | S | 12 | 11 | 23 | 4 | 2 | S |
| 50,000 to 99,999 lb | 505 | 1 027 | 1 609 | 142 | 177 | 408 | S | S | S |
| 100,000 lb or more | 1 351 | 4 557 | 8 680 | 136 | 333 | 759 | S | S | S |
| SCTG 20, Basic chemicals .. | \$ | 17 573 | 28 028 | 1 729 | 1 346 | 2 971 | 773 | 580 | 1 665 |
| Less than 50 lb | 65 | 2 | 2 | S | S | S | 17 | - | 1 |
| 50 to 99 lb | S | S | S | S | S | S | 5 | - | - |
| 100 to 499 lb | 5 | S | S | 6 | 1 | 22 | 1 | 2 | 2 |
| 500 to 749 lb | 7 | S | S | S | S | S | S | 1 | 3 |
| 750 to 999 lb | 23 | 2 | 3 | 8 | 1 | 3 | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 44 | 8 | 20 |
| 10,000 to 49,999 lb | S | S | S | 608 | 403 | 832 | 291 | 161 | 436 |
| 50,000 to 99,999 lb | 66 | 109 | 160 | 54 | 55 | S | - | - | - |
| 100,000 lb or more | 7 909 | 13 232 | 21 506 | 814 | 842 | 1 911 | 380 | 409 | 1 202 |
| SCTG 21, Pharmaceutical products | 4 306 | 315 | 457 | 1 302 | 70 | 143 | 1 708 | \$ | \$ |
| Less than 50 lb | 2 300 | 16 | 23 | 405 | 3 | 7 | 744 | 5 | 13 |
| 50 to 99 lb | 154 | S | S | 7 | - | S | 1 | 1 | 1 |
| 100 to 499 lb | 540 | S | S | S | 4 | 9 | 137 | 4 | 12 |
| 500 to 749 lb | S | S | S | S | S | S | S | 2 | 5 |
| 750 to 999 lb | 62 | 4 | 5 | S | S | S | 5 | - | 1 |
| 1,000 to 9,999 lb | 331 | S | S | 33 | 4 | 8 | 190 | 13 | 33 |
| 10,000 to 49,999 lb | 633 | 195 | 282 | 142 | 54 | 110 | 537 | S | S |
| 50,000 to 99,999 lb | - | - | - | - | - | - | - | S | S |
| 100,000 lb or more | - | - | - | - | - | - | - | - | - |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 22, Fertilizers..... | 543 | 2 762 | 4 543 | 36 | 185 | 391 | \$ | \$ | \$ |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | - | - | - | - | - | - | - | - | - |
| 1,000 to 9,999 lb | 1 | 2 | 3 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | 9 | 25 | 54 | S | S | S |
| 50,000 to 99,999 lb | S | S | S | - | - | - | S | S | S |
| 100,000 lb or more | 506 | 2 627 | 4 362 | 24 | 158 | 333 | S | S | S |
| SCTG 23, Chemical products and preparations, n.e.c. | 3 932 | 2 433 | 3 774 | 1 583 | 1 034 | 2 091 | 1 154 | 485 | 1 364 |
| Less than 50 lb | 213 | 9 | 12 | 34 | 1 | 3 | S | 2 | S |
| 50 to 99 lb | 70 | 4 | 6 | 3 | 1 | 1 | 31 | 1 | 4 |
| 100 to 499 lb | 148 | 17 | 24 | 40 | 5 | 11 | 61 | 5 | 15 |
| 500 to 749 lb | 65 | 10 | 15 | 17 | 3 | 7 | 12 | 3 | 7 |
| 750 to 999 lb | 38 | 9 | 14 | 15 | 5 | 10 | 9 | 3 | 7 |
| 1,000 to 9,999 lb | 908 | 179 | 254 | 193 | 58 | 117 | S | 43 | 115 |
| 10,000 to 49,999 lb | 1 473 | 1 042 | 1 576 | 1 244 | 896 | 1 796 | 601 | 353 | 1 004 |
| 50,000 to 99,999 lb | S | 13 | 20 | S | S | S | S | S | S |
| 100,000 lb or more | 996 | 1 149 | 1 854 | S | S | S | 73 | S | S |
| SCTG 24, Plastics and rubber | 10 100 | 7 210 | 11 171 | 3 185 | 1 920 | 4 195 | 1 964 | 718 | 1 952 |
| Less than 50 lb | 330 | 9 | 12 | 99 | 3 | 6 | 110 | 3 | 8 |
| 50 to 99 lb | 192 | 7 | 10 | 39 | 3 | 5 | 34 | 2 | 7 |
| 100 to 499 lb | 417 | 38 | 53 | 109 | 13 | 27 | 125 | 10 | 28 |
| 500 to 749 lb | 178 | 21 | 30 | 55 | 7 | 15 | 57 | 7 | 19 |
| 750 to 999 lb | 94 | 15 | 21 | 42 | 6 | 14 | 38 | 5 | 12 |
| 1,000 to 9,999 lb | 1 433 | 369 | 521 | 461 | 106 | 217 | S | 67 | 177 |
| 10,000 to 49,999 lb | 3 798 | 2 216 | 3 237 | 1 595 | 721 | 1 488 | 1 135 | 488 | 1 303 |
| 50,000 to 99,999 lb | S | S | S | 35 | 18 | 37 | 53 | 13 | 39 |
| 100,000 lb or more | 3 634 | 4 497 | 7 220 | 749 | 1 044 | 2 387 | 105 | 124 | 360 |
| SCTG 25, Logs and other wood in the rough | 36 | S | S | 41 | 59 | 121 | 7 | 13 | 34 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | - | - | - | - | - | - |
| 100 to 499 lb | - | - | - | S | S | S | S | S | S |
| 500 to 749 lb | - | - | - | S | S | S | - | - | - |
| 750 to 999 lb | - | - | - | S | S | S | - | - | - |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 25 | 29 | 42 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 26, Wood products .. | 1 555 | 3 113 | 5 070 | 627 | 809 | 1 817 | 301 | 300 | 817 |
| Less than 50 lb | 55 | 3 | 5 | S | 1 | 1 | 14 | S | S |
| 50 to 99 lb | 4 | - | 1 | 2 | - | - | S | S | S |
| 100 to 499 lb | 33 | 3 | 5 | 7 | 1 | 2 | 5 | 1 | 2 |
| 500 to 749 lb | 19 | 3 | 4 | 9 | 2 | 3 | S | S | S |
| 750 to 999 lb | 10 | 3 | 4 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 196 | 65 | 93 | 67 | 20 | 41 | 46 | 11 | 28 |
| 10,000 to 49,999 lb | 480 | 579 | 821 | 342 | 363 | 794 | 178 | 168 | 453 |
| 50,000 to 99,999 lb | 93 | 327 | 535 | 15 | 31 | 70 | 19 | 51 | 140 |
| 100,000 lb or more | 666 | 2 131 | 3 603 | 164 | 391 | 903 | 20 | 68 | 188 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 2 699 | 4 321 | 6 677 | 1 204 | 1 740 | 3 909 | 331 | 403 | 1 123 |
| Less than 50 lb | 2 | - | - | 1 | - | - | 4 | - | 1 |
| 50 to 99 lb | 1 | - | - | S | S | S | S | S | S |
| 100 to 499 lb | 23 | 7 | 10 | 10 | 2 | 5 | S | S | S |
| 500 to 749 lb | 4 | 2 | 3 | S | S | S | 2 | S | S |
| 750 to 999 lb | 3 | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 54 | S | 17 | 10 | 21 | 22 | 8 | 21 |
| 10,000 to 49,999 lb | 1 521 | 1 878 | 2 683 | 630 | 754 | 1 614 | 221 | 265 | 729 |
| 50,000 to 99,999 lb | 26 | 82 | 128 | S | S | S | S | S | S |
| 100,000 lb or more | 959 | 2 295 | 3 771 | 505 | 907 | 2 116 | 69 | 125 | 361 |
| SCTG 28, Paper or paperboard articles | 1 152 | 627 | 912 | 392 | 205 | 451 | 312 | 211 | 582 |
| Less than 50 lb | 56 | 3 | 4 | 36 | 2 | 3 | 10 | 1 | 2 |
| 50 to 99 lb | S | S | S | 6 | 2 | 2 | 2 | 1 | 1 |
| 100 to 499 lb | 36 | 7 | 10 | 13 | 1 | 3 | 8 | 1 | 3 |
| 500 to 749 lb | 12 | 4 | 5 | S | S | S | S | S | S |
| 750 to 999 lb | 7 | 2 | 3 | S | S | S | 1 | - | 1 |
| 1,000 to 9,999 lb | 126 | 50 | 72 | 46 | 20 | 41 | 47 | S | S |
| 10,000 to 49,999 lb | 870 | 495 | 714 | 272 | 140 | 299 | 234 | 154 | 433 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 29, Printed products . | 3 202 | 438 | 611 | 2 097 | 382 | 805 | 1 137 | 146 | 385 |
| Less than 50 lb | 1 186 | 44 | 62 | 571 | 21 | 43 | 423 | 16 | 42 |
| 50 to 99 lb | 176 | 8 | 12 | 107 | 6 | 14 | 35 | 2 | 6 |
| 100 to 499 lb | 468 | 33 | 47 | 544 | 35 | 72 | 142 | 13 | 33 |
| 500 to 749 lb | 77 | 8 | 12 | 90 | 9 | 18 | 57 | S | S |
| 750 to 999 lb | 66 | 8 | 12 | 17 | 3 | 6 | 23 | 2 | 5 |
| 1,000 to 9,999 lb | 556 | 95 | 133 | 458 | 56 | 117 | 163 | 32 | 85 |
| 10,000 to 49,999 lb | 656 | 208 | 283 | 301 | 215 | 469 | 294 | 75 | 196 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | — | — | — | S | S | S | — | — | — |
| SCTG 30, Textiles, leather, and articles of textiles or leather . | 10 540 | 1 287 | 1 823 | 9 402 | 1 191 | 2 486 | 5 542 | 771 | 2 042 |
| Less than 50 lb | 2 028 | 51 | 72 | 579 | 20 | 42 | 855 | 23 | 63 |
| 50 to 99 lb | 506 | 25 | 35 | 173 | 10 | 21 | 193 | 10 | 27 |
| 100 to 499 lb | 1 122 | 71 | 101 | 604 | 48 | 99 | 673 | 47 | 123 |
| 500 to 749 lb | 293 | 29 | 41 | 326 | 28 | 55 | 184 | 21 | 54 |
| 750 to 999 lb | 304 | 27 | 37 | 131 | 22 | 45 | 256 | 19 | 49 |
| 1,000 to 9,999 lb | 2 821 | 333 | 467 | 2 467 | 263 | 545 | 1 783 | 202 | 522 |
| 10,000 to 49,999 lb | 3 345 | 699 | 992 | 5 069 | 676 | 1 435 | 1 520 | 360 | 922 |
| 50,000 to 99,999 lb | 44 | 16 | 22 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 31, Nonmetallic mineral products . | 1 518 | 2 893 | 4 134 | 422 | 465 | 1 040 | 468 | 345 | 978 |
| Less than 50 lb | 100 | 4 | 5 | 25 | 1 | 2 | 63 | 2 | 5 |
| 50 to 99 lb | 16 | 2 | 3 | S | S | S | 10 | — | 1 |
| 100 to 499 lb | 67 | 8 | 12 | 20 | 2 | 4 | 51 | 2 | 6 |
| 500 to 749 lb | 13 | 3 | 4 | 4 | — | 1 | 6 | 1 | 4 |
| 750 to 999 lb | S | 2 | 3 | S | S | S | S | 1 | 2 |
| 1,000 to 9,999 lb | 189 | 71 | 96 | 67 | 12 | 25 | 116 | 23 | 61 |
| 10,000 to 49,999 lb | 1 031 | 1 974 | 2 735 | 268 | 272 | 594 | 182 | 147 | 397 |
| 50,000 to 99,999 lb | 20 | 156 | 226 | S | S | S | 19 | 19 | 56 |
| 100,000 lb or more | 71 | 673 | 1 050 | 25 | 171 | 403 | S | S | S |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes . | 3 061 | 2 421 | 3 697 | 1 675 | 1 501 | 3 620 | 1 080 | 605 | 1 647 |
| Less than 50 lb | 45 | 2 | 2 | 33 | 1 | 2 | 27 | — | 1 |
| 50 to 99 lb | 25 | 1 | 2 | S | S | S | 11 | — | 1 |
| 100 to 499 lb | 110 | 13 | 18 | 51 | 6 | 12 | 27 | 1 | 3 |
| 500 to 749 lb | 143 | 11 | 16 | 15 | 4 | 7 | 12 | 1 | 3 |
| 750 to 999 lb | 46 | 5 | 7 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 531 | 199 | 279 | 135 | 47 | 100 | 86 | 59 | 157 |
| 10,000 to 49,999 lb | 1 265 | 970 | 1 351 | 755 | 440 | 970 | 277 | 160 | 463 |
| 50,000 to 99,999 lb | 42 | 80 | 130 | S | S | S | S | S | S |
| 100,000 lb or more | 854 | 1 141 | 1 892 | 514 | 897 | 2 288 | 624 | 380 | 1 014 |
| SCTG 33, Articles of base metal . | 3 802 | 1 392 | 2 006 | 1 797 | 737 | 1 624 | 909 | 378 | 1 029 |
| Less than 50 lb | 465 | 12 | 17 | 157 | 4 | 8 | 184 | 4 | 10 |
| 50 to 99 lb | 132 | 7 | 10 | 43 | 3 | 6 | 87 | 3 | 7 |
| 100 to 499 lb | 464 | 39 | 55 | 252 | 18 | 37 | 179 | 11 | 31 |
| 500 to 749 lb | 128 | 14 | 21 | 103 | 7 | 16 | 22 | 3 | 9 |
| 750 to 999 lb | 109 | 17 | 23 | S | S | S | 36 | 4 | 12 |
| 1,000 to 9,999 lb | 1 060 | 217 | 308 | 502 | 109 | 226 | 129 | 32 | 88 |
| 10,000 to 49,999 lb | 1 311 | 854 | 1 229 | 447 | 333 | 661 | 223 | 200 | 531 |
| 50,000 to 99,999 lb | 66 | 104 | 143 | S | S | S | S | S | S |
| 100,000 lb or more | 67 | 127 | 200 | 111 | 232 | S | S | S | S |
| SCTG 34, Machinery . | 9 579 | 930 | 1 318 | 2 839 | 366 | 787 | 3 544 | 280 | 756 |
| Less than 50 lb | 869 | 10 | 14 | 310 | 4 | 9 | 291 | 3 | 9 |
| 50 to 99 lb | 263 | 6 | 9 | 59 | 2 | 3 | 137 | 3 | 8 |
| 100 to 499 lb | 916 | 40 | 58 | 316 | 15 | 32 | 197 | 10 | 29 |
| 500 to 749 lb | 281 | 23 | 32 | 49 | 4 | 9 | S | 6 | 15 |
| 750 to 999 lb | 282 | 23 | 32 | 83 | 7 | 15 | 69 | 6 | 16 |
| 1,000 to 9,999 lb | 3 252 | 234 | 328 | 868 | 97 | 205 | 776 | 62 | 170 |
| 10,000 to 49,999 lb | 2 577 | 418 | 598 | 1 109 | 224 | 486 | 908 | 149 | 402 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | 100 |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment . | 43 578 | 1 292 | 1 871 | 12 409 | 757 | 1 573 | 8 436 | 244 | 660 |
| Less than 50 lb | 10 645 | 40 | 58 | 2 315 | 14 | 28 | 2 783 | 15 | 42 |
| 50 to 99 lb | 3 715 | 23 | 35 | 1 057 | S | 1 133 | 7 | 19 | — |
| 100 to 499 lb | 10 638 | 132 | 190 | 3 963 | 54 | 104 | 1 679 | 22 | 62 |
| 500 to 749 lb | 1 324 | 34 | 49 | 319 | 10 | 20 | 279 | 8 | 20 |
| 750 to 999 lb | 1 266 | S | 97 | S | S | S | 155 | 5 | 15 |
| 1,000 to 9,999 lb | 9 540 | 396 | 569 | 2 609 | 147 | 299 | 1 780 | 82 | 211 |
| 10,000 to 49,999 lb | 5 685 | 493 | 698 | 1 958 | 489 | 1 032 | 610 | 101 | 280 |
| 50,000 to 99,999 lb | S | S | S | S | 46 | 10 | 21 | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|--|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| SCTG 36, Motorized and other vehicles (including parts) | 6 724 | 860 | 1 289 | 4 609 | 544 | 1 223 | 3 241 | 385 | 1 015 |
| Less than 50 lb | 349 | 11 | 16 | 164 | 4 | 9 | 101 | 3 | 9 |
| 50 to 99 lb | 58 | 4 | 6 | 36 | 2 | 3 | 10 | 1 | 2 |
| 100 to 499 lb | 342 | 24 | 33 | 97 | 9 | 19 | 64 | 4 | 12 |
| 500 to 749 lb | 91 | 7 | 10 | S | S | S | 16 | 2 | 5 |
| 750 to 999 lb | 41 | 4 | 5 | 13 | 3 | 6 | 32 | 3 | 8 |
| 1,000 to 9,999 lb | 2 617 | 268 | 398 | 2 361 | 243 | 561 | 612 | 59 | 155 |
| 10,000 to 49,999 lb | 2 199 | 401 | 574 | 1 704 | 253 | 560 | 1 426 | 240 | 618 |
| 50,000 to 99,999 lb | S | 103 | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | — | — | — | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 2 309 | 67 | 98 | 3 039 | 46 | 104 | 1 534 | 51 | S |
| Less than 50 lb | 554 | 2 | 3 | 279 | 1 | 1 | 522 | 1 | 2 |
| 50 to 99 lb | 81 | — | 1 | S | S | 1 | 35 | — | 1 |
| 100 to 499 lb | 325 | 4 | 5 | 213 | 1 | 3 | 205 | 1 | 3 |
| 500 to 749 lb | 166 | 1 | 1 | 86 | S | S | 1 | 2 | 2 |
| 750 to 999 lb | S | 2 | 2 | 14 | S | S | 28 | — | 1 |
| 1,000 to 9,999 lb | 565 | 21 | 29 | 920 | 12 | 27 | 419 | 12 | 31 |
| 10,000 to 49,999 lb | 282 | 24 | 35 | S | 19 | 43 | S | 16 | 49 |
| 50,000 to 99,999 lb | S | S | S | — | S | S | — | S | — |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 38, Precision instruments and apparatus | 7 335 | 75 | 106 | 1 424 | 17 | 34 | 2 092 | S | 200 |
| Less than 50 lb | S | S | S | 877 | 4 | 8 | 784 | 5 | 14 |
| 50 to 99 lb | 278 | 1 | 2 | 149 | 1 | 3 | 134 | 1 | 4 |
| 100 to 499 lb | 711 | 8 | 12 | 190 | 3 | 6 | 313 | 5 | 14 |
| 500 to 749 lb | S | 2 | 3 | 27 | 1 | 1 | 34 | 1 | 4 |
| 750 to 999 lb | S | 1 | 1 | S | 1 | 2 | 13 | S | S |
| 1,000 to 9,999 lb | 580 | 18 | 25 | 104 | 3 | 7 | S | S | S |
| 10,000 to 49,999 lb | 87 | 17 | 25 | S | S | — | 53 | 10 | 26 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 1 874 | 380 | 535 | 773 | 142 | 303 | 985 | 165 | 452 |
| Less than 50 lb | 131 | 6 | 8 | 24 | 2 | 4 | 73 | 3 | 9 |
| 50 to 99 lb | S | 6 | 8 | 27 | 3 | 5 | 42 | 4 | 10 |
| 100 to 499 lb | 458 | 43 | 61 | 143 | 17 | 35 | 219 | 24 | 62 |
| 500 to 749 lb | 97 | 14 | 19 | 75 | 9 | 19 | 82 | 10 | 26 |
| 750 to 999 lb | 55 | 11 | 15 | 64 | 7 | 15 | 33 | 5 | 14 |
| 1,000 to 9,999 lb | 627 | 134 | 192 | 329 | 60 | 131 | 301 | 58 | 165 |
| 10,000 to 49,999 lb | 361 | 151 | 210 | 96 | 38 | 80 | 236 | 62 | 167 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | — | — | — | S | S | S | — | — | — |
| SCTG 40, Miscellaneous manufactured products | 11 781 | 1 510 | 2 243 | 4 190 | 497 | 1 041 | 3 000 | 330 | 887 |
| Less than 50 lb | 5 307 | 47 | 67 | 1 136 | 16 | 32 | 1 050 | 17 | 48 |
| 50 to 99 lb | 653 | 18 | 25 | 208 | 7 | 15 | 225 | 6 | 16 |
| 100 to 499 lb | 1 200 | 62 | 89 | 506 | 24 | 50 | 359 | 36 | 93 |
| 500 to 749 lb | 261 | 23 | 32 | S | 10 | 20 | 180 | 12 | 33 |
| 750 to 999 lb | 298 | 27 | 38 | 78 | 8 | 16 | 89 | 7 | 18 |
| 1,000 to 9,999 lb | 2 217 | 281 | 404 | 687 | 102 | 217 | 533 | 73 | 192 |
| 10,000 to 49,999 lb | 1 722 | 709 | 997 | 1 249 | 286 | 601 | 548 | 168 | 454 |
| 50,000 to 99,999 lb | 76 | 94 | 124 | S | S | S | S | 9 | 27 |
| 100,000 lb or more | 49 | 250 | 467 | S | S | S | S | S | S |
| SCTG 41, Waste and scrap | 251 | 487 | 751 | S | 64 | 152 | 7 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | — | — | — | — | S | S |
| 100 to 499 lb | S | S | S | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | S | S | S |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | — | — | — | — | — | — |
| 10,000 to 49,999 lb | 185 | 252 | 382 | S | S | S | S | 14 | 35 |
| 50,000 to 99,999 lb | S | 39 | 58 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 43, Mixed freight | 412 | S | S | 133 | 41 | 88 | 149 | S | S |
| Less than 50 lb | S | 1 | 1 | S | S | S | S | 3 | — |
| 50 to 99 lb | S | 1 | 1 | S | S | S | S | — | — |
| 100 to 499 lb | 12 | 2 | 3 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | — | — | — | — | — | — |
| 10,000 to 49,999 lb | 95 | 34 | 45 | 107 | 37 | 80 | 142 | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table 10. Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles ¹ | | | 1,500 to 1,999 miles ¹ | | | 2,000 miles or more ¹ | | |
|---|-----------------------------------|------------------|----------------------|-----------------------------------|------------------|----------------------|----------------------------------|------------------|----------------------|
| | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) | Value (million dollars) | Tons (thousands) | Ton-miles (millions) |
| Commodity unknown | 438 | 201 | 312 | 194 | 71 | S | S | S | S |
| Less than 50 lb | 54 | 1 | 2 | S | — | 1 | 15 | — | 1 |
| 50 to 99 lb | S | — | — | S | — | S | S | S | S |
| 100 to 499 lb | 101 | S | S | S | S | S | S | S | 4 |
| 500 to 749 lb | 5 | 1 | 1 | S | S | S | 3 | S | 1 |
| 750 to 999 lb | 19 | 1 | 1 | S | S | S | 2 | S | S |
| 1,000 to 9,999 lb | 110 | 16 | 21 | 26 | 4 | 7 | 9 | 1 | 3 |
| 10,000 to 49,999 lb | 121 | 91 | 137 | 32 | 18 | 38 | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

¹Based on Great Circle Distance.

Appendix A.

Comparability With the 1993 Commodity Flow Survey

The Commodity Flow Survey (CFS) restores a data program on commodity flows that the Census Bureau conducted as a part of its 5-year economic census program from 1963 through 1977. The CFS was first conducted in

1993. For the 1997 CFS, the Census Bureau incorporated improvements identified from the evaluation of previous surveys and additional research. The following table shows a comparison of the 1993 and 1997 surveys.

| Item | 1993 | 1997 |
|------------------------------------|--|--|
| 1. Industry coverage | Manufacturers (minor exceptions) Mining (except mining services and oil and gas extraction) All wholesale Video tape distributors Catalog mail-order houses Auxiliaries (e.g., warehouses) | Manufacturers (minor exceptions) Mining (except mining services) All wholesale Catalog mail-order houses Auxiliaries (e.g., warehouses) |
| 2. Commodity classification system | Standard Transportation Commodity Classification (STCC), developed by the American Association of Railroads (AAR). | Standard Classification of Transported Goods (SCTG). |
| 3. Sample size | Approximately 200,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1992 Standard Statistical Establishment List (SSEL). | Approximately 100,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1995 Standard Statistical Establishment List (SSEL). |
| 4. Survey methodology | Respondents took a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of 1993. Respondents reported key characteristics for each sampled shipment. | Respondents took a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of 1997. Respondents reported key characteristics for each sampled shipment. |
| 5. Reported mode of transportation | Rail For-hire truck Private truck Air Inland water and/or Great Lakes Deep sea water Pipeline Parcel, U.S. Postal Service, or courier Other Unknown | Rail For-hire truck Private truck Air Shallow draft vessel Deep draft vessel Pipeline Parcel, U.S. Postal Service, or courier Other Unknown |

| Item | 1993 | 1997 |
|--|--|---|
| 6. Data items requested on questionnaire | <p>For each shipment:</p> <p>Total value</p> <p>Total weight</p> <p>Major commodity (STCC)</p> <p>All modes of transportation</p> <p>Multiple origins (respondents specifically requested to report all shipment origins for the sampled establishment and report the appropriate origin for each shipment; assumed to always be the mailing address if no other origins listed).</p> <p>Destination</p> <p>Containerized (Y/N)</p> <p>Hazardous material (Y/N)</p> <p>Export (Y/N)</p> <p>If export, mode of export, foreign country, and city of destination.</p> | <p>For each shipment:</p> <p>Total value</p> <p>Total weight</p> <p>Major commodity (SCTG)</p> <p>All modes of transportation</p> <p>Single origin (assumed to be the mailing address unless the respondent provided a different physical location address).</p> <p>Destination</p> <p>Containerized (Y/N)</p> <p>Hazardous material (UN/NA codes)</p> <p>Export (Y/N)</p> <p>If export, mode of export, foreign country, and city of destination.</p> |

Appendix B.

Reliability of the Estimates

An estimate based on a sample survey potentially contains two types of errors—sampling and nonsampling. Sampling error occurs because characteristics differ among sampling units and because only a subset of the entire population is measured in a sample survey. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate. The accuracy of a survey result may be affected by these two types of errors.

Sampling and nonsampling errors are often measured by the quantities, bias and variance. The bias of an estimator of an unknown population value is the difference, averaged over all possible samples of the same size and design, between the estimator and the unknown population value. Any systematic error, or inaccuracy that affects all samples of a specified design in a similar way, may bias the resulting estimates. Variance is the squared difference, averaged over all possible samples of the same size and design, between an estimator and its average value. Descriptions of sampling and nonsampling errors for the 1997 Commodity Flow Survey (CFS) are provided in the following sections.

SAMPLING ERROR

Because the estimates are based on a sample, exact agreement with the results that would be obtained from a complete enumeration of all the shipments made in 1997 from all establishments included on the CFS sampling frame is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size and design that could have been selected. If all possible samples had been surveyed, under the same conditions, an estimate of an unknown population value could have been obtained from each sample. The estimates obtained from these samples give rise to a distribution of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The coefficient of variation (or relative standard error) of an estimate is the standard error of the estimate divided by the estimate. Measures of sampling variability, such as the standard error or coefficient of variation, are estimated from the

sample and are also subject to sampling variability. (Technically, we should refer to the estimated standard error or the estimated coefficient of variation of an estimator. However, we have omitted this detail for the sake of brevity.) It is important to note that the standard error and coefficient of variation only measure sampling variability. They do not measure any biases in the estimates. All coefficients of variation are expressed as percents. Standard errors for the corresponding percentage estimates are also provided.

An estimate of an unknown population value and its approximate standard error can be used to construct a confidence interval. A confidence interval is a range about a given estimator that has a specified probability, or confidence, of containing the unknown population value. If, for each possible sample, an estimate of an unknown population value and the estimate's approximate standard error were obtained, then:

1. For approximately 90 percent of the possible samples, the interval from 1.65 standard errors below to 1.65 standard errors above the estimate would include the unknown population value.
2. For approximately 95 percent of the possible samples, the interval from two standard errors below to two standard errors above the estimate would include the unknown population value.

NONSAMPLING ERROR

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: (1) nonresponse, (2) response errors, (3) differences in the interpretation of the questions, (4) mistakes in coding or keying the data obtained, and (5) other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases because of nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize its influence.

A potentially large source of bias in the estimates is due to nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all the selected establishments. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse

occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Item nonresponse is corrected by imputation. (Imputation is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain sufficient information about a sampled shipment, quarter, or establishment, respectively, that prevents it from contributing to tabulations. Shipment and quarter nonresponse are corrected during the estimation procedure by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this non-response adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the SIC-level adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been

returned to the Census Bureau, after several attempts to elicit a response. Approximately 67 percent of the sampled establishments provided at least one quarter of data that contributed to tabulations.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contacted respondents who reported shipments having atypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire quarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

Table B-1a. Measures of Reliability for Shipment Characteristics by Mode of Transportation for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| All modes | 2.1 | — | 3.0 | — | 4.7 | — | 2.8 |
| Single modes | 2.3 | .4 | 2.8 | .5 | 4.0 | 1.0 | 3.1 |
| Truck | 2.1 | .6 | 2.7 | 1.1 | 2.5 | 1.5 | 3.5 |
| For-hire truck | 2.8 | .8 | 4.3 | 1.1 | 2.6 | 1.1 | 2.1 |
| Private truck | 3.2 | .7 | 4.5 | 1.2 | 4.2 | .5 | 6.1 |
| Rail | 9.4 | .4 | 5.9 | .7 | 6.0 | 1.2 | 3.7 |
| Water | 7.3 | .1 | 8.3 | .5 | 12.6 | 1.5 | 19.3 |
| Shallow draft | 6.9 | .1 | 8.3 | .4 | 10.8 | .9 | 14.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 21.3 | — | 24.7 | .3 | 28.4 | 1.1 | 20.3 |
| Air (includes truck and air) | 13.2 | .3 | 15.5 | — | 18.2 | — | 2.5 |
| Pipeline | 10.4 | .3 | 11.6 | .8 | S | S | S |
| Multiple modes | 4.0 | .4 | 11.6 | .1 | 24.6 | 1.0 | 2.0 |
| Parcel, U.S. Postal Service or courier | 4.2 | .4 | 4.7 | — | 2.8 | — | 2.0 |
| Truck and rail | 18.7 | .1 | 14.4 | — | 11.6 | .2 | 5.2 |
| Truck and water | 23.0 | — | 21.8 | — | 48.7 | .7 | S |
| Rail and water | 24.8 | — | 24.7 | — | 21.4 | .1 | 31.6 |
| Other multiple modes | 29.5 | — | 36.2 | — | 44.9 | .5 | S |
| Other and unknown modes | 5.4 | .2 | 14.5 | .4 | 11.4 | .2 | 16.6 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-1b. Measures of Reliability for Shipment Characteristics by Mode of Transportation for the Region: 1997 and 1993

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation | Value | | | Tons | | | Ton-miles | | | Average miles per shipment | | |
|--|------------------------------------|------|----------------------------------|------------------------------------|------|----------------------------------|------------------------------------|------|----------------------------------|----------------------------|------|----------------------------------|
| | Coefficient of variation of number | | Standard error of percent change | Coefficient of variation of number | | Standard error of percent change | Coefficient of variation of number | | Standard error of percent change | Coefficient of variation | | Standard error of percent change |
| | 1997 | 1993 | | 1997 | 1993 | | 1997 | 1993 | | 1997 | 1993 | |
| All modes | 2.1 | 1.9 | 3.3 | 3.0 | 2.4 | 4.4 | 4.7 | 3.7 | 6.4 | 2.8 | 7.9 | 8.9 |
| Single modes | 2.3 | 2.3 | 3.6 | 2.8 | 2.5 | 4.4 | 4.0 | 3.5 | 6.0 | 3.1 | 3.8 | 5.2 |
| Truck | 2.1 | 2.6 | 3.7 | 2.7 | 3.4 | 5.1 | 2.5 | 2.3 | 4.1 | 3.5 | 3.3 | 5.1 |
| For-hire truck | 2.8 | 2.8 | 4.4 | 4.3 | 7.6 | 10.0 | 2.6 | 1.9 | 4.0 | 2.1 | 5.3 | 6.3 |
| Private truck | 3.2 | 4.1 | 5.8 | 4.5 | 3.1 | 6.5 | 4.2 | 5.4 | 7.4 | 6.1 | 2.7 | 7.4 |
| Rail | 9.4 | 5.4 | 13.7 | 5.9 | 5.6 | 8.0 | 6.0 | 5.7 | 8.8 | 3.7 | 3.4 | 5.0 |
| Water | 7.3 | 7.8 | 13.5 | 8.3 | 10.5 | 15.4 | 12.6 | 11.2 | 16.7 | 19.3 | S | S |
| Shallow draft | 6.9 | 7.9 | 14.9 | 8.3 | 10.7 | 16.5 | 10.8 | 13.8 | 21.8 | 14.0 | S | S |
| Great Lakes | — | — | — | — | — | — | — | — | — | — | — | — |
| Deep draft | 21.3 | 19.1 | 25.7 | 24.7 | 28.0 | 35.4 | 28.4 | 19.3 | 24.0 | 20.3 | 15.7 | 20.2 |
| Air (includes truck and air) | 13.2 | 7.2 | 22.5 | 15.5 | 24.3 | 40.3 | 18.2 | 12.3 | 35.5 | 2.5 | 2.2 | 3.2 |
| Pipeline | 10.4 | 11.7 | 20.4 | 11.6 | 8.3 | 21.2 | S | S | S | S | S | S |
| Multiple modes | 4.0 | 3.3 | 7.0 | 11.6 | 9.4 | 9.6 | 24.6 | 21.5 | 22.7 | 2.0 | 6.8 | 7.4 |
| Parcel, U.S. Postal Service or courier | 4.2 | 2.9 | 7.4 | 4.7 | 3.2 | 6.4 | 2.8 | 8.3 | 10.0 | 2.0 | 6.8 | 7.4 |
| Truck and rail | 18.7 | 18.8 | 26.5 | 14.4 | 13.9 | 23.8 | 11.6 | 10.8 | 23.1 | 5.2 | 7.1 | 8.5 |
| Truck and water | 23.0 | 27.9 | 18.9 | 21.8 | 14.9 | 12.5 | 48.7 | 16.7 | 54.4 | S | 12.1 | S |
| Rail and water | 24.8 | 36.2 | 7.3 | 24.7 | 20.8 | 12.8 | 21.4 | 29.7 | 9.5 | 31.6 | 11.4 | 21.1 |
| Other multiple modes | 29.5 | 49.3 | 55.9 | 36.2 | S | S | 44.9 | S | S | 31.3 | 31.3 | S |
| Other and unknown modes ... | 5.4 | 9.9 | 14.4 | 14.5 | 10.6 | 14.5 | 11.4 | 13.7 | 12.2 | 16.6 | 17.5 | 10.8 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-1c. Standard Error of Percentage for Shipment Characteristics by Mode of Transportation for the Region: Percent of Total 1997 and 1993

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation | Value (percent) | | Tons (percent) | | Ton-miles (percent) | |
|--|-----------------|------|----------------|------|---------------------|------|
| | 1997 | 1993 | 1997 | 1993 | 1997 | 1993 |
| All modes | — | — | — | — | — | — |
| Single modes..... | .4 | .5 | .5 | .6 | 1.0 | 1.5 |
| Truck..... | .6 | .7 | 1.1 | 1.3 | 1.5 | 1.3 |
| For-hire truck..... | .8 | .8 | 1.1 | 1.5 | 1.1 | .8 |
| Private truck | .7 | .9 | 1.2 | 1.2 | .5 | .7 |
| Rail | .4 | .3 | .7 | .8 | 1.2 | 1.2 |
| Water | .1 | .2 | .5 | .8 | 1.5 | 1.6 |
| Shallow draft | .1 | .1 | .4 | .6 | .9 | 1.0 |
| Great Lakes..... | — | — | — | — | — | — |
| Deep draft | — | .1 | .3 | .5 | 1.1 | 1.4 |
| Air (includes truck and air) | .3 | .1 | — | — | — | — |
| Pipeline | .3 | .3 | .8 | .6 | S | S |
| Multiple modes | .4 | .4 | .1 | .2 | 1.0 | 1.5 |
| Parcel, U.S. Postal Service or courier | .4 | .3 | — | — | — | — |
| Truck and rail | .1 | .2 | — | — | .2 | .1 |
| Truck and water | — | — | — | — | .1 | .3 |
| Rail and water | — | — | — | — | .2 | .1 |
| Other multiple modes | — | — | — | S | .5 | S |
| Other and unknown modes | .2 | .3 | .4 | .5 | .2 | .5 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-2. Measures of Reliability for Shipment Characteristics by Total Modal Activity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | |
| Total | 4.7 | — | 2.8 |
| Truck | 2.5 | 1.5 | 3.5 |
| Rail | 5.7 | 1.3 | 3.1 |
| Shallow draft | 11.2 | 1.1 | 9.1 |
| Great Lakes | 46.4 | — | 19.4 |
| Deep draft | 25.5 | 1.3 | 15.1 |
| Air | 17.8 | — | 2.6 |
| Parcel, U.S. Postal Service or courier | 2.8 | — | 2.0 |
| Pipeline | S | S | S |
| Other and unknown modes | 12.6 | .2 | 16.6 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|---------------------------------------|---------------------------------|---------------------------------------|---------------------------------|---------------------------------------|---------------------------------|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage |
| All modes | 2.1 | — | 3.0 | — | 4.7 | — |
| Less than 50 miles | 2.5 | .6 | 3.4 | .9 | 2.8 | .2 |
| 50 to 99 miles | 6.2 | .4 | 6.1 | .5 | 6.3 | .2 |
| 100 to 249 miles | 3.9 | .4 | 4.6 | .6 | 5.6 | .9 |
| 250 to 499 miles | 3.6 | .5 | 6.6 | .6 | 6.3 | 1.1 |
| 500 to 749 miles | 2.0 | .2 | 6.9 | .2 | 7.8 | .9 |
| 750 to 999 miles | 2.7 | .1 | 9.8 | .2 | 9.2 | 1.0 |
| 1,000 to 1,499 miles | 8.1 | .5 | 12.6 | .2 | 15.0 | 1.3 |
| 1,500 to 1,999 miles | 6.6 | .2 | 6.1 | — | 6.9 | .3 |
| 2,000 miles or more | 5.4 | .1 | 6.0 | — | 6.0 | .2 |
| Single modes | 2.3 | — | 2.8 | — | 4.0 | — |
| Less than 50 miles | 2.6 | .6 | 3.3 | 1.0 | 3.0 | .2 |
| 50 to 99 miles | 6.8 | .5 | 6.2 | .5 | 6.5 | .3 |
| 100 to 249 miles | 4.2 | .5 | 4.7 | .6 | 5.7 | .9 |
| 250 to 499 miles | 4.1 | .6 | 6.9 | .7 | 6.0 | 1.0 |
| 500 to 749 miles | 2.0 | .2 | 6.8 | .2 | 7.3 | .9 |
| 750 to 999 miles | 3.2 | .2 | 9.6 | .2 | 8.8 | 1.0 |
| 1,000 to 1,499 miles | 9.6 | .5 | 12.6 | .2 | 13.0 | 1.1 |
| 1,500 to 1,999 miles | 8.1 | .2 | 6.5 | — | 7.2 | .3 |
| 2,000 miles or more | 7.3 | .1 | 4.2 | — | 4.4 | .1 |
| Truck | 2.1 | — | 2.7 | — | 2.5 | — |
| Less than 50 miles | 2.4 | .6 | 3.5 | 1.2 | 3.3 | .4 |
| 50 to 99 miles | 7.3 | .5 | 7.6 | .8 | 7.2 | .5 |
| 100 to 249 miles | 4.9 | .6 | 3.6 | .4 | 3.7 | .5 |
| 250 to 499 miles | 4.1 | .6 | 6.6 | .4 | 5.4 | .9 |
| 500 to 749 miles | 2.6 | .2 | 3.3 | .1 | 3.5 | .5 |
| 750 to 999 miles | 4.0 | .2 | 5.1 | — | 5.2 | .4 |
| 1,000 to 1,499 miles | 7.7 | .3 | 10.1 | .1 | 10.4 | .8 |
| 1,500 to 1,999 miles | 9.8 | .2 | 5.7 | — | 5.5 | .3 |
| 2,000 miles or more | 8.0 | .1 | 4.5 | — | 4.6 | .2 |
| For-hire truck | 2.8 | — | 4.3 | — | 2.6 | — |
| Less than 50 miles | 6.7 | .8 | 6.1 | 1.8 | 5.5 | .3 |
| 50 to 99 miles | 11.0 | .6 | 13.9 | 1.4 | 13.0 | .7 |
| 100 to 249 miles | 4.0 | .5 | 5.5 | .5 | 5.6 | .5 |
| 250 to 499 miles | 4.2 | .7 | 3.5 | .4 | 3.1 | .4 |
| 500 to 749 miles | 3.0 | .4 | 2.6 | .2 | 2.7 | .6 |
| 750 to 999 miles | 4.2 | .3 | 4.0 | .2 | 3.9 | .4 |
| 1,000 to 1,499 miles | 8.1 | .5 | 11.8 | .3 | 12.1 | 1.1 |
| 1,500 to 1,999 miles | 10.3 | .4 | 5.5 | — | 5.3 | .4 |
| 2,000 miles or more | 9.2 | .2 | 4.1 | — | 4.2 | .2 |
| Private truck | 3.2 | — | 4.5 | — | 4.2 | — |
| Less than 50 miles | 2.0 | 1.3 | 5.5 | 1.2 | 5.4 | 1.1 |
| 50 to 99 miles | 6.5 | .5 | 7.1 | .7 | 7.1 | .7 |
| 100 to 249 miles | 10.4 | 1.2 | 5.0 | .4 | 4.7 | 1.0 |
| 250 to 499 miles | 7.8 | .6 | 21.2 | .7 | 17.5 | 2.0 |
| 500 to 749 miles | 6.0 | .2 | 14.1 | .1 | 15.1 | 1.1 |
| 750 to 999 miles | 5.7 | — | 15.4 | — | 16.4 | .9 |
| 1,000 to 1,499 miles | 13.5 | .2 | 19.0 | — | 20.4 | .9 |
| 1,500 to 1,999 miles | 15.6 | — | 18.2 | — | 17.5 | .4 |
| 2,000 miles or more | 24.7 | — | 20.0 | — | 19.2 | .3 |
| Rail | 9.4 | — | 5.9 | — | 6.0 | — |
| Less than 50 miles | 11.1 | .9 | 9.4 | 1.9 | 9.9 | .2 |
| 50 to 99 miles | 9.3 | .4 | 13.7 | .8 | 14.7 | .3 |
| 100 to 249 miles | 9.2 | 1.0 | 9.9 | 1.9 | 10.3 | 1.3 |
| 250 to 499 miles | 17.6 | 1.2 | 11.0 | 2.1 | 10.1 | 2.0 |
| 500 to 749 miles | 11.8 | 1.4 | 8.1 | .6 | 8.4 | 1.0 |
| 750 to 999 miles | 6.8 | .7 | 7.0 | .5 | 6.9 | 1.0 |
| 1,000 to 1,499 miles | 27.3 | 1.5 | 16.5 | .5 | 16.2 | 1.4 |
| 1,500 to 1,999 miles | 9.0 | .4 | 10.2 | .1 | 10.6 | .7 |
| 2,000 miles or more | 20.4 | .5 | 14.1 | — | 13.8 | .3 |
| Water | 7.3 | — | 8.3 | — | 12.6 | — |
| Less than 50 miles | 12.2 | 3.7 | 12.9 | 3.5 | 15.2 | .8 |
| 50 to 99 miles | 21.1 | 1.5 | 16.4 | 1.7 | 29.9 | .8 |
| 100 to 249 miles | 14.6 | 2.7 | 17.4 | 3.0 | 18.8 | 2.9 |
| 250 to 499 miles | 14.7 | 1.9 | 14.5 | 1.7 | 13.4 | 2.7 |
| 500 to 749 miles | 18.5 | 2.1 | 24.7 | 2.3 | 24.0 | 4.6 |
| 750 to 999 miles | 23.6 | 1.6 | 28.4 | 1.8 | 25.3 | 3.8 |
| 1,000 to 1,499 miles | 48.6 | 1.0 | 33.9 | .7 | 32.2 | 2.8 |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | S | S | S | S | S | S |
| Shallow draft | 6.9 | — | 8.3 | — | 10.8 | — |
| Less than 50 miles | 15.6 | 4.2 | 16.3 | 3.8 | 17.6 | .8 |
| 50 to 99 miles | 22.2 | 1.8 | 17.3 | 2.6 | 31.2 | 1.8 |
| 100 to 249 miles | 14.3 | 3.0 | 17.3 | 3.3 | 18.5 | 2.9 |
| 250 to 499 miles | 16.0 | 2.1 | 15.7 | 1.8 | 14.4 | 3.6 |
| 500 to 749 miles | 24.1 | 2.3 | 25.6 | 2.5 | 27.0 | 5.8 |
| 750 to 999 miles | 25.7 | 1.8 | 26.6 | 1.4 | 25.2 | 3.9 |
| 1,000 to 1,499 miles | S | S | 41.0 | .2 | 42.1 | 1.0 |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | — | — | — | — | — | — |

See footnotes at end of table.

Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage |
| Single modes—Con. | | | | | | |
| Great Lakes | — | — | — | — | — | — |
| Less than 50 miles | — | — | — | — | — | — |
| 50 to 99 miles | — | — | — | — | — | — |
| 100 to 249 miles | — | — | — | — | — | — |
| 250 to 499 miles | — | — | — | — | — | — |
| 500 to 749 miles | — | — | — | — | — | — |
| 750 to 999 miles | — | — | — | — | — | — |
| 1,000 to 1,499 miles | — | — | — | — | — | — |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | — | — | — | — | — | — |
| Deep draft | 21.3 | — | 24.7 | — | 28.4 | — |
| Less than 50 miles | 32.9 | 6.6 | 33.8 | 7.9 | S | S |
| 50 to 99 miles | S | S | S | S | S | S |
| 100 to 249 miles | S | S | S | S | S | S |
| 250 to 499 miles | S | S | S | S | S | S |
| 500 to 749 miles | 40.2 | 5.1 | 41.2 | 5.7 | 38.4 | 6.5 |
| 750 to 999 miles | 35.7 | 6.9 | 43.0 | 6.9 | 41.0 | 8.8 |
| 1,000 to 1,499 miles | 47.4 | 2.8 | 40.0 | 4.2 | 37.9 | 8.2 |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | S | S | S | S | S | S |
| Air (includes truck and air) | 13.2 | — | 15.5 | — | 18.2 | — |
| Less than 50 miles | — | — | — | — | — | — |
| 50 to 99 miles | 24.1 | .7 | 15.1 | .7 | 15.5 | .1 |
| 100 to 249 miles | 23.8 | 2.7 | 20.1 | 1.6 | 32.3 | 1.1 |
| 250 to 499 miles | 14.1 | 1.4 | 25.2 | 2.9 | 13.4 | 1.6 |
| 500 to 749 miles | 18.4 | 1.6 | 27.6 | 3.3 | 28.0 | 3.2 |
| 750 to 999 miles | 19.7 | .9 | 11.7 | 1.5 | 12.0 | 1.6 |
| 1,000 to 1,499 miles | 20.2 | 3.0 | S | S | 48.9 | 4.7 |
| 1,500 to 1,999 miles | 18.5 | .8 | 32.8 | 1.4 | 30.2 | 1.6 |
| 2,000 miles or more | 12.2 | .9 | 14.4 | .9 | 17.2 | 2.4 |
| Pipeline | 10.4 | — | 11.6 | — | S | S |
| Less than 50 miles | 13.8 | 4.4 | 13.7 | 4.4 | S | S |
| 50 to 99 miles | 26.1 | 1.1 | 27.5 | .6 | SS | SS |
| 100 to 249 miles | 18.0 | 3.1 | 20.5 | 2.1 | SS | SS |
| 250 to 499 miles | 42.1 | 2.6 | 44.0 | 3.0 | SS | SS |
| 500 to 749 miles | 41.7 | 1.3 | 40.0 | 1.4 | S | S |
| 750 to 999 miles | 45.5 | .6 | 45.8 | 1.2 | S | S |
| 1,000 to 1,499 miles | S | S | S | S | SS | SS |
| 1,500 to 1,999 miles | S | S | S | S | SS | SS |
| 2,000 miles or more | — | — | — | — | S | S |
| Multiple modes | 4.0 | — | 11.6 | — | 24.6 | — |
| Less than 50 miles | 6.0 | .8 | 21.4 | 3.0 | 26.6 | .4 |
| 50 to 99 miles | 6.2 | .3 | 17.8 | .7 | 33.7 | .2 |
| 100 to 249 miles | 4.9 | .3 | 18.2 | 3.6 | 20.0 | 2.4 |
| 250 to 499 miles | 3.3 | .6 | 28.7 | 3.1 | S | S |
| 500 to 749 miles | 6.6 | .7 | 29.5 | 3.3 | 31.1 | 3.8 |
| 750 to 999 miles | 7.4 | .4 | 26.8 | 1.8 | 27.4 | 2.3 |
| 1,000 to 1,499 miles | 12.5 | 1.2 | 34.1 | 1.6 | S | S |
| 1,500 to 1,999 miles | 6.1 | .3 | 11.2 | .5 | 11.8 | 1.7 |
| 2,000 miles or more | 5.0 | .3 | 17.8 | .4 | 17.7 | 1.5 |
| Parcel, U.S. Postal Service or courier | 4.2 | — | 4.7 | — | 2.8 | — |
| Less than 50 miles | 6.1 | .9 | 17.1 | 2.0 | 13.6 | — |
| 50 to 99 miles | 6.5 | .4 | 12.3 | .5 | 12.7 | .1 |
| 100 to 249 miles | 5.0 | .3 | 8.2 | .8 | 8.6 | .5 |
| 250 to 499 miles | 2.6 | .5 | 5.2 | .6 | 4.6 | .5 |
| 500 to 749 miles | 5.1 | .5 | 3.2 | .5 | 3.3 | .4 |
| 750 to 999 miles | 7.8 | .4 | 4.7 | .5 | 4.8 | .5 |
| 1,000 to 1,499 miles | 13.7 | 1.2 | 4.5 | .5 | 4.4 | .8 |
| 1,500 to 1,999 miles | 6.2 | .2 | 7.6 | .3 | 7.8 | .8 |
| 2,000 miles or more | 6.1 | .3 | 9.3 | .4 | 8.7 | 1.0 |
| Truck and rail | 18.7 | — | 14.4 | — | 11.6 | — |
| Less than 50 miles | 31.1 | .5 | 44.3 | 4.6 | S | S |
| 50 to 99 miles | 31.1 | .5 | 46.2 | 1.1 | S | S |
| 100 to 249 miles | 22.6 | .5 | 22.5 | 3.3 | 23.5 | 1.2 |
| 250 to 499 miles | 22.8 | 3.6 | 17.0 | 2.4 | 15.5 | 1.2 |
| 500 to 749 miles | 31.3 | 3.0 | 17.3 | 2.4 | 16.8 | 1.8 |
| 750 to 999 miles | 30.2 | 1.2 | 18.2 | 1.2 | 17.8 | 1.3 |
| 1,000 to 1,499 miles | 15.0 | 2.2 | 19.8 | 2.5 | 17.6 | 2.7 |
| 1,500 to 1,999 miles | 18.5 | 2.4 | 13.6 | 1.4 | 13.9 | 2.2 |
| 2,000 miles or more | 10.6 | 1.8 | 23.5 | .8 | 24.0 | 1.8 |
| Truck and water | 23.0 | — | 21.8 | — | 48.7 | — |
| Less than 50 miles | S | S | S | S | S | S |
| 50 to 99 miles | S | S | 45.4 | 2.9 | 37.0 | .7 |
| 100 to 249 miles | 24.6 | 7.3 | 33.1 | 8.2 | 31.1 | 8.2 |
| 250 to 499 miles | 34.1 | 5.8 | 30.5 | 5.2 | 30.0 | 6.0 |
| 500 to 749 miles | 30.9 | 4.1 | 41.9 | 4.9 | 37.5 | 4.4 |
| 750 to 999 miles | S | S | 47.4 | 3.9 | 46.0 | 4.7 |
| 1,000 to 1,499 miles | S | S | S | S | S | S |
| 1,500 to 1,999 miles | — | — | — | — | 26.6 | 3.4 |
| 2,000 miles or more | 27.6 | 3.0 | 26.4 | .4 | 26.6 | 3.4 |

See footnotes at end of table.

Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and distance shipped (based on Great Circle Distance) | Value | | Tons | | Ton-miles | |
|---|---------------------------------------|---------------------------------|---------------------------------------|---------------------------------|---------------------------------------|---------------------------------|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage |
| Multiple modes—Con. | | | | | | |
| Rail and water | 24.8 | — | 24.7 | — | 21.4 | — |
| Less than 50 miles | S | S | S | S | S | S |
| 50 to 99 miles | S | S | S | S | S | S |
| 100 to 249 miles | 35.9 | 8.8 | 33.9 | 8.5 | 36.3 | 8.7 |
| 250 to 499 miles | S | S | S | S | 43.6 | 5.5 |
| 500 to 749 miles | S | S | S | S | S | S |
| 750 to 999 miles | S | S | S | S | S | S |
| 1,000 to 1,499 miles | — | — | — | — | — | — |
| 1,500 to 1,999 miles | — | — | — | — | — | — |
| 2,000 miles or more | S | S | S | S | S | S |
| Other multiple modes | 29.5 | — | 36.2 | — | 44.9 | — |
| Less than 50 miles | 27.2 | 9.6 | 31.2 | 11.3 | 38.1 | 10.4 |
| 50 to 99 miles | 39.2 | 2.4 | S | S | S | S |
| 100 to 249 miles | S | S | 48.4 | 1.4 | 49.4 | 2.2 |
| 250 to 499 miles | S | S | S | S | S | S |
| 500 to 749 miles | S | S | S | S | S | S |
| 750 to 999 miles | S | S | S | S | S | S |
| 1,000 to 1,499 miles | S | S | S | S | S | S |
| 1,500 to 1,999 miles | S | S | S | S | S | S |
| 2,000 miles or more | S | S | S | S | S | S |
| Other and unknown modes | 5.4 | — | 14.5 | — | 11.4 | — |
| Less than 50 miles | 9.9 | 2.8 | 18.2 | 2.9 | 25.5 | 2.1 |
| 50 to 99 miles | 7.1 | .5 | 15.5 | .6 | 17.0 | .7 |
| 100 to 249 miles | 9.5 | 1.2 | 16.0 | 1.6 | 15.8 | 2.3 |
| 250 to 499 miles | 8.5 | .7 | 17.4 | 1.3 | 16.6 | 2.6 |
| 500 to 749 miles | 10.5 | .8 | 20.1 | .5 | 19.8 | 2.3 |
| 750 to 999 miles | 8.0 | .4 | 33.3 | .6 | 34.3 | 2.8 |
| 1,000 to 1,499 miles | 20.5 | 1.0 | 14.2 | .2 | 13.9 | 1.3 |
| 1,500 to 1,999 miles | 25.6 | .4 | 15.1 | — | 14.7 | .9 |
| 2,000 miles or more | 20.4 | .5 | 45.4 | .3 | 43.6 | 3.4 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| All modes | 2.1 | — | 3.0 | — | 4.7 | — | 2.8 |
| Less than 50 lb | 4.4 | .4 | 2.3 | — | 2.7 | — | 3.2 |
| 50 to 99 lb | 4.6 | .1 | 3.9 | — | 3.6 | — | 4.0 |
| 100 to 499 lb | 4.4 | .4 | 3.0 | — | 2.6 | — | 4.5 |
| 500 to 749 lb | 3.2 | .1 | 3.4 | — | 2.8 | — | 3.9 |
| 750 to 999 lb | 4.0 | — | 3.0 | — | 3.6 | — | 3.3 |
| 1,000 to 9,999 lb | 5.1 | .8 | 1.6 | .1 | 2.9 | .2 | 2.9 |
| 10,000 to 49,999 lb | 2.8 | .8 | 3.0 | 1.3 | 2.7 | 1.2 | 2.4 |
| 50,000 to 99,999 lb | 6.5 | .2 | 7.2 | .9 | 6.4 | .4 | 4.6 |
| 100,000 lb or more | 4.4 | .4 | 5.4 | 1.3 | 7.3 | 1.6 | 4.6 |
| Single modes | 2.3 | — | 2.8 | — | 4.0 | — | 3.1 |
| Less than 50 lb | 8.5 | .3 | 3.8 | — | 4.7 | — | 5.0 |
| 50 to 99 lb | 8.0 | .1 | 5.1 | — | 5.9 | — | 6.7 |
| 100 to 499 lb | 5.0 | .4 | 3.1 | — | 3.4 | — | 4.8 |
| 500 to 749 lb | 3.2 | — | 3.5 | — | 3.0 | — | 3.8 |
| 750 to 999 lb | 3.9 | — | 2.9 | — | 3.3 | — | 3.0 |
| 1,000 to 9,999 lb | 5.1 | .9 | 1.5 | .1 | 2.4 | .1 | 2.6 |
| 10,000 to 49,999 lb | 2.9 | .9 | 3.1 | 1.3 | 2.8 | 1.2 | 2.4 |
| 50,000 to 99,999 lb | 6.6 | .3 | 7.4 | 1.0 | 6.8 | .4 | 4.4 |
| 100,000 lb or more | 4.6 | .4 | 5.0 | 1.2 | 6.1 | 1.4 | 4.7 |
| Truck | 2.1 | — | 2.7 | — | 2.5 | — | 3.5 |
| Less than 50 lb | 3.4 | — | 3.9 | — | 5.9 | — | 7.5 |
| 50 to 99 lb | 7.5 | .1 | 5.2 | — | 6.6 | — | 7.1 |
| 100 to 499 lb | 5.4 | .4 | 3.1 | — | 3.5 | — | 4.9 |
| 500 to 749 lb | 3.2 | .1 | 3.5 | — | 2.9 | — | 3.7 |
| 750 to 999 lb | 3.6 | — | 2.9 | — | 3.3 | — | 2.9 |
| 1,000 to 9,999 lb | 5.1 | 1.0 | 1.5 | .2 | 2.3 | .2 | 2.5 |
| 10,000 to 49,999 lb | 2.9 | 1.1 | 3.1 | 1.5 | 2.6 | .9 | 2.3 |
| 50,000 to 99,999 lb | 7.0 | .3 | 7.4 | 1.4 | 7.4 | 1.0 | 4.6 |
| 100,000 lb or more | 8.7 | .1 | 13.9 | 1.2 | 10.9 | .6 | 15.2 |
| For-hire truck | 2.8 | — | 4.3 | — | 2.6 | — | 2.1 |
| Less than 50 lb | 6.9 | .1 | 6.8 | — | 7.4 | — | 4.6 |
| 50 to 99 lb | 13.6 | .1 | 6.9 | — | 9.0 | — | 5.1 |
| 100 to 499 lb | 10.1 | .6 | 3.7 | — | 4.8 | — | 3.3 |
| 500 to 749 lb | 5.4 | .1 | 4.8 | — | 3.7 | — | 1.8 |
| 750 to 999 lb | 5.8 | .1 | 4.5 | — | 4.0 | — | 2.4 |
| 1,000 to 9,999 lb | 6.6 | 1.2 | 3.1 | .2 | 3.3 | .3 | .9 |
| 10,000 to 49,999 lb | 2.8 | 1.3 | 4.5 | 1.1 | 2.5 | .7 | 3.4 |
| 50,000 to 99,999 lb | 6.1 | .2 | 7.8 | 1.6 | 7.1 | .7 | 3.2 |
| 100,000 lb or more | 10.6 | .2 | 12.9 | 1.2 | 15.0 | .7 | 18.7 |
| Private truck | 3.2 | — | 4.5 | — | 4.2 | — | 6.1 |
| Less than 50 lb | 3.2 | .2 | 4.3 | — | 5.9 | — | 11.5 |
| 50 to 99 lb | 7.0 | .2 | 6.1 | — | 9.0 | — | 10.6 |
| 100 to 499 lb | 3.7 | .5 | 3.8 | — | 4.1 | — | 4.9 |
| 500 to 749 lb | 3.0 | .1 | 4.4 | — | 4.9 | — | 4.4 |
| 750 to 999 lb | 5.2 | .1 | 3.7 | — | 7.2 | — | 5.3 |
| 1,000 to 9,999 lb | 6.3 | 1.4 | 2.4 | .4 | 4.4 | .4 | 4.0 |
| 10,000 to 49,999 lb | 7.5 | 1.8 | 4.4 | 2.1 | 4.6 | 2.0 | 4.8 |
| 50,000 to 99,999 lb | 9.0 | .6 | 10.6 | 1.7 | 13.8 | 2.1 | 8.3 |
| 100,000 lb or more | 13.7 | .2 | 21.5 | 1.4 | 15.7 | .8 | 27.8 |
| Rail | 9.4 | — | 5.9 | — | 6.0 | — | 3.7 |
| Less than 50 lb | 36.9 | — | S | S | 39.0 | — | 38.0 |
| 50 to 99 lb | S | S | S | S | 42.2 | — | S |
| 100 to 499 lb | 27.3 | — | 29.7 | — | 32.3 | — | 17.7 |
| 500 to 749 lb | S | S | 49.9 | — | S | S | 17.7 |
| 750 to 999 lb | 31.1 | — | 37.5 | — | 35.9 | — | 17.0 |
| 1,000 to 9,999 lb | 40.9 | 1.0 | 39.5 | — | 44.8 | — | 10.5 |
| 10,000 to 49,999 lb | 27.4 | 1.7 | 15.2 | .1 | 21.7 | .3 | 6.4 |
| 50,000 to 99,999 lb | 27.9 | 1.4 | 8.1 | .1 | 7.6 | .1 | 8.1 |
| 100,000 lb or more | 8.0 | 2.3 | 5.9 | .2 | 5.9 | .4 | 3.1 |
| Water | 7.3 | — | 8.3 | — | 12.6 | — | 19.3 |
| Less than 50 lb | S | S | 33.6 | — | 41.4 | — | 35.8 |
| 50 to 99 lb | S | S | 37.6 | — | 32.4 | — | 22.5 |
| 100 to 499 lb | S | S | 39.6 | — | 39.1 | — | 32.9 |
| 500 to 749 lb | 47.7 | — | 40.7 | — | S | S | 27.0 |
| 750 to 999 lb | 37.8 | — | 43.2 | — | S | S | 36.5 |
| 1,000 to 9,999 lb | 34.8 | .3 | S | S | 34.4 | .1 | 45.7 |
| 10,000 to 49,999 lb | S | S | 45.4 | — | S | S | 22.5 |
| 50,000 to 99,999 lb | 7.2 | .4 | 8.3 | .2 | 12.6 | .2 | 7.2 |
| 100,000 lb or more | 6.9 | — | 8.3 | — | 10.8 | — | 14.0 |
| Shallow draft | 35.2 | — | 40.7 | — | S | S | 22.0 |
| Less than 50 lb | 39.3 | — | 42.5 | — | 44.0 | — | 19.7 |
| 50 to 99 lb | S | S | 46.2 | — | 41.2 | — | 31.6 |
| 100 to 499 lb | S | S | 34.2 | — | 47.8 | — | 22.8 |
| 500 to 749 lb | S | S | S | S | S | S | 21.2 |
| 750 to 999 lb | 41.5 | — | S | S | S | S | 41.3 |
| 1,000 to 9,999 lb | 28.9 | .2 | S | S | 38.7 | .1 | S |
| 10,000 to 49,999 lb | S | S | 47.1 | — | S | S | 22.6 |
| 50,000 to 99,999 lb | 6.9 | .3 | 8.3 | .2 | 10.9 | .2 | 6.8 |

See footnote at end of table.

Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| Single modes—Con. | | | | | | | |
| Great Lakes | — | — | — | — | — | — | — |
| Less than 50 lb | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | — | — | — | — | — | — | — |
| 10,000 to 49,999 lb | — | — | — | — | — | — | — |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — |
| Deep draft | 21.3 | — | 24.7 | — | 28.4 | — | 20.3 |
| Less than 50 lb | S | S | S | S | S | S | 45.8 |
| 50 to 99 lb | S | S | S | S | S | S | 22.3 |
| 100 to 499 lb | S | S | S | S | S | S | 26.1 |
| 500 to 749 lb | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | 24.7 |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 35.9 |
| 10,000 to 49,999 lb | S | S | 40.7 | .7 | S | S | 28.3 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | 23.2 |
| 100,000 lb or more | 22.1 | 3.8 | 24.7 | 1.3 | 28.4 | 2.9 | 16.2 |
| Air (includes truck and air) | 13.2 | — | 15.5 | — | 18.2 | — | 2.5 |
| Less than 50 lb | 29.9 | 3.9 | 7.7 | 1.1 | 7.4 | 1.1 | 2.9 |
| 50 to 99 lb | 16.7 | 1.8 | 7.8 | .5 | 8.3 | .6 | 2.8 |
| 100 to 499 lb | 7.6 | 2.0 | 7.6 | 2.4 | 7.3 | 2.5 | 3.3 |
| 500 to 749 lb | 13.5 | .8 | 21.3 | 1.0 | 26.4 | 1.1 | 3.7 |
| 750 to 999 lb | 24.0 | .4 | 22.2 | .8 | 26.4 | .6 | 7.8 |
| 1,000 to 9,999 lb | 29.5 | 4.2 | 10.9 | 3.3 | 12.6 | 3.5 | 4.3 |
| 10,000 to 49,999 lb | S | 28.8 | 3.8 | 29.2 | 3.9 | 7.0 | |
| 50,000 to 99,999 lb | S | S | S | S | S | S | 28.7 |
| 100,000 lb or more | S | S | S | S | S | S | 21.2 |
| Pipeline | 10.4 | — | 11.6 | — | S | S | S |
| Less than 50 lb | S | S | 44.3 | — | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | 46.9 | — | S | S | S |
| 10,000 to 49,999 lb | 36.8 | .2 | S | S | S | S | S |
| 50,000 to 99,999 lb | 45.3 | — | 32.4 | — | S | S | S |
| 100,000 lb or more | 10.5 | .3 | 11.6 | — | S | S | S |
| Multiple modes | 4.0 | — | 11.6 | — | 24.6 | — | 2.0 |
| Less than 50 lb | 5.6 | 1.2 | 2.9 | .6 | 3.2 | .7 | 1.9 |
| 50 to 99 lb | 3.6 | .6 | 5.1 | .2 | 3.6 | .3 | 3.1 |
| 100 to 499 lb | 9.8 | 1.3 | 8.2 | .5 | 6.1 | .6 | 5.2 |
| 500 to 749 lb | 17.9 | .4 | 13.5 | — | 8.6 | — | 11.1 |
| 750 to 999 lb | 16.2 | .2 | 18.4 | .1 | 22.2 | .2 | 8.3 |
| 1,000 to 9,999 lb | 34.9 | 1.4 | 41.0 | .9 | 41.6 | 1.1 | 11.9 |
| 10,000 to 49,999 lb | 9.7 | .4 | 6.7 | 1.2 | 7.8 | 3.1 | 4.0 |
| 50,000 to 99,999 lb | 18.5 | — | 35.9 | 4.7 | 40.3 | 4.3 | 22.2 |
| 100,000 lb or more | 17.4 | .4 | 18.1 | 4.7 | 36.5 | 6.4 | 6.6 |
| Parcel, U.S. Postal Service or courier | 4.2 | — | 4.7 | — | 2.8 | — | 2.0 |
| Less than 50 lb | 5.6 | 1.3 | 2.9 | 1.3 | 3.2 | 1.1 | 1.9 |
| 50 to 99 lb | 3.6 | .6 | 5.1 | .5 | 3.6 | .5 | 3.1 |
| 100 to 499 lb | 9.8 | 1.2 | 8.2 | 1.3 | 6.2 | 1.3 | 5.2 |
| 500 to 749 lb | 18.0 | .4 | 13.7 | .4 | 8.3 | .3 | 11.3 |
| 750 to 999 lb | 16.4 | .2 | 18.4 | .5 | 22.6 | .6 | 8.7 |
| 1,000 to 9,999 lb | 41.5 | .1 | 30.4 | .2 | S | S | 26.0 |
| 10,000 to 49,999 lb | — | — | — | — | — | — | — |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — |
| Truck and rail | 18.7 | — | 14.4 | — | 11.6 | — | 5.2 |
| Less than 50 lb | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | 26.8 |
| 100 to 499 lb | 36.4 | — | S | S | 34.3 | — | S |
| 500 to 749 lb | S | S | 47.5 | — | S | S | 20.5 |
| 750 to 999 lb | S | S | 43.8 | — | 43.3 | — | 23.3 |
| 1,000 to 9,999 lb | 36.5 | 8.2 | 42.9 | 2.4 | 43.6 | 2.8 | 10.0 |
| 10,000 to 49,999 lb | 10.3 | 7.4 | 7.2 | 5.2 | 8.1 | 4.2 | 4.1 |
| 50,000 to 99,999 lb | 27.9 | .6 | 30.6 | 2.2 | 26.3 | 1.2 | 30.1 |
| 100,000 lb or more | 17.8 | 1.9 | 22.9 | 4.9 | 30.5 | 3.4 | 12.3 |
| Truck and water | 23.0 | — | 21.8 | — | 48.7 | — | S |
| Less than 50 lb | S | S | 46.4 | — | S | S | 19.7 |
| 50 to 99 lb | S | S | 47.8 | — | S | S | 14.9 |
| 100 to 499 lb | S | S | S | S | S | S | 21.2 |
| 500 to 749 lb | S | S | S | S | S | S | 22.5 |
| 1,000 to 9,999 lb | 40.0 | 1.0 | 47.0 | — | 38.0 | .8 | 17.7 |
| 10,000 to 49,999 lb | 31.0 | 4.7 | 32.2 | 3.5 | 25.3 | 3.7 | S |
| 50,000 to 99,999 lb | 45.4 | 4.8 | 48.3 | 10.6 | 48.7 | 8.4 | 15.2 |
| 100,000 lb or more | 32.1 | 8.0 | 27.2 | 10.4 | S | S | 20.3 |

See footnote at end of table.

Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| Mode of transportation and shipment size | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| Multiple modes—Con. | | | | | | | |
| Rail and water | 24.8 | — | 24.7 | — | 21.4 | — | 31.6 |
| Less than 50 lb | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 21.8 |
| 10,000 to 49,999 lb | S | S | S | S | S | S | 22.7 |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — |
| 100,000 lb or more | 24.8 | .1 | 24.7 | — | 21.4 | — | 31.6 |
| Other multiple modes | 29.5 | — | 36.2 | — | 44.9 | — | S |
| Less than 50 lb | S | S | S | S | S | S | 22.4 |
| 50 to 99 lb | S | S | S | S | S | S | 21.9 |
| 100 to 499 lb | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | 22.9 |
| 1,000 to 9,999 lb | 43.5 | .4 | S | S | 45.1 | .3 | S |
| 10,000 to 49,999 lb | S | S | 38.4 | 6.3 | S | S | 43.9 |
| 50,000 to 99,999 lb | 39.8 | 8.2 | 38.9 | 8.3 | 39.2 | 6.4 | 22.9 |
| 100,000 lb or more | 46.0 | 9.8 | 40.7 | 10.8 | 45.1 | 9.4 | 17.3 |
| Other and unknown modes | 5.4 | — | 14.5 | — | 11.4 | — | 16.6 |
| Less than 50 lb | 6.5 | .9 | 16.4 | — | 16.4 | — | 23.0 |
| 50 to 99 lb | 9.0 | .3 | 7.4 | — | 12.1 | — | 17.3 |
| 100 to 499 lb | 7.2 | .4 | 17.3 | .3 | 5.4 | — | 11.6 |
| 500 to 749 lb | 5.8 | .2 | 18.2 | — | 15.3 | — | 23.4 |
| 750 to 999 lb | 14.5 | .2 | 28.8 | — | 18.6 | — | 34.3 |
| 1,000 to 9,999 lb | 14.8 | 3.5 | 8.1 | .9 | 9.9 | .9 | 9.9 |
| 10,000 to 49,999 lb | 6.0 | 1.7 | 6.8 | 2.1 | 7.7 | 3.4 | 12.4 |
| 50,000 to 99,999 lb | 11.4 | .2 | 15.5 | .8 | 21.3 | 1.3 | 26.4 |
| 100,000 lb or more | 23.3 | 2.7 | 18.9 | 3.2 | 19.9 | 4.3 | 17.1 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-5. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|-----------|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| | All commodities | 2.1 | — | 3.0 | — | 4.7 | — | 2.8 |
| 01 | Live animals and live fish | 19.2 | — | 30.9 | — | 25.0 | — | 10.6 |
| 02 | Cereal grains | 24.0 | .1 | 21.1 | .4 | 21.2 | .3 | 14.3 |
| 03 | Other agricultural products | 7.4 | — | 13.1 | .2 | 13.9 | .2 | 25.7 |
| 04 | Animal feed and products of animal origin, n.e.c. | 11.3 | — | 6.5 | .1 | 9.3 | .1 | 33.4 |
| 05 | Meat, fish, seafood, and their preparations | 4.4 | .1 | 5.4 | — | 7.3 | .1 | 17.6 |
| 06 | Milled grain products and preparations, and bakery products | 11.4 | .1 | 6.8 | — | 7.3 | — | 22.3 |
| 07 | Other prepared foodstuffs and fats and oils | 6.9 | .2 | 5.7 | .2 | 6.7 | .3 | 19.2 |
| 08 | Alcoholic beverages | 4.2 | — | 5.8 | — | 14.7 | — | 3.4 |
| 09 | Tobacco products | 17.7 | .3 | 29.8 | — | 23.8 | — | 18.6 |
| 10 | Monumental or building stone | 20.1 | — | 23.9 | — | 18.9 | — | 28.3 |
| 11 | Natural sands | 11.3 | — | 15.4 | .6 | 16.3 | .2 | 19.4 |
| 12 | Gravel and crushed stone | 8.6 | — | 8.2 | .9 | 9.0 | .3 | 8.9 |
| 13 | Nonmetallic minerals n.e.c. | 12.4 | — | 19.4 | .5 | 20.2 | .6 | 15.3 |
| 14 | Metallic ores and concentrates | 21.7 | — | 30.2 | — | 34.4 | .1 | 11.7 |
| 15 | Coal | 8.0 | — | 8.0 | .8 | 10.7 | 1.1 | 28.4 |
| 17 | Gasoline and aviation turbine fuel | 4.7 | .2 | 10.7 | .9 | 26.0 | 1.9 | 7.2 |
| 18 | Fuel oils | 9.3 | .2 | 10.4 | .5 | 18.4 | .5 | 7.6 |
| 19 | Coal and petroleum products, n.e.c. | 7.8 | .1 | 8.5 | .4 | 8.7 | .3 | 18.1 |
| 20 | Basic chemicals | 17.8 | .7 | 10.5 | .4 | 17.6 | 1.2 | 13.7 |
| 21 | Pharmaceutical products | 9.2 | .3 | 19.3 | — | 33.4 | .1 | 8.9 |
| 22 | Fertilizers | 7.3 | — | 11.8 | .3 | 9.8 | .3 | 6.7 |
| 23 | Chemical products and preparations, n.e.c. | 5.5 | .1 | 7.0 | — | 12.1 | .3 | 13.3 |
| 24 | Plastics and rubber | 3.7 | .2 | 4.6 | — | 6.5 | .2 | 4.6 |
| 25 | Logs and other wood in the rough | 9.5 | — | 14.6 | .7 | 18.5 | .3 | 15.5 |
| 26 | Wood products | 7.0 | .1 | 13.1 | .5 | 17.0 | .7 | 8.9 |
| 27 | Pulp, newsprint, paper, and paperboard | 5.7 | .1 | 4.2 | — | 5.3 | .3 | 7.7 |
| 28 | Paper or paperboard articles | 5.1 | — | 4.8 | — | 7.3 | — | 8.4 |
| 29 | Printed products | 4.8 | .1 | 8.8 | — | 6.5 | — | 11.7 |
| 30 | Textiles, leather, and articles of textiles or leather | 10.2 | .8 | 5.8 | — | 7.5 | .2 | 2.4 |
| 31 | Nonmetallic mineral products | 3.8 | — | 4.8 | .5 | 4.7 | .3 | 9.0 |
| 32 | Base metal in primary or semifinished forms and in finished basic shapes | 3.8 | .1 | 9.5 | .2 | 7.6 | .3 | 4.8 |
| 33 | Articles of base metal | 3.0 | .1 | 7.9 | — | 10.5 | .2 | 6.1 |
| 34 | Machinery | 4.8 | .3 | 3.8 | — | 4.3 | — | 4.5 |
| 35 | Electronic and other electrical equipment and components and office equipment | 9.6 | 1.0 | 8.0 | — | 8.1 | .1 | 5.0 |
| 36 | Motorized and other vehicles (including parts) | 7.7 | .4 | 7.3 | — | 8.6 | .1 | 7.6 |
| 37 | Transportation equipment, n.e.c. | 11.8 | .1 | 13.5 | — | 12.6 | — | 6.1 |
| 38 | Precision instruments and apparatus | 19.1 | .3 | 16.6 | — | 19.7 | — | 7.6 |
| 39 | Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 10.8 | .2 | 8.0 | — | 6.3 | — | 4.3 |
| 40 | Miscellaneous manufactured products | 7.6 | .4 | 7.5 | — | 7.4 | .1 | 5.4 |
| 41 | Waste and scrap | 5.7 | — | 6.2 | — | 7.9 | .1 | 8.6 |
| 43 | Mixed freight | 13.7 | .6 | 15.2 | .2 | 10.8 | — | 9.9 |
| -- | Commodity unknown | 14.0 | — | S | S | S | S | 13.2 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-6. Measures of Reliability for Shipment Characteristics by Three-Digit Commodity for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|-----------|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| | All commodities | 2.1 | — | 3.0 | — | 4.7 | — | 2.8 |
| 010 | Live animals and live fish | 19.2 | — | 30.9 | — | 25.0 | — | 10.6 |
| 021 | Wheat | 12.4 | — | 11.8 | — | 18.7 | .1 | 7.4 |
| 022 | Corn, except sweet | 22.9 | — | 22.4 | .2 | 24.1 | .2 | 32.1 |
| 029 | Other cereal grains | 46.9 | — | 44.9 | .2 | 48.8 | .3 | 22.2 |
| 031 | Fresh or chilled potatoes (Irish potatoes), except sweet | 21.1 | — | 41.5 | — | 32.4 | — | 22.7 |
| 032 | Fresh or chilled edible vegetables, except potatoes (Irish potatoes), and dried vegetables | 15.9 | — | 19.3 | — | 26.1 | — | 28.5 |
| 033 | Fresh, chilled, or dried edible fruit and nuts | 18.3 | — | 23.9 | — | 35.8 | — | 17.7 |
| 034 | Soya beans | 20.0 | — | 20.3 | .1 | 25.4 | .2 | 12.3 |
| 035 | Oil seeds and nuts, except olives and soya beans | 15.4 | — | 41.3 | — | 43.9 | .1 | 16.2 |
| 036 | Bulbs, live plants, and seeds for sowing, n.e.c. | 16.3 | — | 16.9 | — | 24.7 | — | 23.1 |
| 039 | Fresh-cut flowers, plants, and parts of plants, and other agricultural products, except forage products and cereal straw or husks | 13.4 | — | 16.7 | — | 29.0 | — | S |
| 041 | Cereal straw or husks, forage products, residues and waste from the food industries used in animal feeding, and eggs and other products of animal origin, n.e.c. | 14.7 | — | 13.1 | — | 16.8 | .1 | S |
| 042 | Animal feed preparations | 14.4 | — | 8.8 | .1 | 11.6 | — | 20.6 |
| 051 | Meat including poultry, except preparations | 4.6 | .1 | 5.2 | — | 7.6 | .1 | 12.6 |
| 052 | Fish, except live, and seafood, except preparations | 16.5 | — | 16.1 | — | 16.7 | — | 27.0 |
| 053 | Preparations, extracts, and juices of meat, fish, or seafood | 35.6 | — | S | S | S | S | 13.5 |
| 061 | Wheat flour, groats, and meal | 17.6 | — | 20.7 | — | 25.5 | — | 17.4 |
| 062 | Malt, starches, inulin, wheat gluten, and milled or otherwise worked grains, except wheat flour, groats, and meal | 14.0 | — | 14.0 | — | 15.6 | — | 28.2 |
| 063 | Food preparations of cereals, flour, starch, or milk | 27.6 | — | 14.0 | — | 12.1 | — | 26.5 |
| 064 | Bakery products | 15.4 | .1 | 9.3 | — | 14.5 | — | 28.1 |
| 071 | Dairy products, except chocolate milk, eggnog, and food preparations of milk | 11.1 | — | 14.5 | — | 19.0 | — | 18.1 |
| 072 | Processed or prepared vegetables, fruit, or nuts, except dried or milled, and juices | 7.6 | — | 8.9 | — | 11.0 | — | 14.3 |
| 073 | Coffee, tea, and spices, except unprocessed coffee and unfermented tea | 15.8 | — | 17.8 | — | 21.3 | — | 33.8 |
| 074 | Animal or vegetable fats and oils and their cleavage products, prepared edible fats, animal or vegetable waxes, and flours and meals | 9.6 | — | 13.2 | — | 18.2 | .1 | 19.8 |
| 075 | Cane, beet, and other sugars in solid form, sugar syrups not containing added flavoring or coloring matter, and molasses | 22.4 | — | 20.1 | — | 23.9 | .2 | 10.3 |
| 076 | Confectionery, cocoa, and cocoa preparations | 19.1 | — | 18.5 | — | 20.4 | — | 13.1 |
| 077 | Edible preparations, n.e.c. and vinegar | 8.7 | — | 10.0 | — | 11.3 | — | 12.9 |
| 078 | Nonalcoholic beverages, n.e.c. and ice | 20.6 | .2 | 11.1 | .2 | 15.0 | .1 | 8.2 |
| 081 | Malt Beer | 4.9 | — | 6.4 | — | 15.4 | — | 4.4 |
| 082 | Wine and other fermented beverages | 8.7 | — | 8.5 | — | 10.1 | — | 6.3 |
| 083 | Spirituos beverages and ethyl alcohol | 6.3 | — | 8.2 | — | 21.3 | — | 8.8 |
| 090 | Tobacco products | 17.7 | .3 | 29.8 | — | 23.8 | — | 18.6 |
| 100 | Monumental or building stone, except dolomite | 20.1 | — | 23.9 | — | 18.9 | — | 28.3 |
| 110 | Natural sands, except metal-bearing | 11.3 | — | 15.4 | .6 | 16.3 | .2 | 19.4 |
| 120 | Gravel and crushed stone, except dolomite and slate | 8.6 | — | 8.2 | .9 | 9.0 | .3 | 8.9 |
| 131 | Salt | 32.3 | — | 40.6 | .1 | S | S | 13.7 |
| 132 | Natural calcium phosphates, natural aluminum-calcium phosphates, and phosphatic chalk | 13.2 | — | 21.7 | — | 38.7 | — | 18.5 |
| 133 | Dolomite | 44.5 | — | S | S | S | S | S |
| 139 | Other nonmetallic minerals | 15.8 | — | 28.9 | .5 | 13.4 | .3 | 12.5 |
| 141 | Iron ores and concentrates | 34.4 | — | 41.6 | — | 38.7 | — | 22.3 |
| 149 | Other metallic ores and concentrates | 22.3 | — | 39.5 | — | 35.5 | .1 | 13.8 |
| 151 | Nonagglomerated bituminous coal | 9.1 | — | 10.2 | .9 | 10.8 | 1.2 | 30.8 |
| 159 | Other coal | 17.7 | — | 19.8 | .2 | 49.6 | — | 49.1 |
| 171 | Gasoline | 5.1 | .2 | 8.3 | .7 | 24.3 | 1.3 | 7.4 |
| 172 | Aviation turbine fuel (types A and B) | 15.2 | — | 34.5 | .4 | 42.3 | .8 | 41.1 |
| 180 | Fuel oils | 9.3 | .2 | 10.4 | .5 | 18.4 | .5 | 7.6 |
| 191 | Lubricating oils and greases | 14.3 | — | 14.6 | — | 25.4 | .3 | 19.0 |
| 192 | Refined petroleum oils and oils obtained from bituminous minerals, n.e.c. | 22.3 | — | 21.2 | .2 | 36.8 | .3 | 39.3 |
| 193 | Gaseous hydrocarbons | 11.8 | — | 12.9 | .1 | 19.3 | — | 9.7 |
| 199 | Other products of petroleum refining, and coal products | 13.1 | — | 14.7 | .3 | 12.5 | .2 | 13.3 |
| 201 | Sodium hydroxide (caustic soda) and potassium hydroxide (caustic potash) | 15.8 | — | 16.0 | .1 | 32.3 | .6 | 17.3 |
| 202 | Inorganic chemicals, n.e.c. | 6.3 | — | 13.2 | .2 | 14.4 | .3 | 13.7 |
| 203 | Cyclic hydrocarbons | 37.4 | — | 15.4 | — | 24.8 | .1 | 12.5 |
| 204 | Phenols, phenol-alcohols, aldehydes, cyclic polymers of aldehydes, paraformaldehyde, ketones, quinones, organic acids, and acyclic alcohols | 23.8 | .1 | 26.5 | .1 | 41.5 | .4 | 10.3 |
| 205 | Organic chemicals, n.e.c. | 24.5 | .6 | 21.0 | .3 | 28.1 | .8 | 13.6 |
| 210 | Pharmaceutical products | 9.2 | .3 | 19.3 | — | 33.4 | .1 | 8.9 |
| 220 | Fertilizers and fertilizer materials | 7.3 | — | 11.8 | .3 | 9.8 | .3 | 6.7 |
| 231 | Paints and varnishes, tanning or dyeing extracts, tannins and their derivatives, dyes, putty and other mastics, inks, and coloring matter, except pigments and synthetic organic dyes, lakes, and toners | 7.8 | — | 8.7 | — | 9.8 | — | 21.7 |
| 232 | Essential oils and resinoids, and perfumery, cosmetic, or toilet preparations | 16.6 | — | 20.8 | — | 29.6 | — | 12.7 |
| 233 | Soap, organic surface-active agents, cleaning preparations, polishes and creams, and scouring preparations | 13.0 | — | 14.5 | — | 21.8 | .2 | 10.1 |
| 234 | Photographic film, plates, paper, paperboard, or textiles, and chemical preparations for photographic use | 18.8 | — | 25.1 | — | 20.8 | — | 16.1 |
| 235 | Insecticides, rodenticides, fungicides, herbicides, antisprouting products, plant-growth regulators, disinfectants, and similar products, in packages for retail sale or as preparations or articles | 7.5 | — | 20.4 | — | 17.7 | — | 16.6 |
| 239 | Other chemical products and preparations | 11.9 | — | 9.3 | — | 13.0 | .1 | 9.1 |
| 241 | Plastics in primary forms, rubber in primary forms or sheets, and unvulcanized compounded rubber | 6.3 | .1 | 7.1 | — | 10.0 | .2 | 6.0 |
| 242 | Manmade fibers and plastics basic shapes and articles | 4.3 | .1 | 5.6 | — | 6.3 | — | 5.3 |

See footnotes at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Three-Digit Commodity for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|-----------------------------|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| All commodities—Con. | | | | | | | | |
| 243 | Rubber articles | 4.8 | — | 6.4 | — | 5.4 | — | 7.5 |
| 250 | Logs and other wood in the rough | 9.5 | — | 14.6 | .7 | 18.5 | .3 | 15.5 |
| 261 | Wood chips or particles | 17.1 | — | 21.0 | .2 | 24.0 | .2 | 15.0 |
| 262 | Lumber, wood continuously shaped along any of its edges or faces, and shingles and shakes | 5.9 | — | 6.8 | .1 | 7.3 | .2 | 6.4 |
| 263 | Veneer sheets and sheets for plywood, particle board, fiberboard, plywood, veneered panels, and similar boards of ligneous material or laminated wood | 20.4 | .1 | 39.1 | .3 | 35.3 | .7 | 10.9 |
| 264 | Builders' joinery and carpentry of wood, except shingles and shakes | 9.0 | — | 10.7 | — | 14.2 | — | 13.1 |
| 269 | Other wood products | 7.5 | — | 32.0 | .1 | 15.3 | — | 12.0 |
| 271 | Pulp of fibrous cellulosic materials | 16.2 | — | 19.1 | — | 24.6 | .1 | 20.4 |
| 272 | Newsprint in large rolls or sheets | 21.7 | — | 20.8 | — | 20.2 | — | 38.0 |
| 273 | Uncoated paper and paperboard in large rolls or sheets | 8.1 | — | 7.6 | — | 8.9 | .3 | 6.6 |
| 274 | Coated, impregnated, treated, or worked paper and paperboard, in large rolls or sheets | 7.6 | — | 9.1 | — | 9.1 | .1 | 9.2 |
| 280 | Paper or paperboard articles | 5.1 | — | 4.8 | — | 7.3 | — | 8.4 |
| 291 | Printed books, brochures, leaflets, and similar printed products | 9.3 | — | 38.7 | — | 10.2 | — | 3.0 |
| 292 | Newspapers, journals, and periodicals | 7.4 | — | 11.7 | — | 21.0 | — | 31.7 |
| 293 | Advertising material, commercial or trade catalogues, and similar printed products | 9.4 | — | 12.9 | — | 16.3 | — | 22.1 |
| 299 | Other printed products | 10.1 | — | 9.5 | — | 10.9 | — | 7.8 |
| 301 | Textile fibers, yarns, and broadwoven or knitted fabrics, except coated or treated | 3.7 | .1 | 3.8 | — | 6.0 | — | 4.2 |
| 302 | Textile clothing and accessories, and headgear, except safety | 24.5 | .8 | 21.2 | — | 13.4 | — | 3.0 |
| 303 | Textiles and textile articles, n.e.c. | 8.8 | .2 | 8.7 | — | 15.4 | .1 | 4.5 |
| 304 | Footwear | 30.5 | — | S | S | 44.0 | — | 6.0 |
| 305 | Leather and articles, luggage of related materials, and dressed furskins and articles | 15.9 | — | 36.2 | — | 27.6 | — | 7.4 |
| 311 | Hydraulic cements | 13.1 | — | 22.8 | .3 | 9.2 | — | 18.1 |
| 312 | Ceramic products | 6.7 | — | 38.9 | .2 | 9.9 | — | 10.6 |
| 313 | Glass and glass products | 8.0 | — | 11.1 | — | 10.7 | — | 16.1 |
| 319 | Other nonmetallic mineral products | 5.8 | — | 5.3 | .4 | 7.3 | .2 | 7.7 |
| 321 | Iron and steel in primary forms, in semifinished forms, or in powders or granules, and ferroalloys | 9.5 | — | 30.8 | — | 19.2 | — | 15.9 |
| 322 | Flat-rolled products of iron or steel | 16.0 | .1 | 23.4 | .2 | 22.9 | .3 | 8.9 |
| 323 | Bars, rods, angles, shapes, sections, and wire, of iron or steel | 5.9 | — | 7.4 | — | 10.0 | .2 | 9.7 |
| 324 | Nonferrous metal, except precious, in unwrought forms, in finished basic shapes, or in powders or granules | 6.5 | .1 | 7.5 | — | 9.1 | — | 5.7 |
| 331 | Pipes, tubes, and fittings | 5.5 | — | 12.4 | — | 13.4 | .1 | 8.9 |
| 332 | Structures and parts, except prefabricated buildings | 5.4 | — | 15.4 | — | 21.0 | .1 | 6.9 |
| 333 | Handtools, cutlery, except of precious metals, interchangeable tools for hand- or machine-tools, hardware, and industrial fasteners | 7.6 | — | 7.4 | — | 10.1 | — | 8.0 |
| 339 | Other articles of metal | 6.6 | — | 7.9 | — | 9.3 | — | 12.3 |
| 341 | Internal-combustion piston engines | 23.9 | .2 | 26.8 | — | 27.1 | — | 14.9 |
| 342 | Turbines, boilers, nuclear reactors, and nonelectric engines and motors, except internal-combustion piston engines | 20.5 | — | 24.5 | — | 25.8 | — | 13.7 |
| 343 | Pumps, compressors, and fans, and ventilating or recycling hoods incorporating a fan | 9.3 | — | 9.8 | — | 12.3 | — | 7.5 |
| 344 | Air-conditioning, refrigerating, or freezing equipment | 12.7 | — | 13.8 | — | 18.5 | — | 12.3 |
| 345 | Materials-handling, excavating, boring, and related machinery and equipment | 7.7 | — | 9.8 | — | 13.7 | — | 9.9 |
| 349 | Other machinery | 5.0 | .1 | 5.1 | — | 7.4 | — | 4.9 |
| 351 | Electric motors, generators, generating sets, rotary converters, transformers, static converters, and inductors | 13.5 | — | 10.7 | — | 13.9 | — | 10.2 |
| 352 | Electric cooking appliances and other electrothermic or electromechanical domestic appliances | 17.8 | — | 31.7 | — | 27.2 | — | 17.3 |
| 353 | Line telephone or telegraph apparatus | 16.0 | .1 | 21.6 | — | 27.0 | — | 7.4 |
| 354 | Electronic entertainment products, except parts | 32.6 | .2 | 19.3 | — | 19.7 | — | 8.5 |
| 355 | Computer and office equipment | 20.6 | .6 | 21.6 | — | 25.5 | — | 6.8 |
| 356 | Prepared unrecorded or prerecorded media | 24.7 | — | 25.3 | — | 30.4 | — | 6.4 |
| 357 | Transmission apparatus for radio or television broadcasting, radio transmission and reception apparatus, radar apparatus, radio navigational-air control apparatus, and radio remote-control apparatus, except radio broadcast receivers and parts | 21.7 | .1 | 36.9 | — | 43.1 | — | 9.0 |
| 358 | Electronic components and parts | 22.2 | .4 | 36.1 | — | 14.5 | — | 4.4 |
| 359 | Other electronic and electrical equipment | 10.0 | .3 | 11.1 | — | 12.7 | — | 5.8 |
| 361 | Motor vehicles for the transport of less than 10 people, except motorcycles, armored fighting vehicles, snowmobiles, golf carts and similar vehicles, and parts | 17.1 | .4 | 16.8 | — | 24.9 | — | 16.2 |
| 362 | Motor vehicles for the transport of goods and road tractors for semitrailers, except parts | 17.6 | .1 | 16.3 | — | 23.1 | — | 14.4 |
| 363 | Other vehicles | 11.9 | — | 12.9 | — | 12.4 | — | 9.9 |
| 364 | Parts and accessories for motor vehicles, except motorcycles and armored fighting vehicles | 6.1 | .2 | 8.6 | — | 9.9 | — | 7.9 |
| 371 | Locomotives and rolling stock, railway track fixtures and fittings, mechanical or electromechanical traffic-signalling equipment, and intermodal containers | 16.9 | — | 18.2 | — | 16.4 | — | 8.7 |
| 372 | Aircraft and spacecraft | 15.8 | .1 | 19.9 | — | 14.5 | — | 7.5 |
| 373 | Ships, boats, and floating structures | 9.7 | — | 10.3 | — | 31.3 | — | 13.7 |
| 381 | Optical elements, instruments, and apparatus, except photographic and photocopying equipment and optical instruments and apparatus for measuring or checking | S | S | 42.5 | — | 44.8 | — | 9.4 |
| 382 | Photographic and photocopying machines | 16.6 | — | 22.4 | — | 29.2 | — | 14.5 |
| 383 | Surveying, hydrographic, oceanographic, hydrological, geophysical, drawing, or length-measuring instruments and appliances, and navigational and meteorological instruments and appliances, except radar and other radio-type apparatus | 26.1 | — | S | S | S | S | 26.8 |
| 384 | Instruments, apparatus, and appliances for medical, surgical, dental, or veterinary sciences, or for similar purposes | 13.5 | — | 34.7 | — | 35.9 | — | 7.1 |

See footnotes at end of table.

Table B-6. Measures of Reliability for Shipment Characteristics by Three-Digit Commodity for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code | Commodity description | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|-----------------------------|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| All commodities—Con. | | | | | | | | |
| 385 | Meters and other instruments and apparatus for measuring, checking, testing, or controlling | 8.4 | — | 10.4 | — | 11.8 | — | 8.4 |
| 390 | Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 10.8 | .2 | 8.0 | — | 6.3 | — | 4.3 |
| 401 | Arms and ammunition | 16.6 | — | 25.6 | — | 25.1 | — | 6.6 |
| 402 | Toys, games, and sporting equipment | 36.3 | .2 | 37.4 | — | 23.2 | — | 6.1 |
| 409 | Miscellaneous manufactured products | 7.5 | .3 | 7.6 | — | 7.5 | .1 | 6.4 |
| 411 | Metallic waste and scrap | 6.9 | — | 4.9 | — | 9.7 | — | 10.2 |
| 412 | Nonmetallic waste and scrap, except from food processing | 14.6 | — | 15.1 | — | 15.0 | — | 10.0 |
| 439 | Mixed freight | 13.7 | .6 | 15.2 | .2 | 10.8 | — | 9.9 |
| — | Commodity unknown | 14.0 | — | S | S | S | S | 13.2 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| ALL COMMODITIES | | | | | | | |
| Total | 2.1 | - | 3.0 | - | 4.7 | - | 2.8 |
| Single modes | 2.3 | .4 | 2.8 | .5 | 4.0 | 1.0 | 3.1 |
| Truck | 2.1 | .6 | 2.7 | 1.1 | 2.5 | 1.5 | 3.5 |
| For-hire truck | 2.8 | .8 | 4.3 | 1.1 | 2.6 | 1.1 | 2.1 |
| Private truck | 3.2 | .7 | 4.5 | 1.2 | 4.2 | .5 | 6.1 |
| Rail | 9.4 | .4 | 5.9 | .7 | 6.0 | 1.2 | 3.7 |
| Water | 7.3 | .1 | 8.3 | .5 | 12.6 | 1.5 | 19.3 |
| Shallow draft | 6.9 | .1 | 8.3 | .4 | 10.8 | .9 | 14.0 |
| Great Lakes | - | - | - | - | - | - | - |
| Deep draft | 21.3 | - | 24.7 | .3 | 28.4 | 1.1 | 20.3 |
| Air (includes truck and air)..... | 13.2 | .3 | 15.5 | - | 18.2 | - | 2.5 |
| Pipeline | 10.4 | .3 | 11.6 | .8 | S | S | S |
| Multiple modes | 4.0 | .4 | 11.6 | .1 | 24.6 | 1.0 | 2.0 |
| Parcel, U.S. Postal Service or courier | 4.2 | .4 | 4.7 | - | 2.8 | - | 2.0 |
| Truck and rail | 18.7 | .1 | 14.4 | - | 11.6 | .2 | 5.2 |
| Truck and water | 23.0 | - | 21.8 | - | 48.7 | .7 | S |
| Rail and water | 24.8 | - | 24.7 | - | 21.4 | .1 | 31.6 |
| Other multiple modes | 29.5 | - | 36.2 | - | 44.9 | .5 | S |
| Other and unknown modes | 5.4 | .2 | 14.5 | .4 | 11.4 | .2 | 16.6 |
| SCTG 01, LIVE ANIMALS AND LIVE FISH | | | | | | | |
| Total | 19.2 | - | 30.9 | - | 25.0 | - | 10.6 |
| Single modes | 19.1 | .3 | 30.9 | .1 | 25.0 | .3 | 10.7 |
| Truck | 19.1 | .3 | 30.9 | .1 | 25.0 | .3 | 20.3 |
| For-hire truck | 29.3 | 6.3 | 31.8 | 7.1 | 32.6 | 6.7 | 9.6 |
| Private truck | 27.7 | 6.3 | 47.6 | 7.1 | 36.7 | 6.7 | 23.3 |
| Rail | - | - | - | - | - | - | - |
| Water | - | - | - | - | - | - | - |
| Shallow draft | - | - | - | - | - | - | - |
| Great Lakes | - | - | - | - | - | - | - |
| Deep draft | - | - | - | - | - | - | - |
| Air (includes truck and air)..... | S | S | S | S | S | S | 21.6 |
| Pipeline | - | - | - | - | S | S | S |
| Multiple modes | S | S | S | S | S | S | 20.7 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 20.7 |
| Truck and rail | - | - | - | - | - | - | - |
| Truck and water | - | - | - | - | - | - | - |
| Rail and water | - | - | - | - | - | - | - |
| Other multiple modes | - | - | - | - | - | - | - |
| Other and unknown modes | S | S | S | S | S | S | 39.0 |
| SCTG 02, CEREAL GRAINS | | | | | | | |
| Total | 24.0 | - | 21.1 | - | 21.2 | - | 14.3 |
| Single modes | 15.2 | 7.1 | 13.8 | 7.2 | 22.9 | 3.8 | 13.3 |
| Truck | 11.4 | 6.4 | 10.8 | 6.5 | 13.6 | 5.7 | 15.3 |
| For-hire truck | 13.6 | 4.8 | 13.5 | 4.9 | 19.6 | 4.6 | 14.6 |
| Private truck | 15.1 | 3.4 | 14.4 | 3.4 | 17.0 | 2.7 | 21.8 |
| Rail | 18.5 | 2.9 | 15.9 | 2.9 | 25.0 | 3.4 | 11.4 |
| Water | 35.2 | 4.9 | 33.8 | 5.0 | 34.9 | 5.6 | 15.7 |
| Shallow draft | 37.8 | 4.6 | 38.4 | 4.8 | 27.6 | 5.2 | 17.2 |
| Great Lakes | - | - | - | - | - | - | - |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | - | - | - | - | - | - | - |
| Pipeline | - | - | - | - | S | S | S |
| Multiple modes | S | S | S | S | S | S | 19.9 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 20.6 |
| Truck and rail | S | S | S | S | S | S | 24.6 |
| Truck and water | S | S | S | S | S | S | 21.7 |
| Rail and water | - | - | - | - | - | - | - |
| Other multiple modes | - | - | - | - | - | - | - |
| Other and unknown modes | S | S | S | S | S | S | S |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 03, OTHER AGRICULTURAL PRODUCTS | | | | | | | |
| Total | 7.4 | — | 13.1 | — | 13.9 | — | 25.7 |
| Single modes | 8.1 | 1.7 | 14.8 | 3.3 | 14.0 | 2.6 | 24.1 |
| Truck | 6.4 | 3.0 | 10.9 | 4.8 | 19.7 | 5.5 | 23.8 |
| For-hire truck | 8.7 | 2.4 | 17.4 | 3.1 | 23.6 | 4.9 | 4.5 |
| Private truck | 8.4 | 3.0 | 10.9 | 3.7 | 13.5 | 2.2 | 16.3 |
| Rail | 27.0 | 1.2 | 35.4 | 2.4 | 34.8 | 2.9 | 15.3 |
| Water | 39.4 | 3.0 | 39.3 | 5.0 | 30.1 | 5.1 | 26.5 |
| Shallow draft | 44.5 | 2.6 | 40.9 | 4.3 | 32.1 | 5.1 | 26.2 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 26.0 |
| Air (includes truck and air) | 27.6 | — | 24.9 | — | 26.1 | — | 8.0 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 19.6 | .3 | S | S | 31.9 | 1.0 | 6.6 |
| Parcel, U.S. Postal Service or courier | 26.0 | .3 | 44.7 | — | 49.4 | .3 | 7.0 |
| Truck and rail | 48.5 | .2 | S | S | 37.5 | 1.0 | 23.9 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 27.8 | 1.7 | 34.5 | 3.4 | S | S | 48.2 |
| SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C. | | | | | | | |
| Total | 11.3 | — | 6.5 | — | 9.3 | — | 33.4 |
| Single modes | 11.9 | 1.4 | 6.7 | .9 | 9.9 | 1.1 | 24.3 |
| Truck | 12.1 | 1.7 | 6.3 | 1.5 | 9.8 | 3.8 | 22.8 |
| For-hire truck | 15.0 | 3.1 | 13.6 | 2.4 | 16.6 | 4.1 | 7.0 |
| Private truck | 13.7 | 3.3 | 6.7 | 2.5 | 8.9 | 4.2 | 21.0 |
| Rail | 24.3 | .8 | 20.8 | .8 | 24.1 | 2.5 | 12.9 |
| Water | S | S | S | S | S | S | 21.2 |
| Shallow draft | S | S | S | S | S | S | 21.4 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air) | S | S | S | S | S | S | 21.5 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 25.2 | 1.1 | 39.8 | .7 | 23.3 | .9 | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | S |
| Truck and rail | 34.4 | 1.0 | 34.6 | .2 | 30.3 | .9 | 24.7 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | 47.1 | .3 | S | S | S | S | 20.5 |
| Other and unknown modes | 19.3 | .6 | 30.5 | .6 | 38.1 | .7 | 48.8 |
| SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS | | | | | | | |
| Total | 4.4 | — | 5.4 | — | 7.3 | — | 17.6 |
| Single modes | 4.4 | .4 | 5.5 | .4 | 7.5 | .4 | 14.3 |
| Truck | 4.5 | .8 | 5.7 | .8 | 7.7 | 1.0 | 12.5 |
| For-hire truck | 6.8 | 1.7 | 7.6 | 1.7 | 8.5 | 1.6 | 3.7 |
| Private truck | 4.8 | 2.0 | 6.3 | 2.1 | 8.5 | 1.5 | 11.4 |
| Rail | S | S | S | S | 42.2 | .8 | 17.6 |
| Water | S | S | S | S | S | S | 27.9 |
| Shallow draft | S | S | S | S | S | S | 21.2 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air) | S | S | S | S | S | S | 19.8 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 46.7 | — | 41.8 | — | S | S | 14.5 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 15.1 |
| Truck and rail | S | S | 48.6 | — | S | S | 22.2 |
| Truck and water | S | S | S | S | S | S | S |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 21.7 | .4 | 21.2 | .4 | 16.8 | .3 | 32.5 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS | | | | | | | |
| Total | 11.4 | — | 6.8 | — | 7.3 | — | 22.3 |
| Single modes | 11.5 | .2 | 6.8 | .3 | 7.2 | .5 | 21.7 |
| Truck | 11.7 | .6 | 7.3 | 1.3 | 8.8 | 3.1 | 21.6 |
| For-hire truck | 10.5 | 3.3 | 12.6 | 3.3 | 10.6 | 3.7 | 8.5 |
| Private truck | 16.2 | 3.2 | 8.8 | 2.7 | 9.1 | 1.6 | 22.8 |
| Rail | 17.5 | .4 | 15.1 | 1.2 | 15.6 | 2.9 | 8.2 |
| Water | S | S | S | S | S | S | 22.6 |
| Shallow draft | S | S | S | S | S | S | 22.4 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 22.2 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 18.1 | .1 | 21.8 | .1 | 24.2 | .5 | 12.4 |
| Parcel, U.S. Postal Service or courier | 22.4 | — | 24.1 | — | 24.6 | — | 13.8 |
| Truck and rail | 23.4 | .1 | 23.4 | .1 | 26.4 | .5 | 14.1 |
| Truck and water | S | S | S | S | S | S | 22.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 28.6 | .2 | 28.3 | .2 | 35.6 | .2 | S |
| SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS | | | | | | | |
| Total | 6.9 | — | 5.7 | — | 6.7 | — | 19.2 |
| Single modes | 7.2 | .7 | 6.1 | 1.0 | 7.5 | 2.5 | 5.9 |
| Truck | 7.3 | .7 | 6.3 | 1.4 | 6.8 | 2.5 | 5.9 |
| For-hire truck | 5.2 | 2.0 | 9.1 | 2.3 | 9.1 | 2.5 | 7.6 |
| Private truck | 11.3 | 2.5 | 9.0 | 2.8 | 11.1 | 2.7 | 6.4 |
| Rail | 12.3 | .3 | 12.4 | .7 | 17.3 | 1.9 | 10.3 |
| Water | 39.1 | .3 | 37.9 | .9 | 43.2 | 1.7 | S |
| Shallow draft | 39.1 | .3 | 37.9 | .9 | 43.2 | 1.7 | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 41.0 | — | 37.8 | — | 41.2 | — | 20.3 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 21.0 | .4 | 34.1 | .8 | 33.5 | 2.4 | 8.1 |
| Parcel, U.S. Postal Service or courier | 35.7 | .1 | 33.5 | — | 34.5 | — | 8.5 |
| Truck and rail | 23.0 | .2 | 37.3 | .2 | 21.9 | .5 | 17.7 |
| Truck and water | 49.5 | .4 | 49.5 | .8 | S | S | 27.1 |
| Rail and water | S | S | S | S | S | S | 26.5 |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 24.9 | .3 | 25.6 | .3 | 31.5 | .3 | S |
| SCTG 08, ALCOHOLIC BEVERAGES | | | | | | | |
| Total | 4.2 | — | 5.8 | — | 14.7 | — | 3.4 |
| Single modes | 4.3 | .5 | 5.9 | .6 | 15.4 | 2.7 | 3.2 |
| Truck | 3.9 | .8 | 5.2 | 1.0 | 13.3 | 2.5 | 3.1 |
| For-hire truck | 17.7 | 3.1 | 17.7 | 3.5 | 20.5 | 6.6 | 40.0 |
| Private truck | 4.8 | 3.7 | 5.8 | 4.0 | 25.0 | 7.5 | 2.8 |
| Rail | 36.2 | .8 | S | S | 48.0 | 2.3 | 19.4 |
| Water | S | S | S | S | S | S | 22.4 |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 20.4 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 39.4 | .3 | S | S | S | S | 49.5 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 22.2 |
| Truck and rail | 40.6 | .3 | S | S | S | S | S |
| Truck and water | S | S | S | S | S | S | 28.0 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 21.8 |
| Other and unknown modes | 28.1 | .3 | 30.0 | .3 | S | S | 13.9 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 09, TOBACCO PRODUCTS | | | | | | | |
| Total | 17.7 | — | 29.8 | — | 23.8 | — | 18.6 |
| Single modes | 17.9 | .9 | 30.4 | .9 | 23.2 | 1.6 | 9.8 |
| Truck | 17.9 | .9 | 30.4 | .9 | 23.2 | 1.6 | 9.8 |
| For-hire truck | 24.1 | 6.3 | 19.1 | 8.0 | 26.4 | 4.6 | 8.7 |
| Private truck | 30.4 | 6.1 | 43.6 | 8.3 | 28.3 | 3.9 | 15.9 |
| Rail | — | — | — | — | — | — | — |
| Water | S | S | S | S | S | S | 49.3 |
| Shallow draft | S | S | S | S | S | S | 36.9 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 20.3 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 32.4 | .8 | 33.6 | .4 | S | S | 11.0 |
| Parcel, U.S. Postal Service or courier | 25.5 | .8 | 23.6 | .4 | 25.6 | 1.5 | 11.0 |
| Truck and rail | S | S | S | S | S | S | 22.4 |
| Truck and water | S | S | S | S | S | S | 21.8 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 25.5 |
| Other and unknown modes | 26.9 | .3 | 39.4 | .9 | 40.9 | .5 | 33.8 |
| SCTG 10, MONUMENTAL OR BUILDING STONE | | | | | | | |
| Total | 20.1 | — | 23.9 | — | 18.9 | — | 28.3 |
| Single modes | 19.5 | 1.5 | 24.0 | .3 | 18.6 | 1.2 | 35.8 |
| Truck | 19.6 | 1.6 | 24.2 | 1.3 | 19.2 | 2.5 | 35.0 |
| For-hire truck | 25.9 | 6.8 | 27.8 | 7.6 | 27.1 | 6.6 | 11.2 |
| Private truck | 30.6 | 7.5 | 33.9 | 7.7 | 24.4 | 6.7 | S |
| Rail | S | S | S | S | S | S | 21.2 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 22.4 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 19.6 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 19.6 |
| Truck and rail | — | — | — | — | — | — | — |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | S |
| SCTG 11, NATURAL SANDS | | | | | | | |
| Total | 11.3 | — | 15.4 | — | 16.3 | — | 19.4 |
| Single modes | 11.5 | .7 | 15.7 | .6 | 16.2 | 1.9 | 16.2 |
| Truck | 12.7 | 3.0 | 17.2 | 3.6 | 19.7 | 7.1 | 14.1 |
| For-hire truck | 9.1 | 3.1 | 19.8 | 4.7 | 20.7 | 5.6 | 14.3 |
| Private truck | 23.1 | 4.2 | 21.2 | 4.7 | 22.4 | 4.0 | 13.9 |
| Rail | 27.8 | 2.6 | 37.7 | 1.7 | 34.1 | 3.8 | 49.3 |
| Water | 37.8 | .8 | 43.1 | 2.6 | 46.8 | 5.1 | 27.5 |
| Shallow draft | 37.8 | .8 | 43.1 | 2.6 | 46.8 | 5.1 | 27.5 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 21.2 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 20.5 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 21.4 |
| Truck and rail | S | S | S | S | S | S | 26.0 |
| Truck and water | S | S | S | S | S | S | 22.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 24.4 | .6 | 26.5 | .6 | 47.1 | 1.9 | S |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 12, GRAVEL AND CRUSHED STONE | | | | | | | |
| Total | 8.6 | — | 8.2 | — | 9.0 | — | 8.9 |
| Single modes | 8.8 | .3 | 8.4 | .3 | 9.1 | .3 | 9.0 |
| Truck | 9.5 | 1.1 | 9.2 | 1.5 | 9.0 | 4.5 | 9.0 |
| For-hire truck | 13.8 | 2.4 | 10.4 | 2.5 | 10.6 | 2.8 | 7.9 |
| Private truck | 11.0 | 2.6 | 13.4 | 3.1 | 12.7 | 3.7 | 14.4 |
| Rail | 16.6 | 1.0 | 21.8 | 1.4 | 24.5 | 3.8 | 12.3 |
| Water | 31.0 | .5 | 34.1 | .6 | 43.5 | 3.2 | 23.0 |
| Shallow draft | 31.0 | .5 | 34.1 | .6 | 43.5 | 3.2 | 23.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 22.4 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 35.5 | — | 37.0 | — | S | S | 21.1 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 21.9 |
| Truck and rail | S | S | S | S | S | S | 21.9 |
| Truck and water | S | S | S | S | S | S | 21.4 |
| Rail and water | S | — | S | — | S | S | 22.6 |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 27.0 | .3 | 27.6 | .3 | 34.1 | .3 | 18.2 |
| SCTG 13, NONMETALLIC MINERALS N.E.C. | | | | | | | |
| Total | 12.4 | — | 19.4 | — | 20.2 | — | 15.3 |
| Single modes | 12.8 | 1.6 | 18.9 | .5 | 20.0 | 2.8 | 16.6 |
| Truck | 17.0 | 3.2 | 29.6 | 4.5 | 11.6 | 3.9 | 18.6 |
| For-hire truck | 14.2 | 3.5 | 19.3 | 3.5 | 11.8 | 3.4 | 14.6 |
| Private truck | 39.8 | 4.2 | 46.9 | 4.8 | 29.0 | 1.7 | 33.1 |
| Rail | 7.3 | 2.1 | 11.3 | 3.6 | 11.5 | 5.1 | 11.4 |
| Water | 41.5 | 1.2 | S | S | S | S | 20.2 |
| Shallow draft | 39.2 | 1.1 | S | S | S | S | 19.3 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 23.7 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 20.3 |
| Pipeline | 30.9 | 1.0 | 35.1 | 2.6 | S | S | S |
| Multiple modes | S | S | S | S | S | S | 24.1 |
| Parcel, U.S. Postal Service or courier | 45.2 | .2 | S | S | 46.2 | — | 23.3 |
| Truck and rail | S | S | S | S | S | S | 19.3 |
| Truck and water | S | S | S | S | S | S | 22.0 |
| Rail and water | S | S | S | S | S | S | 21.8 |
| Other multiple modes | S | S | S | S | 1.5 | — | 22.4 |
| Other and unknown modes | 29.6 | .4 | 31.9 | .3 | 28.3 | .3 | 44.9 |
| SCTG 14, METALLIC ORES AND CONCENTRATES | | | | | | | |
| Total | 21.7 | — | 30.2 | — | 34.4 | — | 11.7 |
| Single modes | 23.8 | 3.0 | 30.8 | 3.9 | 37.6 | 7.7 | 13.3 |
| Truck | 24.0 | 5.9 | 35.1 | 7.5 | 42.7 | 8.9 | 16.4 |
| For-hire truck | 30.2 | 5.8 | 41.2 | 7.0 | 49.1 | 6.7 | 26.8 |
| Private truck | 19.4 | 4.6 | 39.9 | 4.4 | 23.9 | 4.3 | 22.7 |
| Rail | 34.4 | 3.5 | 29.9 | 5.5 | 38.5 | 6.9 | 17.2 |
| Water | S | S | S | S | 50.0 | 5.8 | 36.4 |
| Shallow draft | 49.2 | 1.3 | 49.1 | 2.0 | 49.0 | 5.4 | 23.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 24.8 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 18.0 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 31.8 | 2.0 | 44.8 | 2.2 | 38.9 | 5.6 | 22.0 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 21.9 |
| Truck and rail | S | S | S | S | S | S | 21.8 |
| Truck and water | S | S | 48.4 | 2.2 | 43.8 | 5.6 | 20.8 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | S | S | S | S | S | S | 45.6 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 15, COAL | | | | | | | |
| Total | 8.0 | — | 8.0 | — | 10.7 | — | 28.4 |
| Single modes | 8.4 | 1.6 | 9.1 | 2.3 | 10.4 | 2.0 | 31.2 |
| Truck | 22.7 | 3.1 | 24.1 | 3.3 | 24.3 | .5 | 19.0 |
| For-hire truck | 25.3 | 2.7 | 26.3 | 2.7 | 22.7 | .5 | 20.0 |
| Private truck | 35.2 | 1.1 | 38.6 | 1.5 | 48.3 | .2 | S |
| Rail | 9.7 | 3.4 | 10.7 | 3.6 | 11.8 | 3.7 | 5.7 |
| Water | 20.5 | 1.9 | 21.2 | 1.9 | 30.0 | 2.2 | 14.5 |
| Shallow draft | 20.5 | 1.9 | 21.2 | 1.9 | 30.0 | 2.2 | 15.2 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 21.9 | 1.3 | 22.3 | 1.3 | 24.7 | 2.1 | 21.9 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 22.4 |
| Truck and rail | S | S | S | S | 38.9 | .1 | 21.9 |
| Truck and water | 36.3 | .8 | 39.3 | .8 | 39.6 | 1.4 | 26.2 |
| Rail and water | 28.2 | .7 | 26.8 | .6 | 24.6 | 1.0 | 18.3 |
| Other multiple modes | S | S | S | S | S | S | 20.0 |
| Other and unknown modes | 13.2 | .9 | 12.8 | 1.8 | 16.2 | .5 | S |
| SCTG 17, GASOLINE AND AVIATION TURBINE FUEL | | | | | | | |
| Total | 4.7 | — | 10.7 | — | 26.0 | — | 7.2 |
| Single modes | 4.8 | .5 | 10.8 | .3 | 22.6 | 2.9 | 7.4 |
| Truck | 6.6 | 2.6 | 9.4 | 3.8 | 14.6 | 6.2 | 7.7 |
| For-hire truck | 17.1 | 2.6 | 21.9 | 3.0 | 22.2 | 4.3 | 9.7 |
| Private truck | 4.1 | 1.8 | 8.4 | 1.9 | 14.8 | 2.5 | 9.8 |
| Rail | S | S | S | S | 50.0 | — | 48.1 |
| Water | 16.6 | 1.3 | 29.8 | 1.9 | 39.7 | 6.4 | 13.5 |
| Shallow draft | 23.1 | 1.2 | 24.2 | 1.5 | 36.7 | 4.5 | 21.1 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 27.0 | .7 | 47.9 | 1.5 | 48.9 | 4.9 | 16.9 |
| Air (includes truck and air) | S | S | S | S | S | S | 20.6 |
| Pipeline | 9.7 | 2.4 | 15.9 | 3.3 | S | S | S |
| Multiple modes | 46.4 | .4 | S | S | S | S | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 21.9 |
| Truck and rail | S | S | S | S | S | S | 22.4 |
| Truck and water | S | S | S | S | S | S | 22.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | 34.5 | .1 | 33.0 | .1 | S | S | S |
| Other and unknown modes | 33.2 | .2 | 32.6 | .1 | 30.4 | — | S |
| SCTG 18, FUEL OILS | | | | | | | |
| Total | 9.3 | — | 10.4 | — | 18.4 | — | 7.6 |
| Single modes | 9.5 | 1.3 | 10.9 | 1.4 | 13.7 | 5.6 | 8.1 |
| Truck | 7.5 | 3.6 | 7.8 | 3.6 | 11.2 | 4.5 | 8.4 |
| For-hire truck | 13.5 | 2.2 | 12.5 | 1.9 | 16.6 | 2.7 | 8.7 |
| Private truck | 9.3 | 2.6 | 9.9 | 2.6 | 14.7 | 2.7 | 7.6 |
| Rail | 38.4 | .2 | 38.2 | .2 | 34.5 | .8 | 18.8 |
| Water | 13.6 | 1.9 | 16.4 | 2.5 | 19.4 | 5.6 | 26.7 |
| Shallow draft | 18.7 | 1.9 | 22.2 | 2.5 | 21.3 | 4.8 | 31.7 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 28.6 | .8 | 35.9 | 1.4 | S | S | 42.2 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline | 21.9 | 4.2 | 23.5 | 4.3 | S | S | S |
| Multiple modes | S | S | S | S | S | S | S |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 23.2 |
| Truck and rail | — | — | — | — | — | — | — |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | S |
| Other and unknown modes | 31.3 | .3 | 31.2 | .3 | 42.4 | .3 | 25.8 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C. | | | | | | | |
| Total | 7.8 | — | 8.5 | — | 8.7 | — | 18.1 |
| Single modes | 8.2 | 1.0 | 8.9 | 1.3 | 9.1 | 1.0 | 20.0 |
| Truck | 9.0 | 2.9 | 14.0 | 3.2 | 25.9 | 3.9 | 21.4 |
| For-hire truck | 9.4 | 1.5 | 25.4 | 2.8 | 9.9 | 1.9 | 12.5 |
| Private truck | 15.9 | 3.1 | 15.8 | 2.5 | S | S | 27.9 |
| Rail | 21.1 | 2.3 | 13.7 | 1.8 | 14.5 | 4.6 | 7.7 |
| Water | 19.4 | 2.6 | 18.1 | 3.1 | 22.5 | 4.7 | 21.5 |
| Shallow draft | 22.4 | 2.5 | 20.2 | 2.9 | 18.0 | 3.4 | 15.1 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 31.7 | 1.1 | 37.0 | 1.2 | 46.8 | 4.8 | 21.7 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 20.3 |
| Pipeline | 13.3 | 1.9 | 11.1 | 2.0 | S | S | S |
| Multiple modes | 45.2 | .5 | 46.0 | .3 | 43.3 | 1.0 | 15.4 |
| Parcel, U.S. Postal Service or courier | 24.4 | — | 26.2 | — | 34.3 | — | 12.9 |
| Truck and rail | S | S | S | S | S | S | 17.2 |
| Truck and water | S | S | S | S | S | S | 29.7 |
| Rail and water | S | S | S | S | S | S | 22.4 |
| Other multiple modes | S | S | S | S | S | S | 22.3 |
| Other and unknown modes | 26.8 | .9 | 41.1 | 1.2 | 27.4 | .3 | S |
| SCTG 20, BASIC CHEMICALS | | | | | | | |
| Total | 17.8 | — | 10.5 | — | 17.6 | — | 13.7 |
| Single modes | 18.1 | .7 | 10.6 | 1.0 | 18.2 | 1.0 | 9.6 |
| Truck | 17.4 | 1.9 | 14.7 | 1.9 | 30.4 | 1.8 | 9.4 |
| For-hire truck | 21.3 | 1.6 | 21.0 | 1.4 | 36.4 | 1.6 | 4.4 |
| Private truck | 6.8 | .9 | 17.3 | 1.8 | 16.4 | .9 | 13.2 |
| Rail | 33.2 | 2.2 | 21.6 | 2.0 | 24.5 | 2.9 | 4.6 |
| Water | 12.9 | 2.1 | 10.9 | 2.7 | 21.1 | 4.3 | 13.6 |
| Shallow draft | 12.9 | 1.7 | 10.0 | 2.1 | 17.6 | 3.3 | 13.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | 30.1 | .8 | 32.7 | 1.6 | 49.4 | 3.2 | 47.9 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 5.8 |
| Pipeline | 27.0 | 2.7 | 17.7 | 2.9 | S | S | S |
| Multiple modes | 15.1 | .3 | 27.2 | .2 | 29.6 | .9 | 16.1 |
| Parcel, U.S. Postal Service or courier | 28.4 | .3 | 31.2 | — | 33.9 | — | 16.7 |
| Truck and rail | 24.9 | .2 | 23.4 | — | 27.4 | .3 | 10.2 |
| Truck and water | S | S | S | S | S | S | 37.4 |
| Rail and water | S | S | S | S | S | S | 22.4 |
| Other multiple modes | 33.0 | — | S | S | S | S | 33.8 |
| Other and unknown modes | 19.8 | .6 | 24.6 | .9 | 27.3 | .6 | S |
| SCTG 21, PHARMACEUTICAL PRODUCTS | | | | | | | |
| Total | 9.2 | — | 19.3 | — | 33.4 | — | 8.9 |
| Single modes | 11.1 | 3.0 | 19.8 | 1.1 | 34.6 | 1.9 | 15.7 |
| Truck | 12.7 | 3.4 | 18.8 | 1.5 | 30.0 | 3.1 | 18.6 |
| For-hire truck | 15.0 | 3.4 | 27.2 | 4.7 | 33.6 | 3.5 | 12.7 |
| Private truck | 13.7 | 2.5 | 29.7 | 4.8 | 21.9 | 2.7 | 27.3 |
| Rail | S | S | S | S | S | S | 21.4 |
| Water | S | S | S | S | S | S | 21.2 |
| Shallow draft | S | S | S | S | S | S | 21.2 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 42.2 | 3.1 | 24.7 | .4 | 27.4 | 1.3 | 8.2 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 12.8 | 2.8 | 10.6 | 1.1 | 12.5 | 1.8 | 7.5 |
| Parcel, U.S. Postal Service or courier | 12.8 | 2.8 | 10.8 | 1.0 | 13.5 | 1.6 | 7.5 |
| Truck and rail | 32.4 | — | 27.8 | — | 32.3 | .3 | 17.3 |
| Truck and water | S | S | S | S | S | S | 22.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 31.1 | .4 | S | S | S | S | S |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 22, FERTILIZERS | | | | | | | |
| Total | 7.3 | — | 11.8 | — | 9.8 | — | 6.7 |
| Single modes | 7.3 | 2.2 | 12.3 | 2.0 | 7.0 | 3.0 | 7.5 |
| Truck | 11.5 | 3.0 | 9.8 | 3.1 | 13.5 | 3.0 | 8.2 |
| For-hire truck | 11.6 | 1.8 | 12.9 | 1.5 | 20.6 | 2.8 | 13.4 |
| Private truck | 18.1 | 3.0 | 12.1 | 2.7 | 10.5 | .7 | 6.1 |
| Rail | 9.2 | 3.4 | 20.9 | 5.1 | 11.5 | 5.0 | 7.6 |
| Water | 32.6 | 3.1 | 30.9 | 3.4 | 39.2 | 4.4 | 24.0 |
| Shallow draft | 28.7 | 2.2 | 30.9 | 2.7 | 39.0 | 4.1 | 29.7 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 31.9 |
| Air (includes truck and air) | — | — | — | — | — | — | — |
| Pipeline | 45.2 | 1.0 | 40.5 | .9 | S | S | S |
| Multiple modes | 45.9 | .3 | 48.4 | .3 | S | S | 18.9 |
| Parcel, U.S. Postal Service or courier | S | S | 34.0 | — | 30.0 | — | 20.6 |
| Truck and rail | S | S | S | S | S | S | 22.3 |
| Truck and water | S | S | S | S | S | S | 21.8 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | S | S | 48.3 | 1.8 | S | S | S |
| SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C. | | | | | | | |
| Total | 5.5 | — | 7.0 | — | 12.1 | — | 13.3 |
| Single modes | 5.6 | .8 | 7.7 | 2.0 | 12.1 | 1.6 | 8.0 |
| Truck | 5.2 | 1.8 | 7.4 | 2.8 | 11.0 | 3.1 | 8.2 |
| For-hire truck | 5.5 | 1.8 | 10.1 | 2.9 | 12.4 | 2.8 | 3.8 |
| Private truck | 9.4 | 1.7 | 8.3 | 2.2 | 12.0 | 1.2 | 10.7 |
| Rail | 22.9 | 1.2 | 18.5 | 1.3 | 19.2 | 2.1 | 6.7 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 21.5 |
| Air (includes truck and air) | 20.5 | — | 25.4 | — | 41.3 | — | 7.2 |
| Pipeline | S | S | 42.3 | .4 | S | S | S |
| Multiple modes | 12.6 | .7 | 25.1 | .4 | 27.2 | 1.1 | 9.4 |
| Parcel, U.S. Postal Service or courier | 14.3 | .6 | 11.6 | — | 10.4 | — | 9.4 |
| Truck and rail | 27.4 | .4 | 32.8 | S | 30.1 | 1.2 | 10.9 |
| Truck and water | S | S | S | S | S | S | 22.2 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 23.0 |
| Other and unknown modes | 14.2 | .5 | 40.1 | 1.9 | 45.6 | 1.2 | 28.7 |
| SCTG 24, PLASTICS AND RUBBER | | | | | | | |
| Total | 3.7 | — | 4.6 | — | 6.5 | — | 4.6 |
| Single modes | 3.5 | .6 | 4.6 | 1.5 | 6.3 | 1.2 | 5.6 |
| Truck | 3.7 | .9 | 4.5 | 1.7 | 5.6 | 2.3 | 5.4 |
| For-hire truck | 4.3 | 1.0 | 5.2 | 1.6 | 5.5 | 2.0 | 3.5 |
| Private truck | 5.3 | 1.0 | 6.9 | 1.0 | 9.5 | .5 | 8.6 |
| Rail | 6.8 | .9 | 8.6 | 2.2 | 9.5 | 2.8 | 3.4 |
| Water | S | S | S | S | S | S | 30.1 |
| Shallow draft | S | S | S | S | S | S | 29.7 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 21.9 |
| Air (includes truck and air) | 15.4 | — | 35.9 | — | 32.3 | — | 5.0 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 12.0 | .5 | 25.7 | .5 | 28.7 | 1.1 | 3.2 |
| Parcel, U.S. Postal Service or courier | 8.8 | .4 | 10.0 | — | 8.9 | — | 3.2 |
| Truck and rail | 39.9 | .6 | 32.9 | .5 | 32.3 | 1.2 | 9.2 |
| Truck and water | S | S | S | S | S | S | 20.2 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 15.1 | .5 | S | S | 27.2 | .5 | 24.3 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH | | | | | | | |
| Total | 9.5 | — | 14.6 | — | 18.5 | — | 15.5 |
| Single modes | 9.6 | 1.1 | 14.7 | .5 | 18.3 | 1.3 | 5.6 |
| Truck | 10.0 | 1.8 | 15.2 | 2.6 | 17.8 | 5.8 | 5.6 |
| For-hire truck | 16.1 | 4.0 | 29.6 | 5.0 | 34.4 | 5.3 | 8.2 |
| Private truck | 10.3 | 3.7 | 14.0 | 4.7 | 13.3 | 5.7 | 7.1 |
| Rail | 32.3 | 1.4 | S | S | S | S | S |
| Water | S | S | S | S | S | S | 22.0 |
| Shallow draft | S | S | S | S | S | S | 22.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 21.6 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | S | S | S | S | S | S | 18.0 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | S | S | 20.9 |
| Truck and rail | S | S | S | S | S | S | 23.0 |
| Truck and water | S | S | S | S | S | S | 21.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 35.6 | .7 | 29.2 | .3 | 28.1 | .4 | S |
| SCTG 26, WOOD PRODUCTS | | | | | | | |
| Total | 7.0 | — | 13.1 | — | 17.0 | — | 8.9 |
| Single modes | 7.2 | .5 | 13.3 | .3 | 17.5 | .9 | 4.5 |
| Truck | 5.1 | 1.3 | 11.8 | 2.4 | 10.4 | 2.6 | 4.2 |
| For-hire truck | 8.7 | 1.5 | 15.6 | 3.1 | 12.9 | 2.0 | 5.1 |
| Private truck | 4.3 | 1.9 | 16.2 | 3.6 | 9.9 | 1.7 | 7.0 |
| Rail | 30.4 | 1.3 | 34.9 | 1.5 | 33.9 | 2.4 | 6.9 |
| Water | S | S | S | S | S | S | 26.1 |
| Shallow draft | S | S | S | S | S | S | 24.6 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | 43.1 | — | 37.0 | — | 34.7 | — | 14.6 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 21.2 | .3 | 30.9 | .1 | 30.2 | .8 | 6.6 |
| Parcel, U.S. Postal Service or courier | 26.8 | .3 | 23.6 | — | 26.3 | — | 6.6 |
| Truck and rail | 21.6 | — | 33.3 | .1 | 31.3 | .8 | 20.8 |
| Truck and water | S | S | S | S | S | S | 21.9 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 16.5 | .4 | 14.3 | .2 | 26.1 | .5 | 18.7 |
| SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD | | | | | | | |
| Total | 5.7 | — | 4.2 | — | 5.3 | — | 7.7 |
| Single modes | 5.8 | .4 | 4.3 | .6 | 5.4 | .6 | 5.4 |
| Truck | 7.4 | 1.4 | 5.7 | 1.5 | 7.0 | 1.8 | 4.8 |
| For-hire truck | 7.3 | 1.8 | 6.6 | 1.8 | 7.9 | 2.0 | 5.7 |
| Private truck | 15.2 | 1.7 | 11.1 | 1.1 | 14.9 | .6 | 6.5 |
| Rail | 4.4 | 1.3 | 5.2 | 1.7 | 6.7 | 2.0 | 2.4 |
| Water | S | S | S | S | S | S | 22.0 |
| Shallow draft | S | S | S | S | S | S | 21.8 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 23.2 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 13.9 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 13.5 | .3 | 26.2 | .4 | 18.9 | .5 | 13.1 |
| Parcel, U.S. Postal Service or courier | 19.4 | .1 | 17.0 | — | 30.7 | — | 15.2 |
| Truck and rail | 19.1 | .2 | 29.6 | .4 | 20.3 | .5 | 13.1 |
| Truck and water | S | S | S | S | S | S | 26.5 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 18.4 | .2 | 26.8 | .3 | 27.6 | .2 | 15.3 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 28, PAPER OR PAPERBOARD ARTICLES | | | | | | | |
| Total | 5.1 | — | 4.8 | — | 7.3 | — | 8.4 |
| Single modes | 5.2 | .6 | 5.0 | .3 | 7.6 | .6 | 11.3 |
| Truck | 5.2 | .6 | 4.9 | .8 | 7.7 | 2.1 | 12.6 |
| For-hire truck | 7.4 | 2.0 | 5.5 | 1.6 | 7.3 | 2.1 | 8.0 |
| Private truck | 6.6 | 1.9 | 6.5 | 1.4 | 12.3 | 1.0 | 22.0 |
| Rail | 36.3 | .3 | 34.5 | .9 | 36.6 | 2.4 | 22.0 |
| Water | S | S | S | S | S | S | 30.4 |
| Shallow draft | S | S | S | S | S | S | 46.2 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | 38.3 | — | S | S | 42.7 | — | 12.5 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 12.4 | .5 | 11.7 | .1 | 13.1 | .4 | 8.0 |
| Parcel, U.S. Postal Service or courier | 13.2 | .4 | 12.5 | — | 21.2 | .1 | 8.1 |
| Truck and rail | 17.0 | — | 17.0 | — | 15.0 | .3 | 13.8 |
| Truck and water | S | S | S | S | S | S | 21.2 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 12.3 | .3 | 10.8 | .3 | 19.7 | .4 | 27.2 |
| SCTG 29, PRINTED PRODUCTS | | | | | | | |
| Total | 4.8 | — | 8.8 | — | 6.5 | — | 11.7 |
| Single modes | 4.5 | 1.7 | 8.9 | 1.4 | 7.0 | 1.4 | 11.2 |
| Truck | 4.5 | 1.7 | 8.9 | 1.4 | 7.1 | 1.4 | 11.8 |
| For-hire truck | 8.1 | 2.0 | 13.0 | 3.0 | 7.1 | 2.4 | 8.4 |
| Private truck | 5.1 | 1.9 | 13.0 | 3.1 | 33.0 | 2.6 | 12.2 |
| Rail | S | S | 48.6 | — | 34.2 | .2 | S |
| Water | S | S | S | S | S | S | 21.2 |
| Shallow draft | S | S | S | S | S | S | 21.8 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.8 |
| Air (includes truck and air)..... | 20.0 | .3 | 16.1 | — | 18.9 | .3 | 11.1 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 11.4 | 1.7 | 11.8 | .3 | 11.8 | 1.4 | 5.0 |
| Parcel, U.S. Postal Service or courier | 11.5 | 1.7 | 13.4 | .4 | 13.7 | 1.3 | 5.0 |
| Truck and rail | 31.2 | .1 | 34.1 | .1 | 38.6 | 1.1 | 17.2 |
| Truck and water | S | S | S | S | S | S | 21.8 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 11.7 | .8 | 21.5 | 1.3 | 46.0 | 1.2 | S |
| SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER | | | | | | | |
| Total | 10.2 | — | 5.8 | — | 7.5 | — | 2.4 |
| Single modes | 11.4 | .9 | 6.0 | .5 | 7.1 | 1.0 | 3.8 |
| Truck | 11.5 | .9 | 6.1 | .6 | 7.5 | 1.5 | 3.3 |
| For-hire truck | 10.9 | 2.3 | 6.5 | 2.5 | 8.1 | 2.2 | 2.0 |
| Private truck | 16.3 | 2.5 | 13.4 | 2.6 | 20.7 | 2.4 | 10.1 |
| Rail | 45.9 | — | S | S | 49.6 | 1.5 | 20.9 |
| Water | S | S | S | S | S | S | 25.2 |
| Shallow draft | S | S | S | S | S | S | 23.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | 14.1 | — | 31.8 | — | 42.6 | .1 | 8.1 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 6.5 | .7 | 14.2 | .3 | 30.6 | 1.0 | 1.7 |
| Parcel, U.S. Postal Service or courier | 5.2 | .6 | 5.3 | .1 | 6.1 | .2 | 1.7 |
| Truck and rail | S | S | 48.6 | .2 | S | S | 13.4 |
| Truck and water | S | S | S | S | S | S | 23.9 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 11.5 | .3 | 21.5 | .4 | 19.8 | .4 | 25.2 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 31, NONMETALLIC MINERAL PRODUCTS | | | | | | | |
| Total | 3.8 | — | 4.8 | — | 4.7 | — | 9.0 |
| Single modes | 3.8 | .6 | 4.9 | .3 | 4.8 | .8 | 5.9 |
| Truck | 3.5 | .9 | 5.1 | .5 | 4.7 | 1.5 | 6.2 |
| For-hire truck | 4.0 | 1.0 | 9.2 | 1.8 | 5.2 | 1.4 | 4.7 |
| Private truck | 4.5 | 1.2 | 6.4 | 2.0 | 9.4 | 1.8 | 7.5 |
| Rail | 10.0 | .2 | 10.3 | .3 | 12.7 | 1.5 | 8.9 |
| Water | 35.0 | .1 | 37.2 | .3 | 44.2 | .5 | S |
| Shallow draft | 35.0 | .1 | 37.2 | .3 | 44.2 | .5 | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 14.1 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 14.5 | .4 | 23.3 | .2 | 21.9 | .5 | 5.2 |
| Parcel, U.S. Postal Service or courier | 16.8 | .3 | 13.7 | — | 13.1 | — | 5.3 |
| Truck and rail | 34.4 | .2 | 25.8 | .2 | 24.6 | .5 | 28.8 |
| Truck and water | S | S | S | S | 46.5 | — | S |
| Rail and water | S | S | S | S | S | S | 22.4 |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 19.0 | .5 | 12.8 | .2 | 18.1 | .7 | 16.2 |
| SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES | | | | | | | |
| Total | 3.8 | — | 9.5 | — | 7.6 | — | 4.8 |
| Single modes | 4.1 | .5 | 10.0 | 1.2 | 8.1 | 1.8 | 6.9 |
| Truck | 2.9 | 1.7 | 5.7 | 2.9 | 5.6 | 3.4 | 7.2 |
| For-hire truck | 3.4 | 1.5 | 6.1 | 2.0 | 6.0 | 3.0 | 4.0 |
| Private truck | 4.9 | 1.2 | 7.9 | 2.0 | 8.6 | .7 | 9.0 |
| Rail | 20.1 | 1.6 | 31.5 | 2.3 | 14.0 | 2.4 | 13.7 |
| Water | S | S | S | S | 48.1 | 1.3 | 19.9 |
| Shallow draft | S | S | S | S | 48.1 | 1.3 | 19.9 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 32.9 | — | 36.1 | — | 37.3 | — | 7.3 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 14.5 | .3 | 41.5 | .4 | 44.9 | 1.4 | 7.6 |
| Parcel, U.S. Postal Service or courier | 17.0 | .3 | 14.3 | — | 10.7 | — | 7.7 |
| Truck and rail | 24.3 | — | 33.0 | — | 32.8 | .2 | 13.7 |
| Truck and water | S | S | S | S | S | S | 38.6 |
| Rail and water | — | — | — | — | — | — | 22.9 |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 13.0 | .4 | 24.1 | 1.0 | 22.8 | 1.2 | 28.0 |
| SCTG 33, ARTICLES OF BASE METAL | | | | | | | |
| Total | 3.0 | — | 7.9 | — | 10.5 | — | 6.1 |
| Single modes | 3.4 | 1.0 | 8.3 | .6 | 11.2 | 1.7 | 7.6 |
| Truck | 3.4 | 1.2 | 7.5 | 1.8 | 10.0 | 3.5 | 8.0 |
| For-hire truck | 4.4 | 1.3 | 9.6 | 2.7 | 8.3 | 3.6 | 5.5 |
| Private truck | 3.6 | 1.0 | 10.4 | 2.1 | 24.6 | 2.2 | 16.2 |
| Rail | 29.7 | .7 | 28.2 | 1.5 | 28.0 | 2.5 | 13.5 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | 22.3 | .2 | 29.5 | — | 33.9 | .1 | 5.2 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 8.3 | .8 | 17.4 | .3 | 31.1 | 1.1 | 5.7 |
| Parcel, U.S. Postal Service or courier | 8.4 | .8 | 11.5 | .2 | 19.7 | .5 | 5.7 |
| Truck and rail | 29.0 | — | 26.2 | — | 29.1 | .1 | 16.5 |
| Truck and water | 49.5 | — | S | S | S | S | 17.5 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 11.1 | .5 | 12.3 | .5 | 35.7 | 1.5 | 16.1 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 34, MACHINERY | | | | | | | |
| Total | 4.8 | — | 3.8 | — | 4.3 | — | 4.5 |
| Single modes | 5.0 | .8 | 3.9 | .8 | 4.4 | 1.3 | 6.3 |
| Truck | 5.2 | 1.1 | 4.3 | 1.4 | 4.9 | 1.9 | 6.8 |
| For-hire truck | 7.1 | 1.7 | 5.8 | 2.2 | 5.7 | 2.2 | 6.2 |
| Private truck | 8.7 | 1.7 | 9.2 | 2.0 | 13.8 | 1.3 | 10.8 |
| Rail | 49.7 | .6 | 48.0 | .7 | 34.7 | .8 | 15.3 |
| Water | S | S | S | S | S | S | S |
| Shallow draft | S | S | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 15.3 | .3 | 12.3 | — | 13.1 | — | 2.3 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 7.1 | .7 | 12.2 | .4 | 23.7 | 1.2 | 4.1 |
| Parcel, U.S. Postal Service or courier | 7.0 | .6 | 9.0 | .2 | 9.7 | .2 | 4.2 |
| Truck and rail | 36.9 | .2 | 44.3 | .3 | 44.6 | 1.1 | 13.9 |
| Truck and water | S | S | S | S | 40.3 | .2 | 19.1 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 10.3 | .4 | 11.3 | .5 | 12.3 | .3 | 12.5 |
| SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT | | | | | | | |
| Total | 9.6 | — | 8.0 | — | 8.1 | — | 5.0 |
| Single modes | 12.6 | 2.4 | 8.2 | .8 | 8.6 | 1.0 | 9.7 |
| Truck | 13.8 | 2.6 | 8.3 | .7 | 8.8 | 1.2 | 13.7 |
| For-hire truck | 17.1 | 3.0 | 9.2 | 2.2 | 8.8 | 2.6 | 6.4 |
| Private truck | 11.9 | 1.5 | 12.5 | 1.9 | 34.0 | 2.7 | 15.5 |
| Rail | 38.2 | .1 | 33.1 | .3 | 29.0 | .5 | 13.9 |
| Water | S | S | S | S | S | S | 20.9 |
| Shallow draft | S | S | S | S | S | S | 21.5 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | 12.3 | .9 | 16.2 | .2 | 16.6 | .3 | 2.4 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 9.2 | 2.2 | 7.9 | .5 | 9.1 | 1.0 | 3.5 |
| Parcel, U.S. Postal Service or courier | 9.3 | 2.1 | 8.6 | .4 | 7.0 | .5 | 3.5 |
| Truck and rail | 36.2 | — | 31.4 | .2 | 34.7 | .7 | 9.6 |
| Truck and water | S | S | S | S | S | S | 19.8 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 10.2 | .7 | 17.5 | .6 | 22.9 | .3 | 21.0 |
| SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS) | | | | | | | |
| Total | 7.7 | — | 7.3 | — | 8.6 | — | 7.6 |
| Single modes | 7.5 | 2.6 | 7.3 | 2.1 | 8.0 | 2.6 | 8.9 |
| Truck | 5.9 | 3.3 | 7.1 | 2.6 | 7.5 | 3.7 | 8.7 |
| For-hire truck | 6.5 | 2.4 | 7.4 | 2.0 | 8.1 | 3.1 | 7.2 |
| Private truck | 8.8 | 1.8 | 10.7 | 1.8 | 13.2 | 2.0 | 8.8 |
| Rail | 28.1 | 1.9 | 22.4 | 1.2 | 24.0 | 2.5 | 18.3 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | 19.4 | .1 | 24.6 | — | 28.0 | .1 | 5.6 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 23.9 | 1.5 | 31.9 | 1.3 | 36.3 | 2.6 | 4.3 |
| Parcel, U.S. Postal Service or courier | 9.8 | .4 | 8.3 | .2 | 8.9 | .1 | 4.3 |
| Truck and rail | 36.2 | 1.6 | 40.0 | 1.3 | 41.1 | 2.6 | 18.8 |
| Truck and water | S | S | S | S | S | S | — |
| Rail and water | S | S | S | S | S | S | 22.4 |
| Other multiple modes | S | S | S | S | S | S | 22.0 |
| Other and unknown modes | 22.9 | 2.5 | 18.1 | 2.0 | 20.2 | 1.4 | 20.9 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C. | | | | | | | |
| Total | 11.8 | — | 13.5 | — | 12.6 | — | 6.1 |
| Single modes | 12.9 | 2.2 | 14.2 | 1.6 | 11.8 | 4.1 | 9.4 |
| Truck | 14.1 | 4.0 | 15.1 | 5.7 | 9.5 | 5.8 | 19.1 |
| For-hire truck | 19.5 | 4.1 | 17.3 | 4.3 | 11.0 | 4.5 | 8.3 |
| Private truck | 22.0 | 3.3 | 23.2 | 4.6 | 18.3 | 3.6 | 28.3 |
| Rail | 18.3 | 1.6 | 23.7 | 5.6 | 20.5 | 5.4 | 17.8 |
| Water | 36.3 | .7 | S | S | S | S | 25.0 |
| Shallow draft | 42.0 | .7 | S | S | S | S | S |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 21.7 |
| Air (includes truck and air) | 27.9 | 2.7 | 18.9 | .4 | 17.7 | .7 | 4.4 |
| Pipeline | — | — | — | — | S | S | S |
| Multiple modes | 19.5 | 2.3 | 15.9 | .5 | 28.5 | 1.3 | 5.8 |
| Parcel, U.S. Postal Service or courier | 20.2 | 2.3 | 23.3 | .4 | 23.2 | .8 | 5.8 |
| Truck and rail | 47.9 | .2 | 34.3 | .4 | 41.3 | 1.2 | 19.2 |
| Truck and water | S | S | S | S | S | S | 25.5 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 22.0 | .9 | 36.3 | 1.6 | S | S | 35.3 |
| SCTG 38, PRECISION INSTRUMENTS AND APPARATUS | | | | | | | |
| Total | 19.1 | — | 16.6 | — | 19.7 | — | 7.6 |
| Single modes | 6.9 | 3.6 | 21.1 | 3.8 | 23.9 | 4.5 | 11.9 |
| Truck | 7.3 | 3.0 | 22.2 | 3.9 | 26.0 | 4.5 | 8.8 |
| For-hire truck | 10.1 | 2.8 | 26.1 | 4.0 | 27.2 | 4.6 | 15.1 |
| Private truck | 13.6 | 2.2 | 14.2 | 2.4 | 32.9 | 1.2 | 22.0 |
| Rail | S | S | S | S | S | S | 21.5 |
| Water | S | S | S | S | S | S | 22.9 |
| Shallow draft | S | S | S | S | S | S | 22.4 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air) | 12.8 | 1.4 | S | S | 33.5 | 1.8 | 7.8 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 34.2 | 3.6 | 23.1 | 2.9 | 26.5 | 4.1 | 6.5 |
| Parcel, U.S. Postal Service or courier | 34.3 | 3.6 | 23.7 | 2.8 | 28.6 | 3.3 | 6.5 |
| Truck and rail | S | S | S | S | S | S | 21.4 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 21.6 | .5 | 35.9 | 1.8 | 46.8 | 2.1 | 36.2 |
| SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS | | | | | | | |
| Total | 10.8 | — | 8.0 | — | 6.3 | — | 4.3 |
| Single modes | 11.2 | .6 | 8.1 | .4 | 6.4 | .8 | 5.9 |
| Truck | 11.2 | .5 | 8.2 | .4 | 6.4 | .9 | 5.9 |
| For-hire truck | 6.5 | 3.2 | 6.6 | 3.0 | 6.4 | 2.4 | 2.2 |
| Private truck | 23.1 | 3.4 | 16.7 | 3.2 | 16.6 | 2.6 | 10.7 |
| Rail | 25.3 | — | 30.4 | — | 31.5 | .3 | 14.3 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air) | 46.0 | .3 | 34.6 | S | 32.1 | S | 19.3 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 17.1 | .5 | 17.8 | .2 | 19.7 | .5 | 5.4 |
| Parcel, U.S. Postal Service or courier | 19.2 | .4 | 23.2 | .2 | 28.6 | .5 | 5.5 |
| Truck and rail | 27.3 | — | 27.2 | .1 | 34.4 | .3 | 15.6 |
| Truck and water | S | S | S | S | S | S | 22.4 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 16.5 | .3 | 14.4 | .2 | 31.5 | .5 | 48.2 |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|---|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS | | | | | | | |
| Total | 7.6 | — | 7.5 | — | 7.4 | — | 5.4 |
| Single modes | 9.4 | 1.5 | 7.7 | 1.0 | 8.0 | 1.4 | 10.5 |
| Truck | 6.6 | 2.1 | 7.7 | 1.1 | 8.0 | 1.6 | 13.3 |
| For-hire truck | 5.4 | 2.5 | 7.8 | 3.4 | 9.1 | 2.5 | 6.0 |
| Private truck | 14.5 | 2.5 | 15.2 | 3.5 | 10.6 | 1.6 | 26.6 |
| Rail | S | S | 28.7 | .7 | 23.8 | 1.4 | 10.6 |
| Water | S | S | S | S | S | S | 24.8 |
| Shallow draft | S | S | S | S | S | S | 43.1 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | S | S | 15.2 | — | 17.3 | — | 3.8 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 7.9 | 1.4 | 9.0 | .3 | 9.6 | .7 | 3.7 |
| Parcel, U.S. Postal Service or courier | 8.0 | 1.4 | 9.3 | .2 | 10.3 | .3 | 3.8 |
| Truck and rail | 29.2 | .2 | 26.8 | .2 | 22.7 | .5 | 11.9 |
| Truck and water | S | S | S | S | S | S | 20.5 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | S |
| Other and unknown modes | 13.4 | .4 | 32.5 | .9 | 32.1 | 1.1 | 25.9 |
| SCTG 41, WASTE AND SCRAP | | | | | | | |
| Total | 5.7 | — | 6.2 | — | 7.9 | — | 8.6 |
| Single modes | 5.8 | 1.0 | 5.6 | 1.2 | 8.1 | 1.6 | 8.0 |
| Truck | 7.6 | 2.4 | 7.2 | 2.6 | 10.9 | 2.9 | 9.1 |
| For-hire truck | 7.2 | 2.6 | 8.7 | 2.4 | 11.3 | 2.6 | 5.8 |
| Private truck | 17.9 | 3.2 | 12.1 | 2.2 | 22.1 | 1.6 | 17.5 |
| Rail | 13.0 | 2.3 | 9.6 | 2.4 | 12.3 | 3.2 | 10.6 |
| Water | 25.6 | .7 | 26.6 | 1.0 | 33.4 | 2.2 | 16.9 |
| Shallow draft | 29.3 | .7 | 31.1 | .9 | 36.1 | 2.2 | 17.0 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air)..... | S | S | S | S | S | S | 22.4 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 35.7 | .9 | 48.3 | .8 | 36.5 | 1.5 | 14.2 |
| Parcel, U.S. Postal Service or courier | S | S | S | S | 46.0 | — | 20.9 |
| Truck and rail | 30.8 | .6 | 34.3 | .2 | 37.2 | 1.0 | 15.4 |
| Truck and water | S | S | S | S | S | S | 21.1 |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 32.3 | .6 | S | S | 46.4 | .7 | 32.5 |
| SCTG 43, MIXED FREIGHT | | | | | | | |
| Total | 13.7 | — | 15.2 | — | 10.8 | — | 9.9 |
| Single modes | 14.0 | .9 | 15.5 | .9 | 11.0 | 1.5 | 9.3 |
| Truck | 14.0 | .9 | 15.5 | .9 | 11.0 | 1.5 | 9.2 |
| For-hire truck | 12.6 | 2.3 | 11.4 | 2.2 | 13.2 | 3.9 | 12.8 |
| Private truck | 16.1 | 2.3 | 17.9 | 2.1 | 14.3 | 3.6 | 9.4 |
| Rail | S | S | S | S | S | S | 22.4 |
| Water | — | — | — | — | — | — | — |
| Shallow draft | — | — | — | — | — | — | — |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | — | — | — | — | — | — | — |
| Air (includes truck and air)..... | S | S | S | S | S | S | 17.3 |
| Pipeline | — | — | — | — | — | — | S |
| Multiple modes | 36.1 | .5 | S | S | S | S | 21.3 |
| Parcel, U.S. Postal Service or courier | 37.3 | .5 | S | S | S | S | 21.3 |
| Truck and rail | S | S | S | S | S | S | 22.4 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | — | — | — | — | — | — | — |
| Other and unknown modes | 36.0 | .7 | 49.3 | .9 | 47.7 | .9 | S |

See footnotes at end of table.

Table B-7. Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and mode of transportation | Value | | Tons | | Ton-miles | | Average miles per shipment—coefficient of variation |
|--|------------------------------------|------------------------------|------------------------------------|------------------------------|------------------------------------|------------------------------|---|
| | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | Coefficient of variation of number | Standard error of percentage | |
| COMMODITY UNKNOWN | | | | | | | |
| Total | 14.0 | — | S | S | S | S | 13.2 |
| Single modes | 14.8 | 2.2 | S | S | S | S | 21.0 |
| Truck | 15.5 | 2.9 | S | S | S | S | 8.8 |
| For-hire truck | 19.7 | 4.3 | 18.4 | 6.4 | 19.4 | 8.0 | 8.1 |
| Private truck | 29.2 | 5.2 | S | S | S | S | 14.6 |
| Rail | 36.0 | .9 | 39.3 | 2.5 | 43.5 | 4.5 | 17.7 |
| Water | S | S | S | S | S | S | 22.2 |
| Shallow draft | S | S | S | S | S | S | 22.8 |
| Great Lakes | — | — | — | — | — | — | — |
| Deep draft | S | S | S | S | S | S | 22.4 |
| Air (includes truck and air) | 40.0 | .3 | 43.1 | — | 40.1 | — | 13.8 |
| Pipeline | S | S | S | S | S | S | S |
| Multiple modes | 22.4 | 1.6 | S | S | S | S | 8.2 |
| Parcel, U.S. Postal Service or courier | 16.8 | 1.5 | 22.7 | 2 | 22.8 | .5 | 8.2 |
| Truck and rail | S | S | S | S | S | S | 22.1 |
| Truck and water | — | — | — | — | — | — | — |
| Rail and water | — | — | — | — | — | — | — |
| Other multiple modes | S | S | S | S | S | S | 22.4 |
| Other and unknown modes | 27.3 | 1.6 | S | S | 39.7 | 1.6 | 24.5 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|---|-------------|-------------|-------------|
| All commodities | 2.1 | 3.0 | 4.7 |
| Less than 50 miles | 2.5 | 3.4 | 2.8 |
| 50 to 99 miles | 6.2 | 6.1 | 6.3 |
| 100 to 249 miles | 3.9 | 4.6 | 5.6 |
| 250 to 499 miles | 3.6 | 6.6 | 6.3 |
| 500 to 749 miles | 2.0 | 6.9 | 7.8 |
| 750 to 999 miles | 2.7 | 9.8 | 9.2 |
| 1,000 to 1,499 miles | 8.1 | 12.6 | 15.0 |
| 1,500 to 1,999 miles | 6.6 | 6.1 | 6.9 |
| 2,000 miles or more | 5.4 | 6.0 | 6.0 |
| SCTG 01, Live animals and live fish | 19.2 | 30.9 | 25.0 |
| Less than 50 miles | 23.6 | 37.2 | 31.8 |
| 50 to 99 miles | 28.6 | S | S |
| 100 to 249 miles | 49.6 | S | S |
| 250 to 499 miles | 23.3 | 28.1 | 30.5 |
| 500 to 749 miles | 42.4 | 45.8 | 48.3 |
| 750 to 999 miles | 43.0 | 42.6 | 41.8 |
| 1,000 to 1,499 miles | 31.1 | 31.0 | 31.0 |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 02, Cereal grains | 24.0 | 21.1 | 21.2 |
| Less than 50 miles | 31.8 | 27.8 | 30.3 |
| 50 to 99 miles | 22.5 | 23.7 | 22.5 |
| 100 to 249 miles | 17.8 | 15.6 | 15.1 |
| 250 to 499 miles | 16.4 | 17.7 | 19.0 |
| 500 to 749 miles | 39.0 | 32.1 | 32.5 |
| 750 to 999 miles | 38.0 | S | S |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 03, Other agricultural products | 7.4 | 13.1 | 13.9 |
| Less than 50 miles | 9.8 | 17.7 | 19.9 |
| 50 to 99 miles | 8.9 | 13.7 | 17.6 |
| 100 to 249 miles | 15.9 | 24.4 | 33.1 |
| 250 to 499 miles | 14.2 | 22.8 | 23.7 |
| 500 to 749 miles | 16.1 | 34.2 | 34.3 |
| 750 to 999 miles | 18.4 | 36.0 | 35.7 |
| 1,000 to 1,499 miles | 13.7 | 21.7 | 21.1 |
| 1,500 to 1,999 miles | 29.8 | 32.8 | 31.2 |
| 2,000 miles or more | 42.3 | 26.7 | 26.7 |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 11.3 | 6.5 | 9.3 |
| Less than 50 miles | 8.7 | 8.5 | 9.8 |
| 50 to 99 miles | 39.5 | 16.8 | 16.4 |
| 100 to 249 miles | 24.0 | 9.7 | 9.4 |
| 250 to 499 miles | 14.2 | 13.5 | 13.7 |
| 500 to 749 miles | 21.8 | 26.6 | 28.4 |
| 750 to 999 miles | 38.1 | 27.5 | 27.8 |
| 1,000 to 1,499 miles | 15.9 | 21.4 | 21.3 |
| 1,500 to 1,999 miles | 48.0 | 30.2 | 30.8 |
| 2,000 miles or more | S | 38.3 | 38.9 |
| SCTG 05, Meat, fish, seafood, and their preparations | 4.4 | 5.4 | 7.3 |
| Less than 50 miles | 7.9 | 9.0 | 8.7 |
| 50 to 99 miles | 8.8 | 8.5 | 8.4 |
| 100 to 249 miles | 6.5 | 5.8 | 5.8 |
| 250 to 499 miles | 7.8 | 9.0 | 8.6 |
| 500 to 749 miles | 7.3 | 7.8 | 7.9 |
| 750 to 999 miles | 13.1 | 10.1 | 10.3 |
| 1,000 to 1,499 miles | 13.7 | 17.9 | 15.9 |
| 1,500 to 1,999 miles | 14.4 | 11.9 | 11.5 |
| 2,000 miles or more | 17.7 | 20.2 | 20.6 |
| SCTG 06, Milled grain products and preparations, and bakery products | 11.4 | 6.8 | 7.3 |
| Less than 50 miles | 10.8 | 9.6 | 11.1 |
| 50 to 99 miles | 10.0 | 9.1 | 9.0 |
| 100 to 249 miles | 24.8 | 9.8 | 9.6 |
| 250 to 499 miles | 14.3 | 16.5 | 14.5 |
| 500 to 749 miles | 12.3 | 8.4 | 8.5 |
| 750 to 999 miles | 8.3 | 8.7 | 9.7 |
| 1,000 to 1,499 miles | 15.7 | 13.9 | 13.9 |
| 1,500 to 1,999 miles | 18.7 | 18.9 | 19.1 |
| 2,000 miles or more | 26.2 | 27.6 | 27.1 |
| SCTG 07, Other prepared foodstuffs and fats and oils | 6.9 | 5.7 | 6.7 |
| Less than 50 miles | 6.3 | 6.5 | 7.5 |
| 50 to 99 miles | 20.4 | 10.7 | 11.3 |
| 100 to 249 miles | 17.5 | 11.4 | 11.0 |
| 250 to 499 miles | 5.9 | 7.9 | 8.1 |
| 500 to 749 miles | 7.8 | 11.8 | 12.6 |
| 750 to 999 miles | 7.8 | 13.2 | 13.2 |
| 1,000 to 1,499 miles | 10.9 | 19.9 | 19.4 |
| 1,500 to 1,999 miles | 10.6 | 22.9 | 26.8 |
| 2,000 miles or more | 12.5 | 14.1 | 14.7 |

See footnotes at end of table.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 08, Alcoholic beverages | 4.2 | 5.8 | 14.7 |
| Less than 50 miles | 3.7 | 4.3 | 4.8 |
| 50 to 99 miles | 8.9 | 10.5 | 10.2 |
| 100 to 249 miles | 10.5 | 13.3 | 13.4 |
| 250 to 499 miles | 18.3 | 17.2 | 16.7 |
| 500 to 749 miles | 18.8 | 22.4 | 24.8 |
| 750 to 999 miles | 21.9 | 29.2 | 28.7 |
| 1,000 to 1,499 miles | 40.1 | 26.9 | 26.8 |
| 1,500 to 1,999 miles | 28.9 | 37.0 | 36.8 |
| 2,000 miles or more | 44.6 | 44.1 | 45.0 |
| SCTG 09, Tobacco products | 17.7 | 29.8 | 23.8 |
| Less than 50 miles | 29.6 | 44.6 | 47.0 |
| 50 to 99 miles | 14.5 | 18.9 | 18.7 |
| 100 to 249 miles | 16.5 | 19.5 | 18.5 |
| 250 to 499 miles | 22.0 | 18.4 | 18.5 |
| 500 to 749 miles | 21.7 | 20.9 | 20.9 |
| 750 to 999 miles | 27.6 | 26.2 | 26.7 |
| 1,000 to 1,499 miles | 44.8 | 44.4 | 46.3 |
| 1,500 to 1,999 miles | 39.1 | 37.8 | 38.4 |
| 2,000 miles or more | 39.1 | 43.2 | 44.1 |
| SCTG 10, Monumental or building stone | 20.1 | 23.9 | 18.9 |
| Less than 50 miles | 27.1 | 31.2 | 27.6 |
| 50 to 99 miles | 36.6 | 35.6 | 38.9 |
| 100 to 249 miles | 42.7 | 31.9 | 32.6 |
| 250 to 499 miles | 37.8 | 25.8 | 25.0 |
| 500 to 749 miles | 31.3 | 24.8 | 25.4 |
| 750 to 999 miles | 41.6 | 34.0 | 32.7 |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 11, Natural sands | 11.3 | 15.4 | 16.3 |
| Less than 50 miles | 18.1 | 15.9 | 13.6 |
| 50 to 99 miles | 17.1 | 36.9 | 36.8 |
| 100 to 249 miles | 17.6 | 26.1 | 31.9 |
| 250 to 499 miles | 23.9 | 30.0 | 30.3 |
| 500 to 749 miles | 36.1 | 31.9 | 34.2 |
| 750 to 999 miles | 38.4 | 37.4 | 39.9 |
| 1,000 to 1,499 miles | 37.9 | 30.9 | 32.5 |
| 1,500 to 1,999 miles | 40.0 | S | S |
| 2,000 miles or more | 47.0 | 48.0 | 47.6 |
| SCTG 12, Gravel and crushed stone | 8.6 | 8.2 | 9.0 |
| Less than 50 miles | 8.9 | 10.0 | 11.0 |
| 50 to 99 miles | 13.1 | 14.5 | 14.2 |
| 100 to 249 miles | 9.7 | 11.7 | 12.0 |
| 250 to 499 miles | 16.9 | 22.6 | 23.1 |
| 500 to 749 miles | S | 43.1 | 46.4 |
| 750 to 999 miles | 35.7 | 34.3 | 34.2 |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 13, Nonmetallic minerals n.e.c. | 12.4 | 19.4 | 20.2 |
| Less than 50 miles | 10.6 | 28.5 | 31.0 |
| 50 to 99 miles | 28.9 | 29.6 | 24.3 |
| 100 to 249 miles | 34.9 | 15.7 | 23.9 |
| 250 to 499 miles | 28.4 | 10.9 | 10.4 |
| 500 to 749 miles | 12.6 | 46.6 | S |
| 750 to 999 miles | 10.3 | 16.0 | 17.1 |
| 1,000 to 1,499 miles | 18.5 | 21.4 | 21.2 |
| 1,500 to 1,999 miles | 21.1 | 34.6 | 33.3 |
| 2,000 miles or more | 28.1 | 36.1 | 37.1 |
| SCTG 14, Metallic ores and concentrates | 21.7 | 30.2 | 34.4 |
| Less than 50 miles | 46.9 | 34.1 | 40.2 |
| 50 to 99 miles | 35.9 | S | S |
| 100 to 249 miles | 27.9 | 46.5 | 37.3 |
| 250 to 499 miles | 29.8 | 28.5 | 29.5 |
| 500 to 749 miles | 20.2 | 36.0 | 40.0 |
| 750 to 999 miles | 28.9 | 41.2 | 42.2 |
| 1,000 to 1,499 miles | 26.1 | 45.7 | 47.9 |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | 43.5 | S | S |
| SCTG 15, Coal | 8.0 | 8.0 | 10.7 |
| Less than 50 miles | 12.9 | 11.4 | 14.0 |
| 50 to 99 miles | 20.5 | 21.5 | 29.5 |
| 100 to 249 miles | 11.9 | 12.9 | 13.3 |
| 250 to 499 miles | 11.5 | 12.5 | 12.3 |
| 500 to 749 miles | 23.8 | 26.6 | 29.5 |
| 750 to 999 miles | S | S | S |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | 47.1 | S | S |

See footnotes at end of table.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 17, Gasoline and aviation turbine fuel | 4.7 | 10.7 | 26.0 |
| Less than 50 miles | 6.0 | 11.7 | 7.2 |
| 50 to 99 miles | 17.5 | 21.6 | 20.7 |
| 100 to 249 miles | 10.3 | 12.0 | 12.7 |
| 250 to 499 miles | 29.6 | 32.1 | 27.0 |
| 500 to 749 miles | 28.0 | 39.6 | 41.0 |
| 750 to 999 miles | 31.2 | 38.5 | 38.6 |
| 1,000 to 1,499 miles | 44.3 | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 18, Fuel oils | 9.3 | 10.4 | 18.4 |
| Less than 50 miles | 13.2 | 15.3 | 21.9 |
| 50 to 99 miles | 14.7 | 19.0 | 22.2 |
| 100 to 249 miles | 21.0 | 18.5 | 20.7 |
| 250 to 499 miles | 28.3 | 28.9 | S |
| 500 to 749 miles | 33.5 | 33.4 | 31.5 |
| 750 to 999 miles | S | S | S |
| 1,000 to 1,499 miles | S | S | S |
| 1,500 to 1,999 miles | S | S | S |
| 2,000 miles or more | S | S | S |
| SCTG 19, Coal and petroleum products, n.e.c. | 7.8 | 8.5 | 8.7 |
| Less than 50 miles | 10.4 | 12.2 | 14.1 |
| 50 to 99 miles | 13.0 | 19.5 | 22.6 |
| 100 to 249 miles | 12.1 | 13.9 | 14.8 |
| 250 to 499 miles | 13.4 | 13.4 | 17.2 |
| 500 to 749 miles | 24.7 | 24.3 | 22.8 |
| 750 to 999 miles | 18.8 | 13.5 | 15.2 |
| 1,000 to 1,499 miles | 18.4 | 25.4 | 28.4 |
| 1,500 to 1,999 miles | 24.3 | 27.8 | 27.1 |
| 2,000 miles or more | 42.4 | 45.4 | 45.4 |
| SCTG 20, Basic chemicals | 17.8 | 10.5 | 17.6 |
| Less than 50 miles | 16.5 | 8.7 | 9.6 |
| 50 to 99 miles | 9.5 | 9.7 | 10.6 |
| 100 to 249 miles | 9.3 | 12.2 | 13.5 |
| 250 to 499 miles | 35.8 | 29.4 | 25.0 |
| 500 to 749 miles | 7.2 | 10.7 | 12.0 |
| 750 to 999 miles | 10.9 | 20.5 | 22.7 |
| 1,000 to 1,499 miles | S | 44.8 | 43.1 |
| 1,500 to 1,999 miles | 13.8 | 10.7 | 11.1 |
| 2,000 miles or more | 22.3 | 30.9 | 30.2 |
| SCTG 21, Pharmaceutical products | 9.2 | 19.3 | 33.4 |
| Less than 50 miles | 22.0 | 38.9 | 28.9 |
| 50 to 99 miles | 12.0 | 20.5 | 21.3 |
| 100 to 249 miles | 9.4 | 12.5 | 12.0 |
| 250 to 499 miles | 13.8 | 34.0 | 35.6 |
| 500 to 749 miles | 14.6 | 41.0 | 40.4 |
| 750 to 999 miles | 15.2 | 30.1 | 29.6 |
| 1,000 to 1,499 miles | 19.2 | 22.8 | 23.9 |
| 1,500 to 1,999 miles | 26.3 | 28.8 | 28.1 |
| 2,000 miles or more | 19.1 | S | S |
| SCTG 22, Fertilizers | 7.3 | 11.8 | 9.8 |
| Less than 50 miles | 11.5 | 18.0 | 23.0 |
| 50 to 99 miles | 16.7 | 8.3 | 8.8 |
| 100 to 249 miles | 12.0 | 10.8 | 11.8 |
| 250 to 499 miles | 9.5 | 12.4 | 11.5 |
| 500 to 749 miles | 15.3 | 15.1 | 17.8 |
| 750 to 999 miles | 17.1 | 19.0 | 22.5 |
| 1,000 to 1,499 miles | 25.5 | 23.9 | 24.5 |
| 1,500 to 1,999 miles | 33.0 | 35.2 | 35.7 |
| 2,000 miles or more | S | S | S |
| SCTG 23, Chemical products and preparations, n.e.c. | 5.5 | 7.0 | 12.1 |
| Less than 50 miles | 5.4 | 8.0 | 6.6 |
| 50 to 99 miles | 8.8 | 11.3 | 10.8 |
| 100 to 249 miles | 14.4 | 11.6 | 13.2 |
| 250 to 499 miles | 8.8 | 13.1 | 13.7 |
| 500 to 749 miles | 7.5 | 8.3 | 8.5 |
| 750 to 999 miles | 6.8 | 9.2 | 9.7 |
| 1,000 to 1,499 miles | 10.9 | 16.8 | 17.6 |
| 1,500 to 1,999 miles | 19.5 | 35.4 | 33.0 |
| 2,000 miles or more | 19.1 | 16.3 | 17.3 |
| SCTG 24, Plastics and rubber | 3.7 | 4.6 | 6.5 |
| Less than 50 miles | 5.0 | 10.2 | 13.3 |
| 50 to 99 miles | 5.5 | 8.1 | 8.5 |
| 100 to 249 miles | 5.2 | 7.8 | 7.7 |
| 250 to 499 miles | 7.9 | 6.3 | 6.2 |
| 500 to 749 miles | 5.0 | 6.6 | 7.0 |
| 750 to 999 miles | 5.3 | 10.4 | 10.7 |
| 1,000 to 1,499 miles | 5.7 | 8.6 | 8.8 |
| 1,500 to 1,999 miles | 7.5 | 10.0 | 10.6 |
| 2,000 miles or more | 13.9 | 18.7 | 18.5 |

See footnotes at end of table.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 25, Logs and other wood in the rough | 9.5 | 14.6 | 18.5 |
| Less than 50 miles | 12.9 | 17.9 | 14.8 |
| 50 to 99 miles | 21.3 | 33.2 | 32.3 |
| 100 to 249 miles | 19.6 | 38.7 | 43.1 |
| 250 to 499 miles | 22.1 | 33.7 | 32.9 |
| 500 to 749 miles | 33.9 | S | S |
| 750 to 999 miles | 33.7 | S | S |
| 1,000 to 1,499 miles | 41.3 | S | S |
| 1,500 to 1,999 miles | 45.1 | 44.8 | 44.3 |
| 2,000 miles or more | 43.1 | 44.3 | 43.1 |
| SCTG 26, Wood products | 7.0 | 13.1 | 17.0 |
| Less than 50 miles | 4.7 | 13.5 | 12.8 |
| 50 to 99 miles | 5.4 | 18.6 | 18.7 |
| 100 to 249 miles | 13.7 | 23.0 | 27.2 |
| 250 to 499 miles | 9.8 | 17.9 | 15.1 |
| 500 to 749 miles | 8.9 | 13.5 | 13.9 |
| 750 to 999 miles | 12.6 | 24.6 | 24.5 |
| 1,000 to 1,499 miles | 10.9 | 22.9 | 24.1 |
| 1,500 to 1,999 miles | 11.5 | 9.6 | 9.5 |
| 2,000 miles or more | 14.7 | 12.2 | 12.1 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 5.7 | 4.2 | 5.3 |
| Less than 50 miles | 11.3 | 7.7 | 9.3 |
| 50 to 99 miles | 6.3 | 8.0 | 8.2 |
| 100 to 249 miles | 10.4 | 8.5 | 8.8 |
| 250 to 499 miles | 6.4 | 6.0 | 6.6 |
| 500 to 749 miles | 5.7 | 5.1 | 5.0 |
| 750 to 999 miles | 9.3 | 11.6 | 12.1 |
| 1,000 to 1,499 miles | 8.9 | 9.2 | 9.4 |
| 1,500 to 1,999 miles | 12.8 | 12.1 | 12.1 |
| 2,000 miles or more | 15.9 | 15.8 | 16.0 |
| SCTG 28, Paper or paperboard articles | 5.1 | 4.8 | 7.3 |
| Less than 50 miles | 5.9 | 6.5 | 6.6 |
| 50 to 99 miles | 5.5 | 8.4 | 8.2 |
| 100 to 249 miles | 11.5 | 5.6 | 5.1 |
| 250 to 499 miles | 10.4 | 8.4 | 8.2 |
| 500 to 749 miles | 9.1 | 9.4 | 9.6 |
| 750 to 999 miles | 15.4 | 12.2 | 12.2 |
| 1,000 to 1,499 miles | 15.5 | 15.1 | 15.0 |
| 1,500 to 1,999 miles | 14.2 | 17.0 | 19.0 |
| 2,000 miles or more | 15.1 | 22.0 | 21.3 |
| SCTG 29, Printed products | 4.8 | 8.8 | 6.5 |
| Less than 50 miles | 6.6 | 13.5 | 10.8 |
| 50 to 99 miles | 4.8 | 9.8 | 9.9 |
| 100 to 249 miles | 15.3 | 8.0 | 9.0 |
| 250 to 499 miles | 11.3 | 11.4 | 10.9 |
| 500 to 749 miles | 8.8 | 13.3 | 12.9 |
| 750 to 999 miles | 7.6 | 8.2 | 8.2 |
| 1,000 to 1,499 miles | 17.9 | 12.8 | 13.5 |
| 1,500 to 1,999 miles | 11.4 | 22.0 | 21.5 |
| 2,000 miles or more | 11.5 | 17.9 | 17.5 |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 10.2 | 5.8 | 7.5 |
| Less than 50 miles | 14.3 | 8.7 | 8.9 |
| 50 to 99 miles | 44.3 | 7.2 | 7.2 |
| 100 to 249 miles | 14.3 | 8.3 | 8.8 |
| 250 to 499 miles | 8.4 | 10.1 | 9.2 |
| 500 to 749 miles | 7.4 | 9.6 | 9.3 |
| 750 to 999 miles | 5.5 | 8.2 | 8.2 |
| 1,000 to 1,499 miles | 10.5 | 9.6 | 9.6 |
| 1,500 to 1,999 miles | 21.8 | 19.4 | 20.2 |
| 2,000 miles or more | 7.1 | 12.6 | 13.4 |
| SCTG 31, Nonmetallic mineral products | 3.8 | 4.8 | 4.7 |
| Less than 50 miles | 4.4 | 6.6 | 6.6 |
| 50 to 99 miles | 4.6 | 11.0 | 10.4 |
| 100 to 249 miles | 8.4 | 7.0 | 5.9 |
| 250 to 499 miles | 5.5 | 6.9 | 7.2 |
| 500 to 749 miles | 8.6 | 7.5 | 7.2 |
| 750 to 999 miles | 9.3 | 9.3 | 9.4 |
| 1,000 to 1,499 miles | 8.6 | 13.2 | 13.1 |
| 1,500 to 1,999 miles | 22.0 | 24.3 | 25.5 |
| 2,000 miles or more | 10.9 | 30.2 | 31.3 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 3.8 | 9.5 | 7.6 |
| Less than 50 miles | 6.5 | 13.8 | 13.7 |
| 50 to 99 miles | 8.2 | 13.8 | 14.4 |
| 100 to 249 miles | 5.9 | 11.9 | 12.8 |
| 250 to 499 miles | 5.1 | 10.2 | 11.5 |
| 500 to 749 miles | 6.7 | 11.4 | 11.9 |
| 750 to 999 miles | 9.9 | 10.9 | 13.2 |
| 1,000 to 1,499 miles | 11.3 | 11.5 | 11.7 |
| 1,500 to 1,999 miles | 15.1 | 27.6 | 30.9 |
| 2,000 miles or more | 21.6 | 23.3 | 23.0 |

See footnotes at end of table.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 33, Articles of base metal | 3.0 | 7.9 | 10.5 |
| Less than 50 miles | 3.3 | 8.8 | 7.8 |
| 50 to 99 miles | 6.6 | 16.5 | 17.6 |
| 100 to 249 miles | 4.7 | 10.7 | 11.1 |
| 250 to 499 miles | 6.8 | 11.5 | 11.5 |
| 500 to 749 miles | 6.0 | 17.4 | 17.3 |
| 750 to 999 miles | 6.2 | 11.8 | 15.2 |
| 1,000 to 1,499 miles | 8.1 | 12.8 | 13.1 |
| 1,500 to 1,999 miles | 14.3 | 20.7 | 22.4 |
| 2,000 miles or more | 10.7 | 28.1 | 27.8 |
| SCTG 34, Machinery | 4.8 | 3.8 | 4.3 |
| Less than 50 miles | 5.9 | 7.9 | 12.0 |
| 50 to 99 miles | 13.3 | 16.3 | 17.0 |
| 100 to 249 miles | 8.9 | 10.5 | 8.1 |
| 250 to 499 miles | 13.8 | 10.6 | 11.5 |
| 500 to 749 miles | 5.4 | 5.5 | 5.5 |
| 750 to 999 miles | 10.4 | 9.1 | 9.0 |
| 1,000 to 1,499 miles | 10.0 | 9.6 | 9.7 |
| 1,500 to 1,999 miles | 8.5 | 11.5 | 11.5 |
| 2,000 miles or more | 20.6 | 14.8 | 14.3 |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 9.6 | 8.0 | 8.1 |
| Less than 50 miles | 15.6 | 14.6 | 21.7 |
| 50 to 99 miles | 10.7 | 14.6 | 17.7 |
| 100 to 249 miles | 18.2 | 16.0 | 17.2 |
| 250 to 499 miles | 22.2 | 8.0 | 7.8 |
| 500 to 749 miles | 10.0 | 11.5 | 11.3 |
| 750 to 999 miles | 9.2 | 14.3 | 15.0 |
| 1,000 to 1,499 miles | 18.3 | 12.7 | 13.3 |
| 1,500 to 1,999 miles | 18.8 | 19.2 | 18.4 |
| 2,000 miles or more | 11.0 | 11.0 | 10.5 |
| SCTG 36, Motorized and other vehicles (including parts) | 7.7 | 7.3 | 8.6 |
| Less than 50 miles | 11.0 | 10.8 | 16.5 |
| 50 to 99 miles | 16.5 | 18.0 | 17.3 |
| 100 to 249 miles | 10.6 | 9.5 | 9.0 |
| 250 to 499 miles | 9.0 | 9.4 | 10.0 |
| 500 to 749 miles | 12.6 | 10.6 | 11.3 |
| 750 to 999 miles | 14.4 | 15.0 | 15.4 |
| 1,000 to 1,499 miles | 10.8 | 9.9 | 10.6 |
| 1,500 to 1,999 miles | 18.2 | 17.1 | 17.3 |
| 2,000 miles or more | 22.2 | 22.3 | 21.8 |
| SCTG 37, Transportation equipment, n.e.c. | 11.8 | 13.5 | 12.6 |
| Less than 50 miles | 26.3 | 30.0 | 40.5 |
| 50 to 99 miles | 20.0 | 29.0 | 37.3 |
| 100 to 249 miles | 30.8 | 23.3 | 23.8 |
| 250 to 499 miles | 8.0 | 22.7 | 25.9 |
| 500 to 749 miles | 13.4 | 19.6 | 20.5 |
| 750 to 999 miles | 17.9 | 21.2 | 22.7 |
| 1,000 to 1,499 miles | 20.0 | 20.7 | 23.1 |
| 1,500 to 1,999 miles | 47.1 | 21.6 | 21.3 |
| 2,000 miles or more | 20.3 | 32.3 | S |
| SCTG 38, Precision instruments and apparatus | 19.1 | 16.6 | 19.7 |
| Less than 50 miles | 10.0 | 11.6 | 15.5 |
| 50 to 99 miles | 14.8 | S | S |
| 100 to 249 miles | 10.6 | 20.9 | 17.7 |
| 250 to 499 miles | 11.9 | 25.6 | 18.5 |
| 500 to 749 miles | 25.2 | 34.4 | 33.6 |
| 750 to 999 miles | 29.2 | 23.2 | 22.5 |
| 1,000 to 1,499 miles | 47.9 | 26.9 | 26.5 |
| 1,500 to 1,999 miles | 25.1 | 17.3 | 17.4 |
| 2,000 miles or more | 24.4 | S | 49.6 |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 10.8 | 8.0 | 6.3 |
| Less than 50 miles | 12.7 | 16.9 | 24.7 |
| 50 to 99 miles | 24.1 | 17.0 | 15.1 |
| 100 to 249 miles | 26.3 | 19.2 | 15.6 |
| 250 to 499 miles | 20.5 | 11.5 | 11.9 |
| 500 to 749 miles | 5.4 | 7.1 | 6.8 |
| 750 to 999 miles | 10.2 | 8.3 | 8.1 |
| 1,000 to 1,499 miles | 12.4 | 11.9 | 11.7 |
| 1,500 to 1,999 miles | 9.7 | 9.4 | 9.5 |
| 2,000 miles or more | 8.5 | 11.7 | 12.8 |
| SCTG 40, Miscellaneous manufactured products | 7.6 | 7.5 | 7.4 |
| Less than 50 miles | 6.6 | 20.9 | 18.5 |
| 50 to 99 miles | 14.0 | 15.4 | 14.3 |
| 100 to 249 miles | 17.6 | 9.8 | 9.3 |
| 250 to 499 miles | 8.4 | 7.7 | 7.6 |
| 500 to 749 miles | 9.1 | 9.3 | 9.1 |
| 750 to 999 miles | 14.5 | 15.1 | 14.9 |
| 1,000 to 1,499 miles | 17.2 | 13.2 | 13.8 |
| 1,500 to 1,999 miles | 13.1 | 13.0 | 13.1 |
| 2,000 miles or more | 7.4 | 23.6 | 22.7 |

See footnotes at end of table.

Table B-8. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and distance shipped (based on Great Circle Distance) | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 41, Waste and scrap | 5.7 | 6.2 | 7.9 |
| Less than 50 miles | 17.6 | 11.8 | 16.4 |
| 50 to 99 miles | 10.1 | 14.9 | 14.4 |
| 100 to 249 miles | 7.3 | 10.1 | 11.9 |
| 250 to 499 miles | 13.6 | 14.7 | 14.0 |
| 500 to 749 miles | 15.0 | 22.6 | 21.4 |
| 750 to 999 miles | 21.8 | 15.3 | 15.3 |
| 1,000 to 1,499 miles | 23.4 | 24.1 | 24.5 |
| 1,500 to 1,999 miles | S | 45.0 | 46.4 |
| 2,000 miles or more | 44.7 | S | S |
| SCTG 43, Mixed freight | 13.7 | 15.2 | 10.8 |
| Less than 50 miles | 18.0 | 22.1 | 23.8 |
| 50 to 99 miles | 15.0 | 15.8 | 15.0 |
| 100 to 249 miles | 16.0 | 14.1 | 13.9 |
| 250 to 499 miles | 29.5 | 17.4 | 17.3 |
| 500 to 749 miles | 22.7 | 21.4 | 21.0 |
| 750 to 999 miles | 19.8 | 29.6 | 30.4 |
| 1,000 to 1,499 miles | 44.7 | S | S |
| 1,500 to 1,999 miles | 36.9 | 40.6 | 42.1 |
| 2,000 miles or more | 37.2 | S | S |
| Commodity unknown | 14.0 | S | S |
| Less than 50 miles | 15.5 | 16.6 | 14.4 |
| 50 to 99 miles | 24.9 | 21.5 | 21.3 |
| 100 to 249 miles | 23.6 | 20.9 | 21.3 |
| 250 to 499 miles | 22.1 | S | S |
| 500 to 749 miles | 22.8 | 39.3 | 41.0 |
| 750 to 999 miles | 21.0 | 36.6 | 37.0 |
| 1,000 to 1,499 miles | 20.5 | 33.8 | 34.9 |
| 1,500 to 1,999 miles | 29.1 | 44.8 | S |
| 2,000 miles or more | S | S | S |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|---|-------------|-------------|-------------|
| All commodities | 2.1 | 3.0 | 4.7 |
| Less than 50 lb | 4.4 | 2.3 | 2.7 |
| 50 to 99 lb | 4.6 | 3.9 | 3.6 |
| 100 to 499 lb | 4.4 | 3.0 | 2.6 |
| 500 to 749 lb | 3.2 | 3.4 | 2.8 |
| 750 to 999 lb | 4.0 | 3.0 | 3.6 |
| 1,000 to 9,999 lb | 5.1 | 1.6 | 2.9 |
| 10,000 to 49,999 lb | 2.8 | 3.0 | 2.7 |
| 50,000 to 99,999 lb | 6.5 | 7.2 | 6.4 |
| 100,000 lb or more | 4.4 | 5.4 | 7.3 |
| SCTG 01, Live animals and live fish | 19.2 | 30.9 | 25.0 |
| Less than 50 lb | 35.1 | 37.4 | S |
| 50 to 99 lb | 32.7 | 39.4 | 46.5 |
| 100 to 499 lb | 28.0 | S | S |
| 500 to 749 lb | 40.2 | 32.8 | 40.1 |
| 750 to 999 lb | 45.4 | 48.5 | S |
| 1,000 to 9,999 lb | 37.1 | 35.4 | 34.1 |
| 10,000 to 49,999 lb | 21.9 | 38.9 | 24.5 |
| 50,000 to 99,999 lb | 36.5 | 34.8 | 43.4 |
| 100,000 lb or more | 33.2 | 45.1 | 31.2 |
| SCTG 02, Cereal grains | 24.0 | 21.1 | 21.2 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | 37.7 | 41.3 | 32.7 |
| 100 to 499 lb | 30.3 | 37.7 | 32.5 |
| 500 to 749 lb | 33.2 | 34.3 | 31.6 |
| 750 to 999 lb | 29.2 | 34.0 | 36.5 |
| 1,000 to 9,999 lb | S | 21.0 | 38.8 |
| 10,000 to 49,999 lb | 10.3 | 11.0 | 23.2 |
| 50,000 to 99,999 lb | 12.5 | 11.9 | 15.7 |
| 100,000 lb or more | 30.8 | 27.0 | 25.4 |
| SCTG 03, Other agricultural products | 7.4 | 13.1 | 13.9 |
| Less than 50 lb | 33.5 | 25.1 | 48.7 |
| 50 to 99 lb | 24.3 | 20.6 | 12.0 |
| 100 to 499 lb | 13.9 | 19.8 | 10.0 |
| 500 to 749 lb | 19.0 | 21.5 | 17.1 |
| 750 to 999 lb | 15.2 | 21.0 | 19.6 |
| 1,000 to 9,999 lb | 11.8 | 14.8 | 12.7 |
| 10,000 to 49,999 lb | 8.0 | 13.7 | 22.2 |
| 50,000 to 99,999 lb | 23.0 | 23.1 | 21.9 |
| 100,000 lb or more | 18.8 | 20.3 | 20.0 |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 11.3 | 6.5 | 9.3 |
| Less than 50 lb | 46.1 | S | 37.6 |
| 50 to 99 lb | S | 47.8 | 46.8 |
| 100 to 499 lb | 47.1 | 33.1 | 30.5 |
| 500 to 749 lb | 41.6 | 36.6 | 22.3 |
| 750 to 999 lb | 39.9 | 34.2 | 24.5 |
| 1,000 to 9,999 lb | 14.5 | 15.0 | 16.6 |
| 10,000 to 49,999 lb | 16.5 | 8.2 | 10.1 |
| 50,000 to 99,999 lb | 7.3 | 12.4 | 12.2 |
| 100,000 lb or more | 19.0 | 21.3 | 27.8 |
| SCTG 05, Meat, fish, seafood, and their preparations | 4.4 | 5.4 | 7.3 |
| Less than 50 lb | 31.0 | 30.3 | 47.6 |
| 50 to 99 lb | 28.8 | 31.7 | 36.0 |
| 100 to 499 lb | 15.4 | 19.4 | 13.8 |
| 500 to 749 lb | 13.0 | 11.9 | 11.2 |
| 750 to 999 lb | 13.4 | 11.9 | 9.1 |
| 1,000 to 9,999 lb | 6.7 | 8.7 | 8.9 |
| 10,000 to 49,999 lb | 5.9 | 6.4 | 8.2 |
| 50,000 to 99,999 lb | 29.0 | 19.3 | 21.3 |
| 100,000 lb or more | 35.8 | 23.8 | 20.4 |
| SCTG 06, Milled grain products and preparations, and bakery products | 11.4 | 6.8 | 7.3 |
| Less than 50 lb | 31.5 | 28.6 | 29.3 |
| 50 to 99 lb | 25.8 | 34.3 | 21.2 |
| 100 to 499 lb | 17.5 | 16.5 | 17.9 |
| 500 to 749 lb | 32.8 | 22.9 | 25.4 |
| 750 to 999 lb | 27.5 | 23.4 | 24.3 |
| 1,000 to 9,999 lb | 22.0 | 14.0 | 11.6 |
| 10,000 to 49,999 lb | 11.3 | 6.9 | 8.8 |
| 50,000 to 99,999 lb | 26.0 | 31.5 | 24.8 |
| 100,000 lb or more | 23.0 | 14.1 | 14.8 |
| SCTG 07, Other prepared foodstuffs and fats and oils | 6.9 | 5.7 | 6.7 |
| Less than 50 lb | 16.8 | 15.0 | 31.3 |
| 50 to 99 lb | 12.0 | 20.2 | 15.3 |
| 100 to 499 lb | 6.3 | 9.8 | 8.7 |
| 500 to 749 lb | 7.5 | 10.3 | 11.7 |
| 750 to 999 lb | 7.0 | 10.0 | 7.7 |
| 1,000 to 9,999 lb | 5.3 | 6.8 | 6.0 |
| 10,000 to 49,999 lb | 11.0 | 7.2 | 7.1 |
| 50,000 to 99,999 lb | 18.8 | 16.8 | 23.2 |
| 100,000 lb or more | 10.6 | 10.8 | 13.1 |

See footnotes at end of table.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 08, Alcoholic beverages | 4.2 | 5.8 | 14.7 |
| Less than 50 lb | 16.1 | 10.6 | 12.4 |
| 50 to 99 lb | 7.6 | 4.9 | 7.3 |
| 100 to 499 lb | 5.0 | 4.4 | 5.3 |
| 500 to 749 lb | 5.4 | 4.6 | 5.9 |
| 750 to 999 lb | 5.2 | 5.2 | 6.1 |
| 1,000 to 9,999 lb | 3.8 | 4.5 | 6.4 |
| 10,000 to 49,999 lb | 10.3 | 10.8 | 13.3 |
| 50,000 to 99,999 lb | 24.3 | 22.7 | 27.3 |
| 100,000 lb or more | 45.8 | 45.4 | S |
| SCTG 09, Tobacco products | 17.7 | 29.8 | 23.8 |
| Less than 50 lb | 8.7 | 8.4 | 22.7 |
| 50 to 99 lb | 13.9 | 13.8 | 17.1 |
| 100 to 499 lb | 12.8 | 12.7 | 14.4 |
| 500 to 749 lb | 10.9 | 13.9 | 24.8 |
| 750 to 999 lb | 26.5 | 23.9 | 35.7 |
| 1,000 to 9,999 lb | 18.2 | 13.8 | 18.4 |
| 10,000 to 49,999 lb | 22.3 | 34.9 | 25.2 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | 46.4 | S |
| SCTG 10, Monumental or building stone | 20.1 | 23.9 | 18.9 |
| Less than 50 lb | S | 49.2 | S |
| 50 to 99 lb | 39.9 | 34.8 | 41.5 |
| 100 to 499 lb | 37.0 | 37.4 | 45.0 |
| 500 to 749 lb | 33.0 | 28.2 | 39.1 |
| 750 to 999 lb | S | 33.2 | 35.2 |
| 1,000 to 9,999 lb | 24.0 | 18.8 | 23.1 |
| 10,000 to 49,999 lb | 25.9 | 30.2 | 19.5 |
| 50,000 to 99,999 lb | S | S | 48.1 |
| 100,000 lb or more | S | S | 40.6 |
| SCTG 11, Natural sands | 11.3 | 15.4 | 16.3 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | 32.6 | S |
| 100 to 499 lb | 42.0 | 26.3 | 34.8 |
| 500 to 749 lb | 38.4 | 31.9 | 42.9 |
| 750 to 999 lb | S | 49.5 | S |
| 1,000 to 9,999 lb | 26.0 | 18.3 | 22.1 |
| 10,000 to 49,999 lb | 17.5 | 19.9 | 10.7 |
| 50,000 to 99,999 lb | 15.9 | 28.8 | 31.3 |
| 100,000 lb or more | 22.5 | 27.7 | 27.8 |
| SCTG 12, Gravel and crushed stone | 8.6 | 8.2 | 9.0 |
| Less than 50 lb | S | S | 46.0 |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | S | S | S |
| 500 to 749 lb | 38.7 | S | S |
| 750 to 999 lb | 28.0 | 32.7 | 31.8 |
| 1,000 to 9,999 lb | 20.2 | 15.0 | 20.1 |
| 10,000 to 49,999 lb | 7.2 | 8.0 | 9.8 |
| 50,000 to 99,999 lb | 24.2 | 27.3 | 18.9 |
| 100,000 lb or more | 8.4 | 11.0 | 17.8 |
| SCTG 13, Nonmetallic minerals n.e.c. | 12.4 | 19.4 | 20.2 |
| Less than 50 lb | 33.7 | 26.1 | 38.9 |
| 50 to 99 lb | S | 42.7 | S |
| 100 to 499 lb | 39.0 | 26.4 | 40.3 |
| 500 to 749 lb | 38.4 | 35.8 | 42.3 |
| 750 to 999 lb | 45.6 | 28.3 | 36.8 |
| 1,000 to 9,999 lb | 26.7 | 23.8 | 22.4 |
| 10,000 to 49,999 lb | 22.8 | 38.6 | 12.7 |
| 50,000 to 99,999 lb | 14.7 | 28.6 | 15.5 |
| 100,000 lb or more | 8.7 | 15.2 | 26.1 |
| SCTG 14, Metallic ores and concentrates | 21.7 | 30.2 | 34.4 |
| Less than 50 lb | S | 23.9 | 38.6 |
| 50 to 99 lb | 40.6 | 44.4 | S |
| 100 to 499 lb | 47.3 | 29.6 | 43.4 |
| 500 to 749 lb | 45.1 | S | 42.8 |
| 750 to 999 lb | S | S | S |
| 1,000 to 9,999 lb | 21.7 | 38.1 | 27.5 |
| 10,000 to 49,999 lb | 28.2 | 43.9 | 43.4 |
| 50,000 to 99,999 lb | 40.8 | 48.2 | 41.1 |
| 100,000 lb or more | 49.2 | 46.3 | 35.5 |
| SCTG 15, Coal | 8.0 | 8.0 | 10.7 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | S | S | S |
| 500 to 749 lb | S | S | S |
| 750 to 999 lb | S | S | S |
| 1,000 to 9,999 lb | S | 24.3 | 33.4 |
| 10,000 to 49,999 lb | 19.6 | 21.1 | 29.1 |
| 50,000 to 99,999 lb | 31.5 | 29.4 | 35.2 |
| 100,000 lb or more | 7.6 | 7.7 | 11.0 |

See footnotes at end of table.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 17, Gasoline and aviation turbine fuel | 4.7 | 10.7 | 26.0 |
| Less than 50 lb | 47.2 | 44.5 | 39.9 |
| 50 to 99 lb | 23.3 | 23.0 | 24.8 |
| 100 to 499 lb | 31.3 | 27.2 | 28.5 |
| 500 to 749 lb | 41.3 | 27.2 | 29.6 |
| 750 to 999 lb | 31.2 | 21.5 | 28.0 |
| 1,000 to 9,999 lb | 13.7 | 15.5 | 18.4 |
| 10,000 to 49,999 lb | 12.5 | 16.7 | 22.6 |
| 50,000 to 99,999 lb | 6.4 | 8.6 | 13.6 |
| 100,000 lb or more | 8.2 | 18.4 | 29.9 |
| SCTG 18, Fuel oils | 9.3 | 10.4 | 18.4 |
| Less than 50 lb | S | 30.8 | 38.9 |
| 50 to 99 lb | S | 28.1 | 31.0 |
| 100 to 499 lb | 24.3 | 11.8 | 12.1 |
| 500 to 749 lb | 21.1 | 9.6 | 19.0 |
| 750 to 999 lb | 22.4 | 13.1 | 12.5 |
| 1,000 to 9,999 lb | 11.5 | 11.2 | 15.6 |
| 10,000 to 49,999 lb | 13.0 | 13.5 | 14.8 |
| 50,000 to 99,999 lb | 8.5 | 7.8 | 10.1 |
| 100,000 lb or more | 15.1 | 16.1 | 22.3 |
| SCTG 19, Coal and petroleum products, n.e.c. | 7.8 | 8.5 | 8.7 |
| Less than 50 lb | 23.0 | 14.1 | 37.6 |
| 50 to 99 lb | 20.1 | 17.3 | 49.2 |
| 100 to 499 lb | 14.8 | 17.5 | 43.6 |
| 500 to 749 lb | 14.9 | 21.2 | 22.6 |
| 750 to 999 lb | 20.1 | 25.6 | S |
| 1,000 to 9,999 lb | 15.1 | 16.5 | S |
| 10,000 to 49,999 lb | 10.9 | 18.5 | 22.5 |
| 50,000 to 99,999 lb | 16.4 | 14.2 | 15.1 |
| 100,000 lb or more | 11.0 | 10.1 | 11.1 |
| SCTG 20, Basic chemicals | 17.8 | 10.5 | 17.6 |
| Less than 50 lb | 20.6 | 18.6 | 24.9 |
| 50 to 99 lb | 21.8 | 27.2 | 33.4 |
| 100 to 499 lb | 14.5 | 23.1 | 15.1 |
| 500 to 749 lb | 17.0 | 25.8 | 28.9 |
| 750 to 999 lb | 23.0 | 29.9 | 22.5 |
| 1,000 to 9,999 lb | 16.8 | 14.0 | 33.5 |
| 10,000 to 49,999 lb | 21.7 | 15.7 | 27.1 |
| 50,000 to 99,999 lb | 18.4 | 11.0 | 16.3 |
| 100,000 lb or more | 17.2 | 10.1 | 15.8 |
| SCTG 21, Pharmaceutical products | 9.2 | 19.3 | 33.4 |
| Less than 50 lb | 11.4 | 10.3 | 13.7 |
| 50 to 99 lb | 12.9 | 8.8 | 18.9 |
| 100 to 499 lb | 11.0 | 12.3 | 34.3 |
| 500 to 749 lb | 28.1 | 18.5 | 37.6 |
| 750 to 999 lb | 23.8 | 24.2 | 29.7 |
| 1,000 to 9,999 lb | 17.0 | 15.2 | 20.2 |
| 10,000 to 49,999 lb | 17.7 | 28.8 | 40.9 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | S | S |
| SCTG 22, Fertilizers | 7.3 | 11.8 | 9.8 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | 48.4 | 26.4 | 38.6 |
| 100 to 499 lb | 32.2 | 22.3 | 35.7 |
| 500 to 749 lb | 21.0 | 27.2 | 24.2 |
| 750 to 999 lb | 20.8 | 20.2 | 28.3 |
| 1,000 to 9,999 lb | 14.8 | 14.5 | 18.9 |
| 10,000 to 49,999 lb | 16.3 | 9.1 | 15.5 |
| 50,000 to 99,999 lb | 17.0 | 17.0 | 13.7 |
| 100,000 lb or more | 8.9 | 15.2 | 11.9 |
| SCTG 23, Chemical products and preparations, n.e.c. | 5.5 | 7.0 | 12.1 |
| Less than 50 lb | 14.2 | 12.7 | 15.6 |
| 50 to 99 lb | 7.6 | 9.3 | 11.1 |
| 100 to 499 lb | 5.7 | 20.3 | 9.6 |
| 500 to 749 lb | 8.0 | 7.3 | 9.5 |
| 750 to 999 lb | 11.2 | 14.4 | 13.7 |
| 1,000 to 9,999 lb | 5.5 | 6.4 | 8.1 |
| 10,000 to 49,999 lb | 8.5 | 8.9 | 13.0 |
| 50,000 to 99,999 lb | 16.6 | 20.3 | 26.0 |
| 100,000 lb or more | 26.6 | 18.0 | 18.5 |
| SCTG 24, Plastics and rubber | 3.7 | 4.6 | 6.5 |
| Less than 50 lb | 5.8 | 6.5 | 11.3 |
| 50 to 99 lb | 6.6 | 6.6 | 8.2 |
| 100 to 499 lb | 5.2 | 7.9 | 7.7 |
| 500 to 749 lb | 7.6 | 11.6 | 10.6 |
| 750 to 999 lb | 6.2 | 6.0 | 7.9 |
| 1,000 to 9,999 lb | 4.4 | 5.8 | 5.7 |
| 10,000 to 49,999 lb | 6.0 | 6.9 | 7.7 |
| 50,000 to 99,999 lb | 15.2 | 14.3 | 21.8 |
| 100,000 lb or more | 6.5 | 8.4 | 9.1 |

See footnotes at end of table.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 25, Logs and other wood in the rough | 9.5 | 14.6 | 18.5 |
| Less than 50 lb | S | S | S |
| 50 to 99 lb | S | 47.3 | S |
| 100 to 499 lb | 44.5 | 31.9 | S |
| 500 to 749 lb | 42.0 | S | S |
| 750 to 999 lb | S | 32.3 | S |
| 1,000 to 9,999 lb | 24.0 | 35.3 | 21.1 |
| 10,000 to 49,999 lb | 11.3 | 14.9 | 17.2 |
| 50,000 to 99,999 lb | 12.3 | 18.1 | 20.5 |
| 100,000 lb or more | 24.2 | 33.9 | 47.8 |
| SCTG 26, Wood products | 7.0 | 13.1 | 17.0 |
| Less than 50 lb | 17.8 | 16.2 | 28.8 |
| 50 to 99 lb | 13.9 | 10.6 | 23.6 |
| 100 to 499 lb | 10.3 | 8.9 | 13.4 |
| 500 to 749 lb | 9.9 | 10.9 | 11.1 |
| 750 to 999 lb | 9.0 | 13.4 | 13.1 |
| 1,000 to 9,999 lb | 4.6 | 6.9 | 7.3 |
| 10,000 to 49,999 lb | 7.7 | 12.9 | 11.8 |
| 50,000 to 99,999 lb | 7.1 | 22.3 | 12.9 |
| 100,000 lb or more | 24.6 | 25.5 | 29.5 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 5.7 | 4.2 | 5.3 |
| Less than 50 lb | 9.3 | 8.5 | 15.7 |
| 50 to 99 lb | 9.4 | 10.9 | 24.3 |
| 100 to 499 lb | 10.9 | 10.3 | 20.2 |
| 500 to 749 lb | 12.2 | 10.6 | 16.9 |
| 750 to 999 lb | 9.9 | 8.6 | 21.0 |
| 1,000 to 9,999 lb | 8.5 | 9.1 | 12.1 |
| 10,000 to 49,999 lb | 8.3 | 5.7 | 6.6 |
| 50,000 to 99,999 lb | 14.2 | 15.8 | 15.0 |
| 100,000 lb or more | 4.4 | 6.0 | 7.4 |
| SCTG 28, Paper or paperboard articles | 5.1 | 4.8 | 7.3 |
| Less than 50 lb | 10.6 | 6.9 | 15.3 |
| 50 to 99 lb | 9.4 | 11.0 | 23.9 |
| 100 to 499 lb | 7.0 | 6.8 | 11.4 |
| 500 to 749 lb | 11.6 | 9.2 | 16.7 |
| 750 to 999 lb | 11.8 | 9.0 | 11.9 |
| 1,000 to 9,999 lb | 5.9 | 6.3 | 8.1 |
| 10,000 to 49,999 lb | 7.5 | 5.6 | 7.7 |
| 50,000 to 99,999 lb | 25.2 | 21.5 | 33.1 |
| 100,000 lb or more | 30.1 | 24.4 | 30.5 |
| SCTG 29, Printed products | 4.8 | 8.8 | 6.5 |
| Less than 50 lb | 8.0 | 10.4 | 11.9 |
| 50 to 99 lb | 13.0 | 9.9 | 14.0 |
| 100 to 499 lb | 14.5 | 11.6 | 15.2 |
| 500 to 749 lb | 8.9 | 18.5 | 10.5 |
| 750 to 999 lb | 10.7 | 21.5 | 10.1 |
| 1,000 to 9,999 lb | 6.6 | 7.5 | 7.3 |
| 10,000 to 49,999 lb | 6.8 | 12.9 | 10.4 |
| 50,000 to 99,999 lb | 23.5 | 32.5 | S |
| 100,000 lb or more | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 10.2 | 5.8 | 7.5 |
| Less than 50 lb | 6.7 | 5.5 | 5.8 |
| 50 to 99 lb | 6.2 | 6.1 | 7.8 |
| 100 to 499 lb | 5.6 | 5.3 | 6.4 |
| 500 to 749 lb | 6.2 | 6.7 | 9.7 |
| 750 to 999 lb | 11.7 | 7.9 | 9.1 |
| 1,000 to 9,999 lb | 27.9 | 6.9 | 9.1 |
| 10,000 to 49,999 lb | 7.1 | 6.4 | 10.7 |
| 50,000 to 99,999 lb | 45.1 | 40.5 | 28.1 |
| 100,000 lb or more | 19.7 | 23.3 | 39.0 |
| SCTG 31, Nonmetallic mineral products | 3.8 | 4.8 | 4.7 |
| Less than 50 lb | 18.4 | 26.9 | 13.3 |
| 50 to 99 lb | 12.4 | 10.5 | 15.3 |
| 100 to 499 lb | 9.4 | 8.9 | 12.4 |
| 500 to 749 lb | 11.9 | 10.5 | 15.3 |
| 750 to 999 lb | 18.0 | 13.9 | 20.8 |
| 1,000 to 9,999 lb | 13.8 | 6.5 | 7.7 |
| 10,000 to 49,999 lb | 4.4 | 5.8 | 6.2 |
| 50,000 to 99,999 lb | 7.5 | 8.1 | 8.3 |
| 100,000 lb or more | 14.0 | 28.0 | 12.6 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 3.8 | 9.5 | 7.6 |
| Less than 50 lb | 18.0 | 8.5 | 11.8 |
| 50 to 99 lb | 10.3 | 8.0 | 11.4 |
| 100 to 499 lb | 6.3 | 6.9 | 11.6 |
| 500 to 749 lb | 6.8 | 5.7 | 9.7 |
| 750 to 999 lb | 11.0 | 6.8 | 9.5 |
| 1,000 to 9,999 lb | 4.1 | 7.0 | 7.7 |
| 10,000 to 49,999 lb | 4.1 | 6.0 | 5.9 |
| 50,000 to 99,999 lb | 11.5 | 14.6 | 16.1 |
| 100,000 lb or more | 19.4 | 27.8 | 15.6 |

See footnotes at end of table.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|--|-------------|-------------|-------------|
| SCTG 33, Articles of base metal | 3.0 | 7.9 | 10.5 |
| Less than 50 lb | 8.4 | 6.7 | 8.9 |
| 50 to 99 lb | 9.5 | 6.5 | 12.2 |
| 100 to 499 lb | 6.2 | 4.8 | 7.7 |
| 500 to 749 lb | 6.4 | 4.9 | 6.6 |
| 750 to 999 lb | 9.7 | 6.9 | 14.5 |
| 1,000 to 9,999 lb | 4.4 | 4.2 | 3.3 |
| 10,000 to 49,999 lb | 4.8 | 9.6 | 11.6 |
| 50,000 to 99,999 lb | 31.8 | 24.6 | 31.2 |
| 100,000 lb or more | 23.2 | 19.5 | 22.6 |
| SCTG 34, Machinery | 4.8 | 3.8 | 4.3 |
| Less than 50 lb | 5.9 | 7.6 | 7.9 |
| 50 to 99 lb | 7.5 | 10.7 | 14.0 |
| 100 to 499 lb | 4.7 | 5.8 | 6.7 |
| 500 to 749 lb | 8.3 | 5.9 | 7.5 |
| 750 to 999 lb | 10.9 | 8.1 | 12.0 |
| 1,000 to 9,999 lb | 7.4 | 6.3 | 5.3 |
| 10,000 to 49,999 lb | 10.1 | 6.8 | 7.0 |
| 50,000 to 99,999 lb | 33.4 | 13.8 | 19.1 |
| 100,000 lb or more | 33.6 | 19.3 | 30.4 |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 9.6 | 8.0 | 8.1 |
| Less than 50 lb | 7.1 | 4.4 | 6.5 |
| 50 to 99 lb | 16.0 | 8.6 | 14.4 |
| 100 to 499 lb | 16.1 | 11.0 | 21.7 |
| 500 to 749 lb | 14.8 | 17.3 | 12.2 |
| 750 to 999 lb | 13.1 | 17.5 | 24.6 |
| 1,000 to 9,999 lb | 19.0 | 12.7 | 11.3 |
| 10,000 to 49,999 lb | 20.0 | 7.8 | 10.0 |
| 50,000 to 99,999 lb | 31.8 | 44.7 | S |
| 100,000 lb or more | 23.4 | S | 24.0 |
| SCTG 36, Motorized and other vehicles (including parts) | 7.7 | 7.3 | 8.6 |
| Less than 50 lb | 7.0 | 7.1 | 7.9 |
| 50 to 99 lb | 9.1 | 8.7 | 7.3 |
| 100 to 499 lb | 10.1 | 7.6 | 8.2 |
| 500 to 749 lb | 14.8 | 8.1 | 13.3 |
| 750 to 999 lb | 18.1 | 16.3 | 12.9 |
| 1,000 to 9,999 lb | 13.2 | 12.2 | 18.5 |
| 10,000 to 49,999 lb | 7.6 | 8.9 | 8.3 |
| 50,000 to 99,999 lb | 34.4 | 20.2 | 27.4 |
| 100,000 lb or more | S | 30.0 | 45.9 |
| SCTG 37, Transportation equipment, n.e.c. | 11.8 | 13.5 | 12.6 |
| Less than 50 lb | 18.8 | 22.4 | 25.6 |
| 50 to 99 lb | 30.7 | 16.3 | 20.5 |
| 100 to 499 lb | 13.8 | 17.2 | 16.6 |
| 500 to 749 lb | 17.9 | 15.1 | 14.0 |
| 750 to 999 lb | 44.2 | 14.2 | 18.5 |
| 1,000 to 9,999 lb | 18.7 | 14.2 | 13.5 |
| 10,000 to 49,999 lb | 22.9 | 20.4 | 14.1 |
| 50,000 to 99,999 lb | 35.0 | 41.4 | 46.3 |
| 100,000 lb or more | 27.1 | 28.2 | 30.1 |
| SCTG 38, Precision instruments and apparatus | 19.1 | 16.6 | 19.7 |
| Less than 50 lb | 34.8 | 26.4 | 37.3 |
| 50 to 99 lb | 18.4 | 21.3 | 29.8 |
| 100 to 499 lb | 8.3 | 10.3 | 12.7 |
| 500 to 749 lb | 19.0 | 13.5 | 14.5 |
| 750 to 999 lb | 16.4 | 18.3 | 24.3 |
| 1,000 to 9,999 lb | 16.3 | 18.2 | 39.8 |
| 10,000 to 49,999 lb | 21.2 | 47.2 | 36.3 |
| 50,000 to 99,999 lb | S | S | S |
| 100,000 lb or more | S | S | S |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 10.8 | 8.0 | 6.3 |
| Less than 50 lb | 12.3 | 13.3 | 16.2 |
| 50 to 99 lb | 10.2 | 9.2 | 11.0 |
| 100 to 499 lb | 10.3 | 5.8 | 5.7 |
| 500 to 749 lb | 8.9 | 6.6 | 5.9 |
| 750 to 999 lb | 8.7 | 8.5 | 10.4 |
| 1,000 to 9,999 lb | 18.7 | 12.6 | 7.0 |
| 10,000 to 49,999 lb | 19.7 | 12.3 | 11.2 |
| 50,000 to 99,999 lb | 38.2 | 42.6 | S |
| 100,000 lb or more | S | S | S |
| SCTG 40, Miscellaneous manufactured products | 7.6 | 7.5 | 7.4 |
| Less than 50 lb | 21.6 | 5.5 | 9.0 |
| 50 to 99 lb | 8.2 | 7.3 | 9.1 |
| 100 to 499 lb | 4.7 | 5.8 | 12.1 |
| 500 to 749 lb | 9.1 | 4.8 | 7.8 |
| 750 to 999 lb | 6.9 | 7.7 | 8.8 |
| 1,000 to 9,999 lb | 5.2 | 6.9 | 5.9 |
| 10,000 to 49,999 lb | 14.7 | 10.6 | 10.7 |
| 50,000 to 99,999 lb | 18.4 | 27.1 | 15.9 |
| 100,000 lb or more | 25.4 | 18.6 | 20.4 |

See footnotes at end of table.

Table B-9. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, and shipment size | Value | Tons | Ton-miles |
|---|-------------|-------------|-------------|
| SCTG 41, Waste and scrap | 5.7 | 6.2 | 7.9 |
| Less than 50 lb | 37.8 | S | S |
| 50 to 99 lb | S | S | S |
| 100 to 499 lb | 33.3 | 38.3 | 36.7 |
| 500 to 749 lb | S | S | 47.4 |
| 750 to 999 lb | S | S | 47.5 |
| 1,000 to 9,999 lb | S | 37.2 | 22.4 |
| 10,000 to 49,999 lb | 6.9 | 9.0 | 11.7 |
| 50,000 to 99,999 lb | 15.7 | 15.5 | 13.0 |
| 100,000 lb or more | 12.2 | 9.2 | 12.7 |
| SCTG 43, Mixed freight | 13.7 | 15.2 | 10.8 |
| Less than 50 lb | 21.5 | 21.8 | 41.0 |
| 50 to 99 lb | 17.8 | 19.3 | 37.4 |
| 100 to 499 lb | 12.0 | 12.6 | 19.2 |
| 500 to 749 lb | 10.4 | 11.2 | 15.1 |
| 750 to 999 lb | 11.7 | 11.3 | 17.0 |
| 1,000 to 9,999 lb | 9.8 | 6.6 | 11.8 |
| 10,000 to 49,999 lb | 21.1 | 21.5 | 16.6 |
| 50,000 to 99,999 lb | 27.0 | 25.4 | 34.3 |
| 100,000 lb or more | 43.8 | 36.1 | S |
| Commodity unknown | 14.0 | S | S |
| Less than 50 lb | 16.9 | 12.2 | 19.3 |
| 50 to 99 lb | 20.6 | 18.6 | 37.7 |
| 100 to 499 lb | 13.4 | 17.0 | 31.5 |
| 500 to 749 lb | 36.2 | 32.5 | 15.5 |
| 750 to 999 lb | 23.5 | 21.2 | 23.6 |
| 1,000 to 9,999 lb | 16.0 | 22.8 | 25.3 |
| 10,000 to 49,999 lb | 23.5 | 22.1 | 24.1 |
| 50,000 to 99,999 lb | 35.8 | S | S |
| 100,000 lb or more | 33.4 | 39.3 | 47.3 |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|-------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| All commodities | 2.1 | 3.0 | 4.7 | 2.8 | 2.5 | 3.4 | 2.8 | 6.2 | 6.1 | 6.3 |
| Less than 50 lb | 4.4 | 2.3 | 2.7 | 3.2 | 3.1 | 3.6 | 4.5 | 5.4 | 5.0 | 5.2 |
| 50 to 99 lb | 4.6 | 3.9 | 3.6 | 4.0 | 6.9 | 6.1 | 6.1 | 8.0 | 6.1 | 6.6 |
| 100 to 499 lb | 4.4 | 3.0 | 2.6 | 4.5 | 3.3 | 4.4 | 3.9 | 3.2 | 4.0 | 3.8 |
| 500 to 749 lb | 3.2 | 3.4 | 2.8 | 3.9 | 3.9 | 5.5 | 5.9 | 4.1 | 5.0 | 4.9 |
| 750 to 999 lb | 4.0 | 3.0 | 3.6 | 3.3 | 4.5 | 4.0 | 5.1 | 7.3 | 5.5 | 5.4 |
| 1,000 to 9,999 lb | 5.1 | 1.6 | 2.9 | 2.9 | 4.7 | 3.4 | 3.7 | 21.4 | 3.0 | 3.0 |
| 10,000 to 49,999 lb | 2.8 | 3.0 | 2.7 | 2.4 | 5.1 | 4.4 | 5.0 | 7.6 | 7.0 | 6.6 |
| 50,000 to 99,999 lb | 6.5 | 7.2 | 6.4 | 4.6 | 4.1 | 8.2 | 5.6 | 13.6 | 12.6 | 12.3 |
| 100,000 lb or more | 4.4 | 5.4 | 7.3 | 4.6 | 7.1 | 7.2 | 5.8 | 7.2 | 9.0 | 13.8 |
| SCTG 01, Live animals and live fish | 19.2 | 30.9 | 25.0 | 10.6 | 23.6 | 37.2 | 31.8 | 28.6 | S | S |
| Less than 50 lb | 35.1 | 37.4 | S | 19.8 | 36.9 | 49.1 | 49.4 | S | S | S |
| 50 to 99 lb | 32.7 | 39.4 | 46.5 | 17.4 | 43.9 | S | 49.0 | S | S | S |
| 100 to 499 lb | 28.0 | S | S | 17.1 | 32.5 | 41.6 | 44.4 | S | S | S |
| 500 to 749 lb | 40.2 | 32.8 | 40.1 | 19.2 | 41.5 | 37.9 | 38.0 | S | S | S |
| 750 to 999 lb | 45.4 | 48.5 | S | 21.2 | 49.0 | 37.7 | 31.8 | 48.3 | 48.3 | S |
| 1,000 to 9,999 lb | 37.1 | 35.4 | 34.1 | 28.5 | 49.2 | 26.1 | 33.7 | S | S | S |
| 10,000 to 49,999 lb | 21.9 | 38.9 | 24.5 | 17.3 | 24.0 | 45.5 | 34.4 | 28.4 | S | S |
| 50,000 to 99,999 lb | 36.5 | 34.8 | 43.4 | 11.2 | S | S | S | 38.3 | 37.4 | 39.2 |
| 100,000 lb or more | 33.2 | 45.1 | 31.2 | 25.8 | S | S | S | S | S | S |
| SCTG 02, Cereal grains | 24.0 | 21.1 | 21.2 | 14.3 | 31.8 | 27.8 | 30.3 | 22.5 | 23.7 | 22.5 |
| Less than 50 lb | S | S | S | 33.7 | S | S | S | S | S | S |
| 50 to 99 lb | 37.7 | 41.3 | 32.7 | S | 42.3 | 42.9 | 43.0 | S | S | S |
| 100 to 499 lb | 30.3 | 37.7 | 32.5 | S | 33.5 | 39.9 | 34.0 | S | S | S |
| 500 to 749 lb | 33.2 | 34.3 | 31.6 | S | 43.9 | 45.5 | 41.1 | S | S | S |
| 750 to 999 lb | 29.2 | 34.0 | 36.5 | 27.3 | 38.7 | 43.0 | 40.7 | S | S | S |
| 1,000 to 9,999 lb | S | 21.0 | 38.8 | 14.5 | 30.9 | 13.8 | 16.0 | 32.0 | 25.6 | 24.3 |
| 10,000 to 49,999 lb | 10.3 | 11.0 | 23.2 | 12.2 | 13.5 | 14.0 | 17.8 | 20.5 | 19.5 | 21.5 |
| 50,000 to 99,999 lb | 12.5 | 11.9 | 15.7 | 8.6 | 14.6 | 13.9 | 13.1 | 27.9 | 28.3 | 26.3 |
| 100,000 lb or more | 30.8 | 27.0 | 25.4 | 10.1 | 39.4 | 34.3 | 37.2 | 49.3 | S | S |
| SCTG 03, Other agricultural products | 7.4 | 13.1 | 13.9 | 25.7 | 9.8 | 17.7 | 19.9 | 8.9 | 13.7 | 17.6 |
| Less than 50 lb | 33.5 | 25.1 | 48.7 | 24.7 | 42.1 | 32.7 | 31.5 | S | 41.3 | 45.9 |
| 50 to 99 lb | 24.3 | 20.6 | 12.0 | 47.4 | 26.6 | 22.4 | 22.9 | S | 30.1 | 29.0 |
| 100 to 499 lb | 13.9 | 19.8 | 10.0 | 37.2 | 18.6 | 22.3 | 22.8 | 14.3 | 24.1 | 24.7 |
| 500 to 749 lb | 19.0 | 21.5 | 17.1 | 34.0 | 19.9 | 25.8 | 27.1 | 26.9 | 41.6 | 45.3 |
| 750 to 999 lb | 15.2 | 21.0 | 19.6 | 25.8 | 20.1 | 23.7 | 22.4 | 24.5 | 35.2 | 36.9 |
| 1,000 to 9,999 lb | 11.8 | 14.8 | 12.7 | 16.8 | 13.4 | 15.1 | 14.2 | 22.5 | 29.9 | 32.2 |
| 10,000 to 49,999 lb | 8.0 | 13.7 | 22.2 | 8.3 | 12.1 | 18.8 | 27.8 | 13.7 | 15.3 | 16.3 |
| 50,000 to 99,999 lb | 23.0 | 23.1 | 21.9 | 22.1 | 33.0 | 32.6 | 39.8 | 24.8 | 24.1 | 23.1 |
| 100,000 lb or more | 18.8 | 20.3 | 20.0 | 15.2 | 33.7 | 32.4 | 29.2 | 34.9 | 41.3 | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 11.3 | 6.5 | 9.3 | 33.4 | 8.7 | 8.5 | 9.8 | 39.5 | 16.8 | 16.4 |
| Less than 50 lb | 46.1 | S | 37.6 | S | S | S | S | 41.1 | 48.2 | 44.1 |
| 50 to 99 lb | 47.8 | 46.8 | 34.5 | S | 48.6 | S | 41.5 | S | S | S |
| 100 to 499 lb | 47.1 | 33.1 | 30.5 | 35.3 | S | 34.5 | 47.6 | 40.3 | 34.0 | 34.6 |
| 500 to 749 lb | 41.6 | 36.6 | 22.3 | S | 40.0 | 41.0 | 43.6 | 36.2 | 36.4 | 37.0 |
| 750 to 999 lb | 39.9 | 34.2 | 24.5 | S | 39.7 | 45.1 | 33.8 | 33.3 | 33.3 | 37.0 |
| 1,000 to 9,999 lb | 14.5 | 15.0 | 16.6 | 15.9 | 19.8 | 19.8 | 18.5 | 21.1 | 24.5 | 25.4 |
| 10,000 to 49,999 lb | 16.5 | 8.2 | 10.1 | 12.0 | 8.2 | 10.7 | 11.5 | S | 19.9 | 19.7 |
| 50,000 to 99,999 lb | 7.3 | 12.4 | 12.2 | 10.9 | 7.8 | 12.4 | 14.4 | 12.0 | 23.5 | 18.3 |
| 100,000 lb or more | 19.0 | 21.3 | 27.8 | 11.0 | 26.0 | 30.5 | 32.5 | S | 46.0 | 41.7 |
| SCTG 05, Meat, fish, seafood, and their preparations | 4.4 | 5.4 | 7.3 | 17.6 | 7.9 | 9.0 | 8.7 | 8.8 | 8.5 | 8.4 |
| Less than 50 lb | 31.0 | 30.3 | 47.6 | 27.1 | 26.7 | 26.6 | 33.1 | S | 45.6 | 47.6 |
| 50 to 99 lb | 28.8 | 31.7 | 36.0 | 45.8 | 25.6 | 28.4 | 31.1 | 36.7 | 43.0 | 45.5 |
| 100 to 499 lb | 15.4 | 19.4 | 13.8 | 20.3 | 17.8 | 22.5 | 21.4 | 17.2 | 19.2 | 19.1 |
| 500 to 749 lb | 13.0 | 11.9 | 11.2 | 14.7 | 17.6 | 14.1 | 13.5 | 22.5 | 20.2 | 19.5 |
| 750 to 999 lb | 13.4 | 11.9 | 9.1 | 9.7 | 19.0 | 15.4 | 14.6 | 26.1 | 25.2 | 25.4 |
| 1,000 to 9,999 lb | 6.7 | 8.7 | 8.9 | 7.3 | 13.6 | 14.3 | 12.8 | 9.1 | 9.4 | 9.6 |
| 10,000 to 49,999 lb | 5.9 | 6.4 | 8.2 | 3.6 | 7.7 | 8.0 | 8.9 | 12.9 | 12.2 | 11.5 |
| 50,000 to 99,999 lb | 29.0 | 19.3 | 21.3 | 18.7 | S | S | S | 42.2 | 39.0 | 38.0 |
| 100,000 lb or more | 35.8 | 23.8 | 20.4 | 24.2 | S | 48.4 | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 11.4 | 6.8 | 7.3 | 22.3 | 10.8 | 9.6 | 11.1 | 10.0 | 9.1 | 9.0 |
| Less than 50 lb | 31.5 | 28.6 | 29.3 | S | 32.2 | 32.2 | 34.6 | 36.2 | 34.5 | 35.9 |
| 50 to 99 lb | 25.8 | 34.3 | 21.2 | S | 30.6 | 40.6 | 30.4 | 27.3 | 29.6 | 30.1 |
| 100 to 499 lb | 17.5 | 16.5 | 17.9 | 18.8 | 18.7 | 19.9 | 16.8 | 27.8 | 26.4 | 26.6 |
| 500 to 749 lb | 32.8 | 22.9 | 25.4 | 10.5 | 25.2 | 22.9 | 29.7 | 36.3 | 23.2 | 22.9 |
| 750 to 999 lb | 27.5 | 23.4 | 24.3 | 20.1 | 21.1 | 18.8 | 20.0 | 33.9 | 34.2 | 32.1 |
| 1,000 to 9,999 lb | 22.0 | 14.0 | 11.6 | 6.0 | 23.2 | 16.8 | 15.5 | 14.2 | 19.1 | 18.3 |
| 10,000 to 49,999 lb | 11.3 | 6.9 | 8.8 | 4.2 | 17.1 | 9.4 | 14.2 | 7.8 | 11.6 | 11.6 |
| 50,000 to 99,999 lb | 26.0 | 31.5 | 24.8 | 15.0 | 37.0 | 39.0 | 39.1 | 30.9 | 31.0 | 30.6 |
| 100,000 lb or more | 23.0 | 14.1 | 14.8 | 7.3 | S | 36.8 | 45.2 | 47.6 | 40.7 | 37.9 |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|-------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 07, Other prepared foodstuffs and fats and oils | 6.9 | 5.7 | 6.7 | 19.2 | 6.3 | 6.5 | 7.5 | 20.4 | 10.7 | 11.3 |
| Less than 50 lb | 16.8 | 15.0 | 31.3 | 16.8 | 17.3 | 18.6 | 22.6 | 20.3 | 23.2 | 22.0 |
| 50 to 99 lb | 12.0 | 20.2 | 15.3 | 40.4 | 15.9 | 22.9 | 22.4 | 20.1 | 34.0 | 40.3 |
| 100 to 499 lb | 6.3 | 9.8 | 8.7 | 14.1 | 7.9 | 10.4 | 10.4 | 11.7 | 19.5 | 19.5 |
| 500 to 749 lb | 7.5 | 10.3 | 11.7 | 7.2 | 8.9 | 11.2 | 13.5 | 16.3 | 18.7 | 18.2 |
| 750 to 999 lb | 7.0 | 10.0 | 7.7 | 7.1 | 9.7 | 12.1 | 12.3 | 13.1 | 13.9 | 14.2 |
| 1,000 to 9,999 lb | 5.3 | 6.8 | 6.0 | 8.7 | 7.0 | 9.8 | 10.4 | 7.9 | 9.0 | 9.3 |
| 10,000 to 49,999 lb | 11.0 | 7.2 | 7.1 | 6.6 | 11.1 | 7.3 | 8.8 | 27.5 | 12.9 | 13.8 |
| 50,000 to 99,999 lb | 18.8 | 16.8 | 23.2 | 14.1 | 31.7 | 22.4 | 31.9 | 29.2 | 24.9 | 23.9 |
| 100,000 lb or more | 10.6 | 10.8 | 13.1 | 5.7 | 31.6 | 31.5 | 32.8 | 25.8 | 24.9 | 26.3 |
| SCTG 08, Alcoholic beverages | 4.2 | 5.8 | 14.7 | 3.4 | 3.7 | 4.3 | 4.8 | 8.9 | 10.5 | 10.2 |
| Less than 50 lb | 16.1 | 10.6 | 12.4 | 5.0 | 18.0 | 10.9 | 13.4 | 15.5 | 16.5 | 17.7 |
| 50 to 99 lb | 7.6 | 4.9 | 7.3 | 4.9 | 8.4 | 4.9 | 6.7 | 14.6 | 12.7 | 13.6 |
| 100 to 499 lb | 5.0 | 4.4 | 5.3 | 3.6 | 5.3 | 4.6 | 5.6 | 12.6 | 8.2 | 8.5 |
| 500 to 749 lb | 5.4 | 4.6 | 5.9 | 3.4 | 5.3 | 4.9 | 6.5 | 13.3 | 10.4 | 12.5 |
| 750 to 999 lb | 5.2 | 5.2 | 6.1 | 5.3 | 5.1 | 5.2 | 6.4 | 17.2 | 14.9 | 15.2 |
| 1,000 to 9,999 lb | 3.8 | 4.5 | 6.4 | 4.6 | 4.4 | 4.8 | 6.9 | 11.4 | 9.4 | 9.8 |
| 10,000 to 49,999 lb | 10.3 | 10.8 | 13.3 | 8.7 | 9.3 | 11.6 | 11.3 | 26.6 | 19.6 | 19.1 |
| 50,000 to 99,999 lb | 24.3 | 22.7 | 27.3 | 23.7 | 35.7 | 31.7 | 31.1 | S | S | S |
| 100,000 lb or more | 45.8 | 45.4 | S | 18.9 | S | S | S | — | — | — |
| SCTG 09, Tobacco products | 17.7 | 29.8 | 23.8 | 18.6 | 29.6 | 44.6 | 47.0 | 14.5 | 18.9 | 18.7 |
| Less than 50 lb | 8.7 | 8.4 | 22.7 | 17.7 | 9.1 | 10.3 | 10.4 | 20.3 | 19.7 | 19.8 |
| 50 to 99 lb | 13.9 | 13.8 | 17.1 | 16.3 | 12.9 | 13.9 | 12.4 | 22.9 | 22.6 | 24.8 |
| 100 to 499 lb | 12.8 | 12.7 | 14.4 | 9.3 | 10.8 | 12.1 | 12.0 | 23.6 | 20.3 | 20.4 |
| 500 to 749 lb | 10.9 | 13.9 | 24.8 | 20.3 | 19.3 | 19.1 | 26.1 | 23.3 | 23.2 | 24.0 |
| 750 to 999 lb | 26.5 | 23.9 | 35.7 | 22.2 | S | 39.5 | 29.1 | 49.0 | 37.0 | 40.0 |
| 1,000 to 9,999 lb | 18.2 | 13.8 | 18.4 | 18.6 | 33.2 | 24.4 | 24.8 | 23.4 | 16.8 | 17.4 |
| 10,000 to 49,999 lb | 22.3 | 34.9 | 25.2 | 47.5 | 40.3 | 49.7 | S | 39.9 | 33.2 | 33.5 |
| 50,000 to 99,999 lb | S | S | S | 25.8 | S | S | S | — | — | — |
| 100,000 lb or more | S | 46.4 | S | 32.5 | S | S | S | — | — | — |
| SCTG 10, Monumental or building stone | 20.1 | 23.9 | 18.9 | 28.3 | 27.1 | 31.2 | 27.6 | 36.6 | 35.6 | 38.9 |
| Less than 50 lb | S | 49.2 | S | 19.2 | 41.8 | 43.6 | S | S | S | S |
| 50 to 99 lb | 39.9 | 34.8 | 41.5 | 28.4 | 43.9 | 40.2 | 36.8 | S | S | S |
| 100 to 499 lb | 37.0 | 37.4 | 45.0 | 46.8 | 42.9 | 41.2 | 46.6 | S | S | S |
| 500 to 749 lb | 33.0 | 28.2 | 39.1 | 28.9 | 39.3 | 39.0 | 49.5 | S | S | S |
| 750 to 999 lb | S | 33.2 | 35.2 | 40.7 | S | 44.7 | 49.4 | S | S | S |
| 1,000 to 9,999 lb | 24.0 | 18.8 | 23.1 | 30.5 | 42.2 | 30.9 | 31.6 | 42.1 | 39.7 | 38.2 |
| 10,000 to 49,999 lb | 25.9 | 30.2 | 19.5 | S | 39.4 | 39.1 | 35.9 | S | 34.8 | 36.5 |
| 50,000 to 99,999 lb | S | S | 48.1 | S | 38.5 | S | S | S | S | S |
| 100,000 lb or more | S | S | 40.6 | 32.4 | S | S | S | — | — | — |
| SCTG 11, Natural sands | 11.3 | 15.4 | 16.3 | 19.4 | 18.1 | 15.9 | 13.6 | 17.1 | 36.9 | 36.8 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | 32.6 | S | 24.0 | S | 42.0 | S | — | — | — |
| 100 to 499 lb | 42.0 | 26.3 | 34.8 | 43.3 | S | 29.3 | 34.0 | S | 44.1 | 43.3 |
| 500 to 749 lb | 38.4 | 31.9 | 42.9 | 23.2 | 42.6 | 33.9 | 45.1 | S | S | S |
| 750 to 999 lb | S | 49.5 | S | 31.7 | S | 41.2 | 29.7 | S | S | S |
| 1,000 to 9,999 lb | 26.0 | 18.3 | 22.1 | 46.6 | 26.5 | 19.9 | 24.6 | S | S | S |
| 10,000 to 49,999 lb | 17.5 | 19.9 | 10.7 | 26.2 | 26.7 | 22.9 | 16.5 | 29.4 | 25.4 | 23.5 |
| 50,000 to 99,999 lb | 15.9 | 28.8 | 31.3 | 11.2 | 20.1 | 23.9 | 23.0 | 28.0 | S | S |
| 100,000 lb or more | 22.5 | 27.7 | 27.8 | 19.5 | 33.5 | 43.5 | 35.6 | 27.2 | 34.0 | 33.7 |
| SCTG 12, Gravel and crushed stone | 8.6 | 8.2 | 9.0 | 8.9 | 8.9 | 10.0 | 11.0 | 13.1 | 14.5 | 14.2 |
| Less than 50 lb | S | S | 46.0 | S | S | S | S | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | 21.1 | 30.0 | 25.6 | 29.5 | S | S | S |
| 500 to 749 lb | 38.7 | S | S | S | 38.9 | S | S | S | S | S |
| 750 to 999 lb | 28.0 | 32.7 | 31.8 | S | 31.5 | 33.6 | 36.4 | S | S | S |
| 1,000 to 9,999 lb | 20.2 | 15.0 | 20.1 | 15.0 | 24.9 | 16.7 | 27.2 | 47.8 | S | 46.9 |
| 10,000 to 49,999 lb | 7.2 | 8.0 | 9.8 | 10.7 | 8.5 | 9.4 | 12.5 | 20.9 | 22.0 | 21.7 |
| 50,000 to 99,999 lb | 24.2 | 27.3 | 18.9 | 9.4 | 27.3 | 30.5 | 23.2 | 18.7 | 21.4 | 21.0 |
| 100,000 lb or more | 8.4 | 11.0 | 17.8 | 11.6 | 11.8 | 12.1 | 13.4 | 23.1 | 27.4 | 29.6 |
| SCTG 13, Nonmetallic minerals n.e.c. | 12.4 | 19.4 | 20.2 | 15.3 | 10.6 | 28.5 | 31.0 | 28.9 | 29.6 | 24.3 |
| Less than 50 lb | 33.7 | 26.1 | 38.9 | 20.1 | 38.1 | 39.1 | 44.9 | S | S | S |
| 50 to 99 lb | S | 42.7 | S | 19.4 | 45.0 | 34.6 | 33.0 | S | S | S |
| 100 to 499 lb | 39.0 | 26.4 | 40.3 | 22.7 | 46.3 | 30.6 | 39.5 | 36.5 | 32.1 | 32.4 |
| 500 to 749 lb | 38.4 | 35.8 | 42.3 | 33.2 | S | 48.3 | 47.8 | 48.2 | S | S |
| 750 to 999 lb | 45.6 | 28.3 | 36.8 | 20.0 | 43.2 | 24.4 | 32.5 | S | S | S |
| 1,000 to 9,999 lb | 26.7 | 23.8 | 22.4 | 15.6 | 24.4 | 25.4 | 26.3 | S | 43.6 | 43.7 |
| 10,000 to 49,999 lb | 22.8 | 38.6 | 12.7 | 27.8 | 17.6 | 48.2 | S | 44.4 | 25.9 | 23.6 |
| 50,000 to 99,999 lb | 14.7 | 28.6 | 15.5 | 22.2 | 19.9 | 35.1 | 46.5 | 18.4 | S | 47.3 |
| 100,000 lb or more | 8.7 | 15.2 | 26.1 | 10.7 | 17.4 | 20.3 | 21.4 | 38.6 | 36.1 | 32.6 |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|-------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 14, Metallic ores and concentrates | 21.7 | 30.2 | 34.4 | 11.7 | 46.9 | 34.1 | 40.2 | 35.9 | S | S |
| Less than 50 lb | S | 23.9 | 38.6 | 28.8 | 26.3 | 35.8 | 36.2 | S | S | S |
| 50 to 99 lb | 40.6 | 44.4 | S | S | 39.0 | S | S | S | S | S |
| 100 to 499 lb | 47.3 | 29.6 | 43.4 | 47.9 | S | 43.8 | 47.4 | S | S | S |
| 500 to 749 lb | 45.1 | S | 42.8 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 21.7 | 38.1 | 27.5 | S | 39.1 | S | 46.5 | S | S | S |
| 10,000 to 49,999 lb | 28.2 | 43.9 | 43.4 | 42.9 | 42.8 | S | S | 36.6 | S | S |
| 50,000 to 99,999 lb | 40.8 | 48.2 | 41.1 | S | S | S | S | S | 48.4 | 48.5 |
| 100,000 lb or more | 49.2 | 46.3 | 35.5 | 15.5 | S | S | S | 46.1 | 46.0 | 46.1 |
| SCTG 15, Coal | 8.0 | 8.0 | 10.7 | 28.4 | 12.9 | 11.4 | 14.0 | 20.5 | 21.5 | 29.5 |
| Less than 50 lb | S | S | S | 24.5 | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | 22.4 | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | 29.7 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | 43.9 | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 24.3 | 33.4 | 47.0 | S | 30.2 | 36.3 | S | S | S |
| 10,000 to 49,999 lb | 19.6 | 21.1 | 29.1 | 27.5 | 26.6 | 26.6 | 25.8 | 40.6 | 41.4 | 41.6 |
| 50,000 to 99,999 lb | 31.5 | 29.4 | 35.2 | 30.5 | 37.7 | 35.9 | 30.2 | 29.3 | 26.9 | 25.8 |
| 100,000 lb or more | 7.6 | 7.7 | 11.0 | 37.6 | 10.5 | 10.0 | 14.9 | 21.4 | 22.4 | 30.4 |
| SCTG 17, Gasoline and aviation turbine fuel | 4.7 | 10.7 | 26.0 | 7.2 | 6.0 | 11.7 | 7.2 | 17.5 | 21.6 | 20.7 |
| Less than 50 lb | 47.2 | 44.5 | 39.9 | S | 47.3 | 44.5 | 44.0 | — | — | — |
| 50 to 99 lb | 23.3 | 23.0 | 24.8 | 26.0 | 23.8 | 23.1 | 22.8 | S | S | S |
| 100 to 499 lb | 31.3 | 27.2 | 28.5 | 8.9 | 31.6 | 27.4 | 29.5 | S | S | S |
| 500 to 749 lb | 41.3 | 27.2 | 29.6 | 11.4 | 41.8 | 27.5 | 31.8 | S | S | S |
| 750 to 999 lb | 31.2 | 21.5 | 28.0 | 14.4 | 31.6 | 21.6 | 25.7 | S | S | S |
| 1,000 to 9,999 lb | 13.7 | 15.5 | 18.4 | 9.2 | 14.9 | 17.0 | 22.2 | 20.7 | 30.9 | 30.8 |
| 10,000 to 49,999 lb | 12.5 | 16.7 | 22.6 | 12.5 | 9.2 | 12.7 | 7.9 | 29.2 | 33.0 | 32.7 |
| 50,000 to 99,999 lb | 6.4 | 8.6 | 13.6 | 7.1 | 3.8 | 4.6 | 4.3 | 20.7 | 26.1 | 24.8 |
| 100,000 lb or more | 8.2 | 18.4 | 29.9 | 18.5 | 15.3 | 22.4 | 20.1 | 39.9 | 42.7 | 45.6 |
| SCTG 18, Fuel oils | 9.3 | 10.4 | 18.4 | 7.6 | 13.2 | 15.3 | 21.9 | 14.7 | 19.0 | 22.2 |
| Less than 50 lb | S | 30.8 | 38.9 | 13.4 | S | 30.9 | 40.1 | S | S | S |
| 50 to 99 lb | S | 28.1 | 31.0 | 33.2 | S | 29.2 | 29.8 | S | S | S |
| 100 to 499 lb | 24.3 | 11.8 | 12.1 | 11.1 | 24.5 | 12.1 | 14.1 | S | S | S |
| 500 to 749 lb | 21.1 | 9.6 | 19.0 | 14.0 | 21.8 | 10.0 | 15.6 | S | S | S |
| 750 to 999 lb | 22.4 | 13.1 | 12.5 | 9.9 | 22.7 | 13.4 | 12.6 | S | S | S |
| 1,000 to 9,999 lb | 11.5 | 11.2 | 15.6 | 14.7 | 12.5 | 12.4 | 13.4 | 14.7 | 27.9 | 27.0 |
| 10,000 to 49,999 lb | 13.0 | 13.5 | 14.8 | 9.6 | 15.2 | 15.7 | 23.2 | 25.1 | 25.6 | 25.7 |
| 50,000 to 99,999 lb | 8.5 | 7.8 | 10.1 | 7.0 | 9.1 | 8.3 | 10.9 | 12.1 | 12.3 | 11.3 |
| 100,000 lb or more | 15.1 | 16.1 | 22.3 | 26.1 | 23.4 | 24.3 | 35.3 | 37.9 | 44.1 | 48.3 |
| SCTG 19, Coal and petroleum products, n.e.c. | 7.8 | 8.5 | 8.7 | 18.1 | 10.4 | 12.2 | 14.1 | 13.0 | 19.5 | 22.6 |
| Less than 50 lb | 23.0 | 14.1 | 37.6 | 23.5 | 28.5 | 16.0 | 47.8 | 20.4 | 25.3 | 24.7 |
| 50 to 99 lb | 20.1 | 17.3 | 49.2 | 18.9 | 19.0 | 17.6 | 12.6 | 30.4 | 34.0 | 33.7 |
| 100 to 499 lb | 14.8 | 17.5 | 43.6 | 20.6 | 16.2 | 18.8 | 18.3 | 26.8 | 25.7 | 25.2 |
| 500 to 749 lb | 14.9 | 21.2 | 22.6 | 20.3 | 18.2 | 23.3 | 34.0 | 43.7 | 31.8 | 33.3 |
| 750 to 999 lb | 20.1 | 25.6 | S | 23.3 | 21.7 | 29.0 | 36.1 | 30.7 | 26.7 | 27.6 |
| 1,000 to 9,999 lb | 15.1 | 16.5 | S | 21.1 | 17.1 | 16.6 | 22.7 | 27.5 | 26.9 | 27.3 |
| 10,000 to 49,999 lb | 10.9 | 18.5 | 22.5 | 19.0 | 13.1 | 29.7 | 37.0 | 12.3 | 11.9 | 12.1 |
| 50,000 to 99,999 lb | 16.4 | 14.2 | 15.1 | 12.4 | 21.3 | 18.7 | 20.0 | 44.4 | 23.5 | 25.4 |
| 100,000 lb or more | 11.0 | 10.1 | 11.1 | 10.1 | 15.6 | 15.3 | 17.7 | 30.9 | 30.7 | 34.5 |
| SCTG 20, Basic chemicals | 17.8 | 10.5 | 17.6 | 13.7 | 16.5 | 8.7 | 9.6 | 9.5 | 9.7 | 10.6 |
| Less than 50 lb | 20.6 | 18.6 | 24.9 | 22.6 | 23.5 | 20.5 | 28.3 | 30.5 | 43.5 | 42.5 |
| 50 to 99 lb | 21.8 | 27.2 | 33.4 | 15.7 | 19.1 | 28.8 | 32.4 | 40.4 | 43.6 | 38.1 |
| 100 to 499 lb | 14.5 | 23.1 | 15.1 | 19.0 | 20.7 | 25.6 | 31.9 | 15.5 | 18.8 | 18.9 |
| 500 to 749 lb | 17.0 | 25.8 | 28.9 | 17.0 | 20.5 | 28.8 | 40.8 | 18.5 | 23.1 | 23.2 |
| 750 to 999 lb | 23.0 | 29.9 | 22.5 | 23.0 | 30.0 | 32.9 | 40.3 | 12.5 | 16.4 | 17.3 |
| 1,000 to 9,999 lb | 16.8 | 14.0 | 33.5 | 8.0 | 17.0 | 12.2 | 11.6 | 18.2 | 11.8 | 12.0 |
| 10,000 to 49,999 lb | 21.7 | 15.7 | 27.1 | 7.4 | 24.3 | 17.5 | 17.8 | 10.9 | 20.8 | 22.3 |
| 50,000 to 99,999 lb | 18.4 | 11.0 | 16.3 | 11.6 | 24.3 | 14.9 | 15.0 | 28.4 | 23.0 | 27.7 |
| 100,000 lb or more | 17.2 | 10.1 | 15.8 | 3.3 | 19.2 | 10.0 | 12.9 | 17.4 | 15.3 | 16.3 |
| SCTG 21, Pharmaceutical products | 9.2 | 19.3 | 33.4 | 8.9 | 22.0 | 38.9 | 28.9 | 12.0 | 20.5 | 21.3 |
| Less than 50 lb | 11.4 | 10.3 | 13.7 | 8.8 | 13.7 | 13.6 | 11.5 | 12.6 | 15.1 | 15.2 |
| 50 to 99 lb | 12.9 | 8.8 | 18.9 | 12.1 | 16.2 | 14.8 | 14.8 | 13.3 | 14.9 | 14.6 |
| 100 to 499 lb | 11.0 | 12.3 | 34.3 | 13.2 | 17.9 | 12.2 | 10.5 | 14.5 | 18.1 | 17.7 |
| 500 to 749 lb | 28.1 | 18.5 | 37.6 | 12.0 | 25.7 | 15.5 | 20.6 | 38.1 | 27.6 | 28.2 |
| 750 to 999 lb | 23.8 | 24.2 | 29.7 | 13.1 | 35.8 | 22.1 | 23.1 | 47.8 | 28.0 | 30.0 |
| 1,000 to 9,999 lb | 17.0 | 15.2 | 20.2 | 11.6 | 30.4 | 12.4 | 18.8 | 36.4 | 40.9 | 40.3 |
| 10,000 to 49,999 lb | 17.7 | 28.8 | 40.9 | 8.7 | 41.9 | S | 35.6 | 38.1 | 36.8 | 38.7 |
| 50,000 to 99,999 lb | S | S | S | 23.6 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | 23.9 | S | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|-------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 22, Fertilizers..... | 7.3 | 11.8 | 9.8 | 6.7 | 11.5 | 18.0 | 23.0 | 16.7 | 8.3 | 8.8 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 48.4 | 26.4 | 38.6 | 22.7 | 27.1 | S | S | S | S | S |
| 100 to 499 lb | 32.2 | 22.3 | 35.7 | 14.3 | 32.5 | 19.9 | 24.7 | S | S | S |
| 500 to 749 lb | 21.0 | 27.2 | 24.2 | 31.6 | 28.0 | 32.1 | 29.0 | 26.7 | 45.8 | 44.9 |
| 750 to 999 lb | 20.8 | 20.2 | 28.3 | 29.2 | 24.0 | 24.1 | 25.8 | 39.9 | 45.8 | 41.9 |
| 1,000 to 9,999 lb | 14.8 | 14.5 | 18.9 | 14.2 | 12.2 | 14.6 | 17.0 | 35.5 | 26.5 | 26.5 |
| 10,000 to 49,999 lb | 16.3 | 9.1 | 15.5 | 11.9 | 30.3 | 13.3 | 13.7 | 13.8 | 9.9 | 11.1 |
| 50,000 to 99,999 lb | 17.0 | 17.0 | 13.7 | 9.3 | 24.8 | 23.5 | 30.5 | 12.2 | 12.0 | 12.5 |
| 100,000 lb or more | 8.9 | 15.2 | 11.9 | 7.8 | 14.5 | 22.7 | 27.4 | 21.5 | 21.0 | 20.1 |
| SCTG 23, Chemical products and preparations, n.e.c. | 5.5 | 7.0 | 12.1 | 13.3 | 5.4 | 8.0 | 6.6 | 8.8 | 11.3 | 10.8 |
| Less than 50 lb | 14.2 | 12.7 | 15.6 | 15.6 | 14.0 | 12.4 | 11.2 | 20.5 | 15.5 | 16.9 |
| 50 to 99 lb | 7.6 | 9.3 | 11.1 | 10.4 | 13.1 | 13.3 | 9.4 | 16.3 | 15.7 | 15.7 |
| 100 to 499 lb | 5.7 | 20.3 | 9.6 | 11.4 | 11.7 | 33.4 | 14.2 | 15.3 | 10.2 | 12.1 |
| 500 to 749 lb | 8.0 | 7.3 | 9.5 | 8.1 | 10.6 | 14.5 | 12.9 | 13.8 | 11.7 | 11.5 |
| 750 to 999 lb | 11.2 | 14.4 | 13.7 | 8.2 | 14.8 | 24.7 | 14.5 | 24.6 | 15.7 | 14.7 |
| 1,000 to 9,999 lb | 5.5 | 6.4 | 8.1 | 4.5 | 9.1 | 10.7 | 12.8 | 10.1 | 10.6 | 11.1 |
| 10,000 to 49,999 lb | 8.5 | 8.9 | 13.0 | 6.1 | 7.3 | 8.8 | 9.6 | 12.6 | 14.0 | 13.3 |
| 50,000 to 99,999 lb | 16.6 | 20.3 | 26.0 | 17.3 | 28.9 | 31.0 | 44.3 | 32.1 | 26.2 | 28.0 |
| 100,000 lb or more | 26.6 | 18.0 | 18.5 | 7.9 | 46.3 | 40.1 | 35.1 | 39.0 | 27.9 | 26.3 |
| SCTG 24, Plastics and rubber | 3.7 | 4.6 | 6.5 | 4.6 | 5.0 | 10.2 | 13.3 | 5.5 | 8.1 | 8.5 |
| Less than 50 lb | 5.8 | 6.5 | 11.3 | 5.8 | 7.3 | 6.2 | 5.6 | 9.5 | 8.4 | 8.4 |
| 50 to 99 lb | 6.6 | 6.6 | 8.2 | 5.5 | 6.0 | 6.7 | 6.1 | 10.1 | 6.8 | 6.4 |
| 100 to 499 lb | 5.2 | 7.9 | 7.7 | 6.3 | 6.9 | 11.2 | 7.9 | 11.8 | 8.1 | 6.8 |
| 500 to 749 lb | 7.6 | 11.6 | 10.6 | 9.8 | 14.4 | 21.0 | 13.2 | 12.1 | 12.6 | 11.6 |
| 750 to 999 lb | 6.2 | 6.0 | 7.9 | 5.3 | 12.8 | 10.8 | 13.4 | 20.9 | 17.3 | 16.5 |
| 1,000 to 9,999 lb | 4.4 | 5.8 | 5.7 | 3.6 | 7.2 | 9.5 | 9.4 | 9.0 | 9.3 | 8.8 |
| 10,000 to 49,999 lb | 6.0 | 6.9 | 7.7 | 3.7 | 11.1 | 19.1 | 20.0 | 8.5 | 10.2 | 10.8 |
| 50,000 to 99,999 lb | 15.2 | 14.3 | 21.8 | 16.1 | 29.3 | 22.8 | 23.6 | 49.2 | 40.4 | 42.0 |
| 100,000 lb or more | 6.5 | 8.4 | 9.1 | 3.6 | 19.4 | 19.3 | 27.2 | 27.1 | 26.6 | 25.4 |
| SCTG 25, Logs and other wood in the rough | 9.5 | 14.6 | 18.5 | 15.5 | 12.9 | 17.9 | 14.8 | 21.3 | 33.2 | 32.3 |
| Less than 50 lb | S | S | S | 19.8 | S | S | S | — | — | — |
| 50 to 99 lb | S | 47.3 | S | 42.1 | S | S | S | S | S | S |
| 100 to 499 lb | 44.5 | 31.9 | S | 43.2 | 35.9 | S | S | S | S | S |
| 500 to 749 lb | 42.0 | S | S | 27.0 | 38.9 | S | 43.9 | S | S | S |
| 750 to 999 lb | S | 32.3 | S | 34.6 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 24.0 | 35.3 | 21.1 | S | 24.8 | 43.6 | 49.3 | 42.4 | 42.4 | 42.3 |
| 10,000 to 49,999 lb | 11.3 | 14.9 | 17.2 | 7.1 | 13.3 | 15.6 | 14.3 | 16.8 | 31.0 | 29.8 |
| 50,000 to 99,999 lb | 12.3 | 18.1 | 20.5 | 5.9 | 15.7 | 21.7 | 18.9 | 27.3 | 38.4 | 38.1 |
| 100,000 lb or more | 24.2 | 33.9 | 47.8 | S | 41.3 | S | S | S | S | S |
| SCTG 26, Wood products .. | 7.0 | 13.1 | 17.0 | 8.9 | 4.7 | 13.5 | 12.8 | 5.4 | 18.6 | 18.7 |
| Less than 50 lb | 17.8 | 16.2 | 28.8 | 10.3 | 10.9 | 11.1 | 15.2 | 16.2 | 18.3 | 17.9 |
| 50 to 99 lb | 13.9 | 10.6 | 23.6 | 11.6 | 10.0 | 9.1 | 11.8 | 23.0 | 20.6 | 21.2 |
| 100 to 499 lb | 10.3 | 8.9 | 13.4 | 6.7 | 10.2 | 10.1 | 9.9 | 10.8 | 11.2 | 11.3 |
| 500 to 749 lb | 9.9 | 10.9 | 11.1 | 10.8 | 14.5 | 13.2 | 11.4 | 24.0 | 22.4 | 21.7 |
| 750 to 999 lb | 9.0 | 13.4 | 13.1 | 13.1 | 13.9 | 19.9 | 12.1 | 14.8 | 20.0 | 20.6 |
| 1,000 to 9,999 lb | 4.6 | 6.9 | 7.3 | 8.1 | 6.3 | 9.9 | 7.0 | 8.2 | 8.1 | 8.4 |
| 10,000 to 49,999 lb | 7.7 | 12.9 | 11.8 | 4.5 | 7.3 | 15.7 | 10.8 | 7.2 | 11.5 | 10.9 |
| 50,000 to 99,999 lb | 7.1 | 22.3 | 12.9 | 11.0 | 11.1 | 26.6 | 25.9 | 12.1 | 33.0 | 33.8 |
| 100,000 lb or more | 24.6 | 25.5 | 29.5 | 6.7 | 32.4 | 28.1 | 33.4 | 23.3 | 48.9 | 46.0 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 5.7 | 4.2 | 5.3 | 7.7 | 11.3 | 7.7 | 9.3 | 6.3 | 8.0 | 8.2 |
| Less than 50 lb | 9.3 | 8.5 | 15.7 | 21.1 | 9.1 | 9.5 | 12.9 | 16.1 | 17.7 | 16.0 |
| 50 to 99 lb | 9.4 | 10.9 | 24.3 | 22.4 | 8.3 | 10.1 | 12.3 | 27.1 | 36.8 | 36.1 |
| 100 to 499 lb | 10.9 | 10.3 | 20.2 | 12.8 | 13.9 | 10.7 | 12.0 | 20.7 | 16.1 | 15.6 |
| 500 to 749 lb | 12.2 | 10.6 | 16.9 | 9.7 | 17.1 | 13.6 | 12.5 | 24.2 | 12.1 | 12.6 |
| 750 to 999 lb | 9.9 | 8.6 | 21.0 | 13.2 | 12.2 | 8.8 | 14.5 | 17.1 | 15.4 | 16.0 |
| 1,000 to 9,999 lb | 8.5 | 9.1 | 12.1 | 11.0 | 9.9 | 12.3 | 15.5 | 10.7 | 11.9 | 12.0 |
| 10,000 to 49,999 lb | 8.3 | 5.7 | 6.6 | 3.4 | 23.6 | 10.5 | 10.8 | 10.3 | 10.0 | 10.7 |
| 50,000 to 99,999 lb | 14.2 | 15.8 | 15.0 | 11.0 | 21.8 | 23.3 | 26.0 | 32.5 | 30.5 | 28.7 |
| 100,000 lb or more | 4.4 | 6.0 | 7.4 | 2.4 | 17.6 | 17.6 | 26.3 | 18.3 | 17.6 | 16.9 |
| SCTG 28, Paper or paperboard articles | 5.1 | 4.8 | 7.3 | 8.4 | 5.9 | 6.5 | 6.6 | 5.5 | 8.4 | 8.2 |
| Less than 50 lb | 10.6 | 6.9 | 15.3 | 9.9 | 11.0 | 6.8 | 10.4 | 12.6 | 12.7 | 12.1 |
| 50 to 99 lb | 9.4 | 11.0 | 23.9 | 13.8 | 9.8 | 9.4 | 11.2 | 24.9 | 27.4 | 27.5 |
| 100 to 499 lb | 7.0 | 6.8 | 11.4 | 10.4 | 7.4 | 7.8 | 7.7 | 10.0 | 10.6 | 10.8 |
| 500 to 749 lb | 11.6 | 9.2 | 16.7 | 9.2 | 9.6 | 9.8 | 14.7 | 17.2 | 16.1 | 16.1 |
| 750 to 999 lb | 11.8 | 9.0 | 11.9 | 12.8 | 17.6 | 11.5 | 15.2 | 29.0 | 18.6 | 19.7 |
| 1,000 to 9,999 lb | 5.9 | 6.3 | 8.1 | 6.9 | 7.0 | 9.5 | 8.2 | 8.0 | 8.3 | 8.4 |
| 10,000 to 49,999 lb | 7.5 | 5.6 | 7.7 | 4.9 | 10.6 | 8.2 | 8.2 | 8.4 | 11.3 | 11.0 |
| 50,000 to 99,999 lb | 25.2 | 21.5 | 33.1 | 25.2 | S | 37.6 | 36.4 | S | 39.5 | 38.7 |
| 100,000 lb or more | 30.1 | 24.4 | 30.5 | 16.5 | S | S | S | 45.5 | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 29, Printed products . | 4.8 | 8.8 | 6.5 | 11.7 | 6.6 | 13.5 | 10.8 | 4.8 | 9.8 | 9.9 |
| Less than 50 lb | 8.0 | 10.4 | 11.9 | 13.0 | 11.7 | 17.6 | 25.0 | 22.1 | 42.5 | 41.0 |
| 50 to 99 lb | 13.0 | 9.9 | 14.0 | 9.7 | 6.4 | 12.4 | 14.3 | 15.2 | 15.7 | 16.9 |
| 100 to 499 lb | 14.5 | 11.6 | 15.2 | 12.2 | 23.4 | 14.1 | 13.1 | 10.7 | 9.1 | 8.9 |
| 500 to 749 lb | 8.9 | 18.5 | 10.5 | 16.8 | 16.5 | 26.1 | 12.3 | 21.4 | 15.1 | 15.1 |
| 750 to 999 lb | 10.7 | 21.5 | 10.1 | 19.4 | 16.8 | 28.2 | 17.1 | 31.8 | 18.5 | 17.1 |
| 1,000 to 9,999 lb | 6.6 | 7.5 | 7.3 | 7.7 | 7.2 | 9.2 | 10.9 | 8.4 | 13.8 | 14.6 |
| 10,000 to 49,999 lb | 6.8 | 12.9 | 10.4 | 10.1 | 12.4 | 21.8 | 18.6 | 14.2 | 18.4 | 18.2 |
| 50,000 to 99,999 lb | 23.5 | 32.5 | S | 20.3 | 34.1 | 39.3 | 37.7 | S | 48.2 | 49.4 |
| 100,000 lb or more | S | S | S | S | S | S | 34.5 | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 10.2 | 5.8 | 7.5 | 2.4 | 14.3 | 8.7 | 8.9 | 44.3 | 7.2 | 7.2 |
| Less than 50 lb | 6.7 | 5.5 | 5.8 | 2.6 | 10.3 | 9.4 | 7.7 | 15.8 | 10.7 | 11.6 |
| 50 to 99 lb | 6.2 | 6.1 | 7.8 | 4.0 | 13.5 | 10.8 | 10.1 | 20.0 | 17.4 | 18.7 |
| 100 to 499 lb | 5.6 | 5.3 | 6.4 | 3.4 | 10.8 | 8.5 | 8.3 | 10.0 | 12.2 | 11.3 |
| 500 to 749 lb | 6.2 | 6.7 | 9.7 | 5.4 | 15.8 | 19.8 | 26.0 | 16.3 | 27.9 | 31.0 |
| 750 to 999 lb | 11.7 | 7.9 | 9.1 | 5.1 | 14.6 | 16.6 | 9.5 | 20.1 | 15.4 | 16.7 |
| 1,000 to 9,999 lb | 27.9 | 6.9 | 9.1 | 4.2 | 33.4 | 13.0 | 10.7 | S | 24.9 | 25.9 |
| 10,000 to 49,999 lb | 7.1 | 6.4 | 10.7 | 5.0 | 9.0 | 9.4 | 11.3 | 5.8 | 6.5 | 6.7 |
| 50,000 to 99,999 lb | 45.1 | 40.5 | 28.1 | 25.4 | S | 49.8 | 41.4 | 35.8 | 41.4 | 41.7 |
| 100,000 lb or more | 19.7 | 23.3 | 39.0 | 17.6 | 38.9 | 37.6 | S | S | S | S |
| SCTG 31, Nonmetallic mineral products | 3.8 | 4.8 | 4.7 | 9.0 | 4.4 | 6.6 | 6.6 | 4.6 | 11.0 | 10.4 |
| Less than 50 lb | 18.4 | 26.9 | 13.3 | 11.0 | 29.8 | 41.3 | 49.1 | 21.2 | 15.1 | 15.8 |
| 50 to 99 lb | 12.4 | 10.5 | 15.3 | 15.6 | 14.9 | 9.3 | 12.8 | 32.3 | 31.4 | 30.2 |
| 100 to 499 lb | 9.4 | 8.9 | 12.4 | 9.9 | 10.4 | 10.6 | 13.0 | 16.0 | 16.9 | 16.7 |
| 500 to 749 lb | 11.9 | 10.5 | 15.3 | 14.5 | 16.3 | 12.0 | 13.3 | 22.9 | 17.4 | 17.4 |
| 750 to 999 lb | 18.0 | 13.9 | 20.8 | 14.6 | 21.1 | 16.4 | 14.6 | 26.0 | 26.5 | 28.8 |
| 1,000 to 9,999 lb | 13.8 | 6.5 | 7.7 | 7.3 | 10.3 | 8.1 | 11.7 | 8.2 | 10.0 | 10.3 |
| 10,000 to 49,999 lb | 4.4 | 5.8 | 6.2 | 6.1 | 6.7 | 6.9 | 6.9 | 6.8 | 16.3 | 15.4 |
| 50,000 to 99,999 lb | 7.5 | 8.1 | 8.3 | 5.0 | 8.3 | 9.5 | 12.5 | 11.4 | 12.5 | 12.3 |
| 100,000 lb or more | 14.0 | 28.0 | 12.6 | 21.1 | 31.6 | 40.3 | 43.6 | 24.2 | 24.7 | 22.6 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 3.8 | 9.5 | 7.6 | 4.8 | 6.5 | 13.8 | 13.7 | 8.2 | 13.8 | 14.4 |
| Less than 50 lb | 18.0 | 8.5 | 11.8 | 7.9 | 15.1 | 10.4 | 10.1 | 14.8 | 12.4 | 12.5 |
| 50 to 99 lb | 10.3 | 8.0 | 11.4 | 11.4 | 17.7 | 11.1 | 8.9 | 24.4 | 19.3 | 22.1 |
| 100 to 499 lb | 6.3 | 6.9 | 11.6 | 11.3 | 7.9 | 11.3 | 10.9 | 12.1 | 11.1 | 11.8 |
| 500 to 749 lb | 6.8 | 5.7 | 9.7 | 8.3 | 7.8 | 9.8 | 10.6 | 20.7 | 12.5 | 12.4 |
| 750 to 999 lb | 11.0 | 6.8 | 9.5 | 9.3 | 8.8 | 10.7 | 13.6 | 30.3 | 20.7 | 21.0 |
| 1,000 to 9,999 lb | 4.1 | 7.0 | 7.7 | 8.2 | 7.6 | 12.6 | 10.9 | 11.2 | 9.2 | 8.9 |
| 10,000 to 49,999 lb | 4.1 | 6.0 | 5.9 | 3.8 | 7.2 | 10.2 | 19.3 | 9.0 | 16.4 | 17.5 |
| 50,000 to 99,999 lb | 11.5 | 14.6 | 16.1 | 11.9 | 17.1 | 18.2 | 19.8 | 25.5 | 27.7 | 27.6 |
| 100,000 lb or more | 19.4 | 27.8 | 15.6 | 11.1 | S | S | 47.4 | 41.8 | 36.9 | 34.4 |
| SCTG 33, Articles of base metal | 3.0 | 7.9 | 10.5 | 6.1 | 3.3 | 8.8 | 7.8 | 6.6 | 16.5 | 17.6 |
| Less than 50 lb | 8.4 | 6.7 | 8.9 | 7.5 | 7.7 | 7.7 | 7.0 | 14.3 | 10.9 | 10.6 |
| 50 to 99 lb | 9.5 | 6.5 | 12.2 | 7.8 | 11.4 | 6.0 | 6.8 | 16.2 | 16.6 | 14.9 |
| 100 to 499 lb | 6.2 | 4.8 | 7.7 | 7.2 | 6.6 | 6.0 | 6.1 | 12.9 | 8.8 | 8.8 |
| 500 to 749 lb | 6.4 | 4.9 | 6.6 | 6.9 | 10.7 | 8.9 | 8.7 | 19.5 | 12.4 | 13.1 |
| 750 to 999 lb | 9.7 | 6.9 | 14.5 | 8.5 | 16.2 | 11.3 | 11.0 | 21.6 | 12.2 | 12.5 |
| 1,000 to 9,999 lb | 4.4 | 4.2 | 3.3 | 3.4 | 6.7 | 6.1 | 7.1 | 10.0 | 10.6 | 11.1 |
| 10,000 to 49,999 lb | 4.8 | 9.6 | 11.6 | 5.4 | 8.7 | 16.2 | 15.5 | 11.6 | 13.5 | 13.7 |
| 50,000 to 99,999 lb | 31.8 | 24.6 | 31.2 | 17.6 | 17.3 | 16.8 | 16.1 | 46.9 | S | S |
| 100,000 lb or more | 23.2 | 19.5 | 22.6 | 12.6 | 30.8 | 26.7 | 23.5 | 49.5 | 40.8 | 40.5 |
| SCTG 34, Machinery | 4.8 | 3.8 | 4.3 | 4.5 | 5.9 | 7.9 | 12.0 | 13.3 | 16.3 | 17.0 |
| Less than 50 lb | 5.9 | 7.6 | 7.9 | 5.7 | 6.3 | 9.4 | 11.4 | 14.6 | 10.6 | 11.1 |
| 50 to 99 lb | 7.5 | 10.7 | 14.0 | 6.9 | 11.4 | 10.9 | 14.3 | 17.8 | 14.9 | 15.2 |
| 100 to 499 lb | 4.7 | 5.8 | 6.7 | 5.1 | 7.1 | 9.3 | 9.6 | 10.4 | 8.1 | 8.8 |
| 500 to 749 lb | 8.3 | 5.9 | 7.5 | 5.5 | 12.2 | 12.0 | 12.7 | 13.4 | 13.3 | 12.9 |
| 750 to 999 lb | 10.9 | 8.1 | 12.0 | 6.8 | 13.6 | 11.3 | 12.7 | 20.6 | 18.1 | 18.8 |
| 1,000 to 9,999 lb | 7.4 | 6.3 | 5.3 | 4.1 | 15.0 | 17.5 | 28.2 | 30.5 | 13.5 | 13.7 |
| 10,000 to 49,999 lb | 10.1 | 6.8 | 7.0 | 4.4 | 12.6 | 12.1 | 13.4 | 11.3 | 25.2 | 26.7 |
| 50,000 to 99,999 lb | 33.4 | 13.8 | 19.1 | 10.4 | 34.7 | 30.6 | 37.0 | S | 43.6 | 40.9 |
| 100,000 lb or more | 33.6 | 19.3 | 30.4 | 14.0 | S | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 9.6 | 8.0 | 8.1 | 5.0 | 15.6 | 14.6 | 21.7 | 10.7 | 14.6 | 17.7 |
| Less than 50 lb | 7.1 | 4.4 | 6.5 | 4.8 | 10.2 | 6.7 | 7.0 | 11.3 | 7.2 | 7.0 |
| 50 to 99 lb | 16.0 | 8.6 | 14.4 | 6.9 | 25.1 | 6.4 | 8.4 | 18.5 | 11.6 | 11.9 |
| 100 to 499 lb | 16.1 | 11.0 | 21.7 | 8.7 | 17.0 | 8.3 | 9.9 | 11.5 | 19.2 | 19.6 |
| 500 to 749 lb | 14.8 | 17.3 | 12.2 | 7.4 | 28.3 | 9.5 | 9.9 | 22.0 | 18.0 | 19.5 |
| 750 to 999 lb | 13.1 | 17.5 | 24.6 | 9.5 | 22.6 | 11.8 | 20.4 | 29.2 | S | 46.4 |
| 1,000 to 9,999 lb | 19.0 | 12.7 | 11.3 | 5.5 | 22.2 | 17.3 | 24.4 | 24.3 | 28.4 | 34.2 |
| 10,000 to 49,999 lb | 20.0 | 7.8 | 10.0 | 4.9 | S | 26.2 | 40.9 | 21.2 | 21.1 | 23.0 |
| 50,000 to 99,999 lb | 31.8 | 44.7 | S | 14.1 | 36.5 | 38.4 | S | S | S | S |
| 100,000 lb or more | 23.4 | S | 24.0 | 31.4 | 34.9 | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|--|---------------------|-------------|-------------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 36, Motorized and other vehicles (including parts) | 7.7 | 7.3 | 8.6 | 7.6 | 11.0 | 10.8 | 16.5 | 16.5 | 18.0 | 17.3 |
| Less than 50 lb | 7.0 | 7.1 | 7.9 | 8.9 | 8.6 | 10.7 | 11.0 | 9.9 | 11.9 | 11.1 |
| 50 to 99 lb | 9.1 | 8.7 | 7.3 | 9.7 | 13.8 | 14.9 | 16.9 | 16.3 | 14.5 | 14.2 |
| 100 to 499 lb | 10.1 | 7.6 | 8.2 | 6.9 | 11.5 | 12.0 | 11.5 | 15.0 | 12.7 | 12.3 |
| 500 to 749 lb | 14.8 | 8.1 | 13.3 | 10.3 | 18.8 | 15.3 | 16.0 | 33.3 | 19.4 | 20.4 |
| 750 to 999 lb | 18.1 | 16.3 | 12.9 | 12.8 | 27.9 | 25.5 | 44.0 | S | S | S |
| 1,000 to 9,999 lb | 13.2 | 12.2 | 18.5 | 7.5 | 23.5 | 18.5 | 9.9 | 21.9 | 16.0 | 16.1 |
| 10,000 to 49,999 lb | 7.6 | 8.9 | 8.3 | 5.2 | 22.0 | 23.1 | 29.4 | 35.8 | 30.4 | 30.0 |
| 50,000 to 99,999 lb | 34.4 | 20.2 | 27.4 | 14.8 | 49.1 | 42.9 | 31.5 | 28.7 | 30.2 | 31.0 |
| 100,000 lb or more | S | 30.0 | 45.9 | 19.4 | 30.7 | S | S | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 11.8 | 13.5 | 12.6 | 6.1 | 26.3 | 30.0 | 40.5 | 20.0 | 29.0 | 37.3 |
| Less than 50 lb | 18.8 | 22.4 | 25.6 | 7.5 | 23.1 | 38.6 | 43.5 | 36.4 | 35.1 | 36.5 |
| 50 to 99 lb | 30.7 | 16.3 | 20.5 | 11.0 | 35.3 | 41.4 | 44.0 | S | S | 43.9 |
| 100 to 499 lb | 13.8 | 17.2 | 16.6 | 6.9 | 24.0 | 32.8 | 36.7 | 41.3 | 27.5 | 27.9 |
| 500 to 749 lb | 17.9 | 15.1 | 14.0 | 10.3 | 40.9 | 31.7 | 48.2 | S | S | S |
| 750 to 999 lb | 44.2 | 14.2 | 18.5 | 12.7 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 18.7 | 14.2 | 13.5 | 6.9 | S | 22.4 | 27.6 | 35.5 | 29.6 | 29.8 |
| 10,000 to 49,999 lb | 22.9 | 20.4 | 14.1 | 10.6 | 24.8 | S | S | S | 36.6 | 35.9 |
| 50,000 to 99,999 lb | 35.0 | 41.4 | 46.3 | 14.6 | S | S | S | S | S | S |
| 100,000 lb or more | 27.1 | 28.2 | 30.1 | 19.7 | S | S | S | S | S | S |
| SCTG 38, Precision instruments and apparatus | 19.1 | 16.6 | 19.7 | 7.6 | 10.0 | 11.6 | 15.5 | 14.8 | S | S |
| Less than 50 lb | 34.8 | 26.4 | 37.3 | 7.7 | 13.0 | 15.1 | 14.2 | 21.8 | 19.9 | 19.8 |
| 50 to 99 lb | 18.4 | 21.3 | 29.8 | 8.8 | 20.8 | 25.4 | 30.1 | 38.9 | 30.1 | 30.6 |
| 100 to 499 lb | 8.3 | 10.3 | 12.7 | 12.5 | 23.2 | 18.2 | 21.3 | 29.4 | 16.4 | 19.9 |
| 500 to 749 lb | 19.0 | 13.5 | 14.5 | 10.5 | 29.4 | 22.2 | 26.9 | S | 41.9 | 43.0 |
| 750 to 999 lb | 16.4 | 18.3 | 24.3 | 10.8 | 28.5 | 20.3 | 27.1 | 39.7 | S | S |
| 1,000 to 9,999 lb | 16.3 | 18.2 | 39.8 | 10.8 | 22.6 | 27.4 | 35.2 | 31.0 | 28.4 | 28.0 |
| 10,000 to 49,999 lb | 21.2 | 47.2 | 36.3 | 17.0 | 39.2 | 35.4 | 34.1 | 43.2 | S | S |
| 50,000 to 99,999 lb | S | S | S | 21.8 | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | 22.4 | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 10.8 | 8.0 | 6.3 | 4.3 | 12.7 | 16.9 | 24.7 | 24.1 | 17.0 | 15.1 |
| Less than 50 lb | 12.3 | 13.3 | 16.2 | 7.9 | 19.9 | 19.2 | 13.2 | 24.8 | 18.6 | 18.8 |
| 50 to 99 lb | 10.2 | 9.2 | 11.0 | 6.8 | 18.2 | 17.5 | 14.1 | 30.3 | 12.4 | 13.7 |
| 100 to 499 lb | 10.3 | 5.8 | 5.7 | 4.0 | 17.5 | 12.8 | 14.6 | 6.9 | 8.8 | 8.8 |
| 500 to 749 lb | 8.9 | 6.6 | 5.9 | 4.4 | 19.4 | 10.6 | 10.6 | 9.4 | 10.7 | 12.0 |
| 750 to 999 lb | 8.7 | 8.5 | 10.4 | 6.6 | 12.3 | 15.2 | 15.9 | 14.4 | 15.9 | 15.0 |
| 1,000 to 9,999 lb | 18.7 | 12.6 | 7.0 | 5.2 | 24.0 | 29.5 | 42.4 | 41.5 | 26.1 | 23.8 |
| 10,000 to 49,999 lb | 19.7 | 12.3 | 11.2 | 5.8 | 24.5 | 19.7 | 20.8 | 15.8 | 26.0 | 22.5 |
| 50,000 to 99,999 lb | 38.2 | 42.6 | S | 17.6 | S | 45.8 | 45.7 | S | S | S |
| 100,000 lb or more | S | S | S | 25.5 | S | S | S | — | — | — |
| SCTG 40, Miscellaneous manufactured products | 7.6 | 7.5 | 7.4 | 5.4 | 6.6 | 20.9 | 18.5 | 14.0 | 15.4 | 14.3 |
| Less than 50 lb | 21.6 | 5.5 | 9.0 | 5.6 | 10.0 | 9.0 | 7.3 | 8.3 | 12.6 | 14.1 |
| 50 to 99 lb | 8.2 | 7.3 | 9.1 | 5.8 | 10.1 | 10.1 | 11.2 | 10.6 | 13.0 | 13.1 |
| 100 to 499 lb | 4.7 | 5.8 | 12.1 | 6.0 | 10.6 | 9.1 | 9.4 | 8.6 | 12.4 | 14.8 |
| 500 to 749 lb | 9.1 | 4.8 | 7.8 | 6.9 | 9.1 | 8.0 | 9.9 | 18.4 | 16.0 | 15.8 |
| 750 to 999 lb | 6.9 | 7.7 | 8.8 | 9.6 | 13.1 | 13.5 | 11.2 | 16.3 | 15.8 | 16.3 |
| 1,000 to 9,999 lb | 5.2 | 6.9 | 5.9 | 7.0 | 11.3 | 15.1 | 16.2 | 11.4 | 9.5 | 9.3 |
| 10,000 to 49,999 lb | 14.7 | 10.6 | 10.7 | 10.4 | 11.4 | 30.3 | 24.2 | 32.0 | 19.2 | 19.4 |
| 50,000 to 99,999 lb | 18.4 | 27.1 | 15.9 | 21.7 | S | 38.7 | S | 30.8 | 39.3 | 39.6 |
| 100,000 lb or more | 25.4 | 18.6 | 20.4 | 14.3 | 39.5 | S | S | 43.5 | S | S |
| SCTG 41, Waste and scrap | 5.7 | 6.2 | 7.9 | 8.6 | 17.6 | 11.8 | 16.4 | 10.1 | 14.9 | 14.4 |
| Less than 50 lb | 37.8 | S | S | 37.1 | 43.5 | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 33.3 | 38.3 | 36.7 | 34.1 | 45.6 | 45.5 | 42.3 | 42.4 | S | S |
| 500 to 749 lb | S | S | 47.4 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | 47.5 | 46.5 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 37.2 | 22.4 | S | S | 41.0 | 39.6 | 41.7 | 43.8 | 41.2 |
| 10,000 to 49,999 lb | 6.9 | 9.0 | 11.7 | 7.3 | 17.3 | 17.0 | 23.1 | 10.8 | 17.1 | 16.4 |
| 50,000 to 99,999 lb | 15.7 | 15.5 | 13.0 | 12.7 | 23.5 | 23.0 | 35.1 | 12.6 | 24.3 | 26.1 |
| 100,000 lb or more | 12.2 | 9.2 | 12.7 | 9.1 | 24.5 | 20.2 | 23.7 | 30.6 | 30.0 | 29.3 |
| SCTG 43, Mixed freight | 13.7 | 15.2 | 10.8 | 9.9 | 18.0 | 22.1 | 23.8 | 15.0 | 15.8 | 15.0 |
| Less than 50 lb | 21.5 | 21.8 | 41.0 | 15.1 | 25.0 | 16.8 | 17.3 | 28.5 | 34.7 | 35.1 |
| 50 to 99 lb | 17.8 | 19.3 | 37.4 | 13.9 | 20.4 | 17.4 | 16.5 | 30.6 | 31.8 | 30.8 |
| 100 to 499 lb | 12.0 | 12.6 | 19.2 | 10.0 | 10.9 | 12.2 | 12.4 | 18.2 | 22.7 | 23.0 |
| 500 to 749 lb | 10.4 | 11.2 | 15.1 | 8.9 | 14.8 | 14.7 | 13.6 | 21.6 | 22.7 | 22.8 |
| 750 to 999 lb | 11.7 | 11.3 | 17.0 | 9.1 | 11.2 | 12.4 | 16.1 | 20.4 | 13.6 | 13.6 |
| 1,000 to 9,999 lb | 9.8 | 6.6 | 11.8 | 8.9 | 8.3 | 9.7 | 12.8 | 13.0 | 9.1 | 9.0 |
| 10,000 to 49,999 lb | 21.1 | 21.5 | 16.6 | 8.4 | 27.6 | 30.8 | 32.0 | 23.2 | 21.6 | 20.5 |
| 50,000 to 99,999 lb | 27.0 | 25.4 | 34.3 | 20.8 | 48.9 | 47.7 | 40.1 | S | 48.3 | 47.3 |
| 100,000 lb or more | 43.8 | 36.1 | S | 19.3 | 46.9 | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | Total, all mileages | | | | Less than 50 miles | | | 50 to 99 miles | | |
|---|---------------------|----------|-----------|----------------------------|--------------------|-------------|-------------|----------------|-------------|-------------|
| | Value | Tons | Ton-miles | Average miles per shipment | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| Commodity unknown | 14.0 | S | S | 13.2 | 15.5 | 16.6 | 14.4 | 24.9 | 21.5 | 21.3 |
| Less than 50 lb | 16.9 | 12.2 | 19.3 | 9.8 | 18.3 | 18.4 | 18.9 | 39.3 | 28.1 | 27.4 |
| 50 to 99 lb | 20.6 | 18.6 | 37.7 | S | 31.1 | 27.7 | 26.2 | 38.3 | 27.4 | 28.0 |
| 100 to 499 lb | 13.4 | 17.0 | 31.5 | 15.0 | 16.9 | 24.5 | 30.3 | 36.1 | 44.9 | 47.6 |
| 500 to 749 lb | 36.2 | 32.5 | 15.5 | 22.6 | 33.3 | 39.4 | 46.8 | 42.4 | 47.6 | S |
| 750 to 999 lb | 23.5 | 21.2 | 23.6 | 35.7 | 37.3 | 30.1 | 33.7 | S | S | S |
| 1,000 to 9,999 lb | 16.0 | 22.8 | 25.3 | 14.3 | 28.6 | 17.1 | 20.1 | 38.7 | 32.8 | 31.5 |
| 10,000 to 49,999 lb | 23.5 | 22.1 | 24.1 | 15.7 | 35.5 | 25.3 | 23.2 | 33.1 | 30.9 | 30.7 |
| 50,000 to 99,999 lb | 35.8 | S | S | 16.2 | 29.4 | 37.0 | 32.3 | 38.9 | 45.7 | 46.1 |
| 100,000 lb or more | 33.4 | 39.3 | 47.3 | 20.0 | S | 45.1 | 47.3 | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| All commodities | 3.9 | 4.6 | 5.6 | 3.6 | 6.6 | 6.3 | 2.0 | 6.9 | 7.8 | 2.7 | 9.8 | 9.2 |
| Less than 50 lb | 3.6 | 4.3 | 4.5 | 4.5 | 2.7 | 2.7 | 7.2 | 3.0 | 9.1 | 5.0 | 4.8 | |
| 50 to 99 lb | 6.2 | 6.0 | 6.1 | 3.5 | 4.6 | 4.2 | 5.9 | 4.7 | 4.5 | 8.3 | 6.3 | 6.1 |
| 100 to 499 lb | 4.9 | 3.9 | 4.0 | 4.5 | 3.8 | 3.5 | 4.4 | 3.4 | 3.6 | 7.6 | 2.8 | 2.8 |
| 500 to 749 lb | 7.4 | 6.2 | 6.4 | 7.0 | 6.6 | 5.7 | 6.3 | 5.1 | 4.9 | 8.5 | 5.1 | 5.0 |
| 750 to 999 lb | 5.3 | 5.3 | 5.4 | 7.5 | 4.1 | 3.9 | 6.2 | 4.2 | 4.4 | 19.2 | 7.6 | 7.4 |
| 1,000 to 9,999 lb | 7.2 | 3.4 | 3.3 | 9.8 | 3.7 | 3.8 | 6.9 | 4.3 | 4.5 | 6.6 | 4.9 | 5.1 |
| 10,000 to 49,999 lb | 8.0 | 4.5 | 4.4 | 4.0 | 3.2 | 2.9 | 2.7 | 3.2 | 3.3 | 4.1 | 4.4 | 4.6 |
| 50,000 to 99,999 lb | 11.8 | 5.6 | 6.0 | 11.9 | 34.0 | 27.0 | 24.2 | 16.2 | 17.8 | 20.4 | 15.8 | 16.0 |
| 100,000 lb or more | 7.0 | 8.1 | 9.2 | 12.7 | 9.0 | 9.1 | 7.3 | 11.9 | 12.5 | 4.5 | 15.2 | 13.9 |
| SCTG 01, Live animals and live fish | 49.6 | S | S | 23.3 | 28.1 | 30.5 | 42.4 | 45.8 | 48.3 | 43.0 | 42.6 | 41.8 |
| Less than 50 lb | 48.5 | 43.9 | 44.4 | 50.0 | S | S | 46.5 | 39.0 | 38.5 | S | S | S |
| 50 to 99 lb | 43.6 | 37.4 | 38.0 | S | S | S | S | S | S | — | — | — |
| 100 to 499 lb | 39.4 | S | S | S | S | S | S | S | S | — | — | — |
| 500 to 749 lb | S | S | S | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | S | S | S | — | — | — | S | S | S | — | — | — |
| 1,000 to 9,999 lb | 43.2 | 49.9 | 48.9 | 40.5 | 36.7 | 36.3 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | 24.7 | 30.1 | 32.7 | 38.8 | 41.9 | 44.2 | 46.8 | 45.9 | 44.7 |
| 50,000 to 99,999 lb | 28.9 | 29.7 | 30.7 | 43.3 | 46.7 | 50.0 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | S | S | S |
| SCTG 02, Cereal grains | 17.8 | 15.6 | 15.1 | 16.4 | 17.7 | 19.0 | 39.0 | 32.1 | 32.5 | 38.0 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | — | — | S | S | S | S | — | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | 49.5 | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | — | — | S | S | S | S | — | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 22.2 | 18.1 | 19.1 | 42.7 | S | S | 37.7 | 34.1 | 33.1 | 50.0 | S | S |
| 50,000 to 99,999 lb | 30.3 | 29.2 | 27.7 | S | S | S | 45.3 | 49.9 | S | — | S | S |
| 100,000 lb or more | 26.7 | 24.7 | 25.6 | 25.1 | 25.2 | 26.7 | 40.5 | 33.7 | 33.7 | 39.4 | S | S |
| SCTG 03, Other agricultural products | 15.9 | 24.4 | 33.1 | 14.2 | 22.8 | 23.7 | 16.1 | 34.2 | 34.3 | 18.4 | 36.0 | 35.7 |
| Less than 50 lb | 32.9 | 32.0 | 30.5 | 37.4 | S | S | 30.5 | 49.8 | S | 38.8 | S | 49.8 |
| 50 to 99 lb | S | 42.9 | 34.7 | 48.1 | 42.9 | 44.3 | 30.7 | 22.1 | 22.0 | 43.4 | 31.9 | 31.0 |
| 100 to 499 lb | 21.2 | 16.2 | 15.7 | 38.2 | 24.2 | 24.6 | 31.4 | 21.9 | 21.5 | 16.0 | 16.9 | 17.2 |
| 500 to 749 lb | 25.2 | 23.7 | 22.0 | 25.9 | 24.5 | 24.7 | S | 36.5 | 35.0 | 31.1 | 36.5 | 37.4 |
| 750 to 999 lb | 24.7 | 29.0 | 32.9 | 34.2 | 33.5 | 34.2 | 44.7 | 41.9 | 40.6 | S | S | S |
| 1,000 to 9,999 lb | 17.3 | 23.7 | 22.6 | 20.7 | 20.1 | 20.6 | 31.6 | 24.7 | 24.6 | 22.4 | 23.0 | 23.8 |
| 10,000 to 49,999 lb | 16.2 | 19.1 | 21.1 | 14.2 | 29.3 | 29.4 | 18.5 | 26.0 | 27.4 | 18.6 | 21.1 | 21.0 |
| 50,000 to 99,999 lb | 41.1 | 25.7 | 26.8 | 48.9 | 36.6 | 38.5 | 40.4 | S | S | S | 41.3 | 40.6 |
| 100,000 lb or more | S | S | S | 27.9 | 37.4 | 36.9 | 38.5 | 43.9 | 42.3 | 38.3 | S | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 24.0 | 9.7 | 9.4 | 14.2 | 13.5 | 13.7 | 21.8 | 26.6 | 28.4 | 38.1 | 27.5 | 27.8 |
| Less than 50 lb | 39.4 | 29.0 | 31.3 | 46.1 | S | S | S | S | S | S | S | 49.7 |
| 50 to 99 lb | S | 49.8 | S | 41.0 | 39.3 | 40.3 | S | S | S | S | S | S |
| 100 to 499 lb | S | 49.6 | S | 39.6 | 30.2 | 28.7 | S | 39.4 | 43.1 | S | S | S |
| 500 to 749 lb | 43.9 | 43.1 | 42.2 | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 41.5 | 36.5 | 36.3 | 39.0 | 44.0 | 43.3 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 32.6 | 24.3 | 23.7 | 30.8 | 28.9 | 29.1 | 47.0 | S | S | 25.7 | 29.7 | 30.1 |
| 10,000 to 49,999 lb | 34.5 | 13.2 | 12.5 | 18.4 | 16.5 | 16.9 | 22.1 | 21.3 | 21.3 | 30.0 | 21.7 | S |
| 50,000 to 99,999 lb | 16.5 | 20.0 | 17.9 | 16.6 | 17.1 | 18.5 | 22.1 | 35.4 | 35.4 | S | 33.9 | 38.3 |
| 100,000 lb or more | 30.8 | 26.9 | 27.1 | 32.1 | 32.7 | 27.5 | S | S | S | S | 38.3 | 37.9 |
| SCTG 05, Meat, fish, seafood, and their preparations | 6.5 | 5.8 | 5.8 | 7.8 | 9.0 | 8.6 | 7.3 | 7.8 | 7.9 | 13.1 | 10.1 | 10.3 |
| Less than 50 lb | 38.4 | 45.6 | 42.2 | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 35.0 | 40.5 | 35.2 | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 19.6 | 19.2 | 16.3 | 45.2 | 34.4 | 35.1 | 30.2 | 26.3 | 26.8 | 29.9 | 23.0 | 23.3 |
| 500 to 749 lb | 17.2 | 19.3 | 19.8 | 32.2 | 31.0 | 29.4 | 29.8 | 35.2 | 38.0 | 25.9 | 27.9 | 27.6 |
| 750 to 999 lb | 18.6 | 14.7 | 14.4 | 22.8 | 29.4 | 25.8 | 20.7 | 25.1 | 28.3 | 35.5 | S | S |
| 1,000 to 9,999 lb | 10.2 | 10.8 | 11.1 | 9.6 | 12.4 | 12.6 | 17.6 | 16.7 | 17.2 | 23.0 | 15.2 | 15.6 |
| 10,000 to 49,999 lb | 7.7 | 7.1 | 6.8 | 9.4 | 10.1 | 9.6 | 7.9 | 8.6 | 8.7 | 14.5 | 10.9 | 11.3 |
| 50,000 to 99,999 lb | S | 37.5 | 46.1 | 45.9 | 37.4 | 38.8 | 42.9 | 31.8 | 33.0 | S | S | S |
| 100,000 lb or more | S | 39.7 | 38.4 | S | 45.4 | 44.5 | 44.0 | S | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 24.8 | 9.8 | 9.6 | 14.3 | 16.5 | 14.5 | 12.3 | 8.4 | 8.5 | 8.3 | 8.7 | 9.7 |
| Less than 50 lb | S | S | S | 40.6 | 26.5 | 28.0 | 38.9 | 40.2 | 40.1 | 42.3 | 35.9 | 35.6 |
| 50 to 99 lb | 44.5 | 32.5 | 31.8 | 48.6 | 39.0 | 43.6 | S | 42.9 | 42.7 | S | S | S |
| 100 to 499 lb | 31.7 | 22.0 | 23.3 | S | 40.9 | 41.7 | 33.5 | 39.2 | 38.5 | 40.8 | 39.4 | 41.3 |
| 500 to 749 lb | S | 32.5 | 35.8 | S | S | 48.5 | S | S | S | S | 48.3 | 47.3 |
| 750 to 999 lb | S | 37.0 | 39.3 | 39.2 | 36.7 | 38.2 | 40.2 | 41.3 | 41.4 | S | S | S |
| 1,000 to 9,999 lb | 28.5 | 17.7 | 17.3 | 27.9 | 17.8 | 17.7 | 25.2 | 19.1 | 19.3 | 18.1 | 16.0 | 16.3 |
| 10,000 to 49,999 lb | 32.9 | 10.0 | 9.2 | 11.8 | 18.6 | 16.6 | 10.9 | 9.6 | 9.7 | 9.4 | 8.2 | 8.5 |
| 50,000 to 99,999 lb | 36.2 | 43.9 | S | 44.9 | S | 48.9 | S | S | S | 46.5 | 46.6 | 21.1 |
| 100,000 lb or more | 47.0 | 32.9 | 30.6 | 23.4 | 21.5 | 21.0 | 21.2 | 18.9 | 18.9 | 25.7 | 20.6 | 21.1 |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| SCTG 07, Other prepared foodstuffs and fats and oils | 17.5 | 11.4 | 11.0 | 5.9 | 7.9 | 8.1 | 7.8 | 11.8 | 12.6 | 7.8 | 13.2 | 13.2 |
| Less than 50 lb | 31.3 | 27.5 | 28.2 | 23.0 | 21.9 | 21.4 | 39.8 | 37.0 | 36.2 | 46.2 | 45.8 | 45.4 |
| 50 to 99 lb | 26.2 | 45.0 | 42.3 | 23.1 | 19.7 | 20.2 | S | S | S | S | S | S |
| 100 to 499 lb | 15.2 | 24.7 | 21.9 | 22.5 | 19.7 | 19.3 | 33.1 | 29.5 | 30.2 | S | 45.3 | 45.2 |
| 500 to 749 lb | 18.5 | 23.0 | 23.2 | 14.1 | 18.9 | 19.8 | 30.0 | 31.4 | 30.4 | 27.6 | 26.8 | 26.9 |
| 750 to 999 lb | 11.4 | 17.1 | 15.9 | 21.3 | 20.6 | 22.6 | 33.8 | 38.9 | 39.1 | 39.5 | 41.0 | 41.4 |
| 1,000 to 9,999 lb | 10.1 | 9.9 | 10.8 | 14.4 | 14.8 | 14.6 | 18.0 | 17.6 | 17.9 | 14.2 | 19.2 | 18.8 |
| 10,000 to 49,999 lb | 24.5 | 12.2 | 12.0 | 6.7 | 9.4 | 9.1 | 6.5 | 8.7 | 9.0 | 9.4 | 10.9 | 11.1 |
| 50,000 to 99,999 lb | 31.2 | 36.0 | 32.9 | 36.7 | 30.7 | 29.9 | 40.9 | 37.5 | 36.2 | 46.7 | 40.2 | 39.2 |
| 100,000 lb or more | 40.1 | 35.2 | 34.4 | 13.9 | 14.0 | 15.2 | 26.0 | 21.4 | 22.8 | 41.6 | 39.9 | 37.8 |
| SCTG 08, Alcoholic beverages | 10.5 | 13.3 | 13.4 | 18.3 | 17.2 | 16.7 | 18.8 | 22.4 | 24.8 | 21.9 | 29.2 | 28.7 |
| Less than 50 lb | 24.3 | 21.5 | 21.5 | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | 23.2 | 19.4 | 20.3 | S | 42.8 | 40.8 | S | S | S | S | S | S |
| 100 to 499 lb | 13.4 | 12.8 | 12.8 | 44.9 | 46.9 | 44.4 | 49.0 | S | S | S | S | S |
| 500 to 749 lb | 25.1 | 16.4 | 17.3 | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 19.8 | 23.2 | 23.2 | 47.3 | S | S | S | 41.5 | 42.2 | S | S | S |
| 1,000 to 9,999 lb | 14.0 | 22.8 | 21.4 | 34.4 | 31.3 | 32.8 | 30.7 | 34.3 | 35.5 | 32.9 | S | S |
| 10,000 to 49,999 lb | 13.9 | 14.0 | 14.1 | 16.6 | 15.2 | 14.9 | 17.4 | 18.6 | 19.4 | 20.9 | 24.2 | 23.5 |
| 50,000 to 99,999 lb | 30.9 | 30.0 | 27.7 | 37.6 | 37.5 | 36.2 | S | S | S | S | S | S |
| 100,000 lb or more | 42.2 | 43.8 | 46.0 | S | S | S | S | S | S | S | S | S |
| SCTG 09, Tobacco products | 16.5 | 19.5 | 18.5 | 22.0 | 18.4 | 18.5 | 21.7 | 20.9 | 20.9 | 27.6 | 26.2 | 26.7 |
| Less than 50 lb | 29.2 | 24.3 | 25.8 | 25.3 | 33.1 | 35.3 | 36.0 | 22.5 | 24.0 | 28.3 | 34.8 | 35.5 |
| 50 to 99 lb | 42.4 | 33.1 | 30.8 | 30.1 | 31.6 | 31.4 | 31.6 | 27.6 | 27.8 | 42.3 | 41.4 | 39.3 |
| 100 to 499 lb | 18.0 | 19.1 | 20.3 | 25.9 | 24.4 | 23.6 | 28.2 | 22.8 | 22.3 | 35.8 | 37.0 | 37.1 |
| 500 to 749 lb | 27.2 | 27.1 | 29.7 | 35.7 | 31.3 | 31.2 | 41.5 | 43.4 | 48.5 | S | S | S |
| 750 to 999 lb | 39.3 | 37.8 | 39.4 | 40.8 | 33.2 | 34.2 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 28.8 | 22.2 | 27.1 | 32.8 | 28.1 | 29.4 | 29.8 | 28.8 | 28.2 | 46.7 | 34.6 | 33.5 |
| 10,000 to 49,999 lb | 32.3 | 21.9 | 19.8 | 24.7 | 19.9 | 20.1 | 26.5 | 25.8 | 25.8 | 32.0 | 32.5 | 33.0 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | S | S | S | — | — | — |
| 100,000 lb or more | S | S | S | — | — | — | — | — | — | — | — | — |
| SCTG 10, Monumental or building stone | 42.7 | 31.9 | 32.6 | 37.8 | 25.8 | 25.0 | 31.3 | 24.8 | 25.4 | 41.6 | 34.0 | 32.7 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | 48.7 | 45.5 | 46.0 | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | 49.1 | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | 37.3 | 35.9 | 36.4 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 32.0 | 38.6 | 42.4 | 41.4 | 30.8 | 31.5 | 35.6 | 29.9 | 29.1 | 32.8 | 35.0 | 34.8 |
| 10,000 to 49,999 lb | S | 36.1 | 36.8 | 34.9 | 28.0 | 27.2 | 40.0 | 33.3 | 33.9 | S | 41.4 | 41.1 |
| 50,000 to 99,999 lb | 43.9 | S | S | 38.0 | 36.8 | 34.5 | — | S | S | S | S | S |
| 100,000 lb or more | 47.3 | S | S | S | S | S | S | S | S | S | S | S |
| SCTG 11, Natural sands | 17.6 | 26.1 | 31.9 | 23.9 | 30.0 | 30.3 | 36.1 | 31.9 | 34.2 | 38.4 | 37.4 | 39.9 |
| Less than 50 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 31.8 | 34.2 | 36.2 | S | 35.4 | 37.6 | 32.4 | 47.7 | S | S | S | S |
| 10,000 to 49,999 lb | 27.7 | 20.3 | 21.1 | 31.0 | 21.7 | 20.9 | 33.6 | 29.0 | 27.9 | 30.0 | 29.3 | 29.8 |
| 50,000 to 99,999 lb | 18.8 | 23.7 | 22.2 | 34.7 | 45.7 | 45.0 | S | 49.9 | 48.6 | — | — | — |
| 100,000 lb or more | 32.7 | 32.7 | 37.4 | 35.6 | 33.0 | 32.0 | S | 42.2 | 42.9 | S | 46.9 | 47.9 |
| SCTG 12, Gravel and crushed stone | 9.7 | 11.7 | 12.0 | 16.9 | 22.6 | 23.1 | S | 43.1 | 46.4 | 35.7 | 34.3 | 34.2 |
| Less than 50 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 29.8 | 28.7 | 29.3 | 31.0 | 31.9 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 15.5 | 17.5 | 19.5 | 24.8 | 35.2 | 45.1 | S | 48.2 | 47.4 | 43.3 | 44.0 | 44.2 |
| 50,000 to 99,999 lb | 19.1 | 22.6 | 22.7 | 30.4 | 38.4 | 37.3 | S | S | 47.1 | 46.1 | 46.1 | 46.1 |
| 100,000 lb or more | 15.4 | 18.5 | 17.9 | 25.8 | 36.0 | 32.6 | 37.6 | 49.7 | S | 48.0 | S | S |
| SCTG 13, Nonmetallic minerals n.e.c. | 34.9 | 15.7 | 23.9 | 28.4 | 10.9 | 10.4 | 12.6 | 46.6 | S | 10.3 | 16.0 | 17.1 |
| Less than 50 lb | 40.8 | S | S | S | 45.2 | 45.4 | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | 41.6 | S | S | S | S | S | S |
| 100 to 499 lb | 42.9 | 36.5 | 36.0 | S | 46.7 | 47.8 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 47.2 | 42.7 | 47.8 | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 36.5 | 36.2 | 38.0 | 29.6 | 35.4 | 33.6 | 39.4 | 38.4 | 37.3 | S | 36.6 | 36.1 |
| 10,000 to 49,999 lb | S | 14.2 | 14.9 | 39.7 | 18.4 | 18.0 | 10.8 | 10.5 | 11.0 | 15.0 | 12.6 | 12.4 |
| 50,000 to 99,999 lb | 26.9 | 17.1 | 20.9 | 34.9 | 22.0 | 22.3 | 30.4 | 27.4 | 26.4 | 40.9 | 42.6 | 42.6 |
| 100,000 lb or more | 16.2 | 29.8 | 42.5 | 16.7 | 12.8 | 13.1 | 18.2 | S | 16.6 | 16.6 | 17.9 | 18.7 |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| SCTG 14, Metallic ores and concentrates | 27.9 | 46.5 | 37.3 | 29.8 | 28.5 | 29.5 | 20.2 | 36.0 | 40.0 | 28.9 | 41.2 | 42.2 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | 47.1 | 46.1 | S | S | 45.4 | 45.9 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | 47.1 | 40.6 | 38.9 | 35.5 | 43.1 | 43.3 | 41.1 | 35.6 | 35.1 |
| 10,000 to 49,999 lb | 46.9 | S | S | 39.7 | 43.2 | 44.4 | 31.9 | 46.0 | 44.7 | 37.8 | 31.8 | 31.8 |
| 50,000 to 99,999 lb | 41.9 | S | S | S | S | S | — | — | — | S | S | S |
| 100,000 lb or more | 39.0 | 38.6 | 34.3 | 49.6 | 41.1 | 43.5 | 39.0 | 37.2 | 42.5 | 45.8 | 46.6 | 46.4 |
| SCTG 15, Coal | 11.9 | 12.9 | 13.3 | 11.5 | 12.5 | 12.3 | 23.8 | 26.6 | 29.5 | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 41.7 | 43.7 | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 35.5 | 34.9 | 35.4 | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 35.7 | 37.0 | 40.4 | 43.5 | 44.4 | 45.2 | S | S | S | S | S | S |
| 100,000 lb or more | 12.2 | 13.1 | 13.3 | 11.9 | 12.7 | 12.6 | 26.4 | 28.9 | 31.9 | S | S | S |
| SCTG 17, Gasoline and aviation turbine fuel | 10.3 | 12.0 | 12.7 | 29.6 | 32.1 | 27.0 | 28.0 | 39.6 | 41.0 | 31.2 | 38.5 | 38.6 |
| Less than 50 lb | — | — | — | S | S | S | S | S | S | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | S | S | S | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | 26.0 | 30.6 | 30.2 | 46.8 | 41.0 | 39.3 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 28.9 | 31.9 | 30.8 | 37.1 | 37.4 | 41.8 | S | S | S | 49.9 | S | S |
| 50,000 to 99,999 lb | 17.9 | 20.8 | 20.6 | 31.2 | 30.6 | 36.1 | S | S | S | S | S | S |
| 100,000 lb or more | 19.2 | 19.8 | 20.7 | 33.2 | 35.3 | 30.7 | 29.9 | 41.2 | 42.4 | 32.5 | 38.4 | 38.3 |
| SCTG 18, Fuel oils | 21.0 | 18.5 | 20.7 | 28.3 | 28.9 | S | 33.5 | 33.4 | 31.5 | S | S | S |
| Less than 50 lb | — | — | — | S | S | S | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 500 to 749 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 750 to 999 lb | S | S | S | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | 35.0 | 41.9 | 40.8 | S | 40.0 | 38.4 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 23.2 | 22.7 | 22.2 | 37.9 | 39.2 | 45.6 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 18.9 | 18.4 | 19.6 | 30.7 | 30.8 | 36.3 | S | S | S | S | S | S |
| 100,000 lb or more | 27.1 | 22.8 | 24.3 | 34.2 | 34.0 | S | 35.2 | 35.2 | 32.9 | S | S | S |
| SCTG 19, Coal and petroleum products, n.e.c. | 12.1 | 13.9 | 14.8 | 13.4 | 13.4 | 17.2 | 24.7 | 24.3 | 22.8 | 18.8 | 13.5 | 15.2 |
| Less than 50 lb | 31.7 | 31.8 | 36.0 | 48.6 | 42.7 | 38.0 | 30.5 | S | S | 41.8 | 48.5 | S |
| 50 to 99 lb | 41.0 | 35.1 | 34.1 | S | 45.7 | 47.3 | S | S | S | S | S | S |
| 100 to 499 lb | 33.2 | 28.5 | 34.4 | 25.4 | 22.0 | 22.3 | 50.0 | S | S | 34.0 | 30.0 | 29.7 |
| 500 to 749 lb | 35.6 | 29.3 | 30.0 | 44.0 | S | S | 41.1 | 40.7 | S | S | S | S |
| 750 to 999 lb | 38.7 | 44.1 | 38.4 | S | 35.1 | 37.0 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 36.8 | 40.5 | 46.3 | 29.7 | 25.0 | 26.6 | 35.4 | 42.5 | 43.7 | S | 47.0 | 47.2 |
| 10,000 to 49,999 lb | 11.1 | 11.8 | 11.0 | 12.9 | 12.4 | 13.1 | 45.2 | S | S | 26.1 | 21.0 | 20.7 |
| 50,000 to 99,999 lb | 23.2 | 27.1 | 27.7 | 26.6 | 27.1 | 31.2 | S | 30.5 | 31.6 | S | 44.0 | 44.8 |
| 100,000 lb or more | 18.8 | 20.8 | 21.7 | 23.0 | 18.2 | 22.0 | 31.7 | 20.0 | 19.6 | 25.6 | 18.0 | 20.6 |
| SCTG 20, Basic chemicals .. | 9.3 | 12.2 | 13.5 | 35.8 | 29.4 | 25.0 | 7.2 | 10.7 | 12.0 | 10.9 | 20.5 | 22.7 |
| Less than 50 lb | 25.4 | 35.2 | 32.9 | 32.2 | 23.5 | 25.7 | 48.7 | 31.0 | 30.5 | 42.9 | 35.9 | 36.3 |
| 50 to 99 lb | 43.7 | 32.1 | 31.5 | 37.8 | 27.4 | 27.7 | 35.1 | 37.0 | 36.3 | S | 47.6 | S |
| 100 to 499 lb | 27.3 | 20.6 | 21.0 | 20.2 | 19.3 | 18.2 | 19.6 | 13.0 | 13.0 | 38.1 | 38.2 | 37.6 |
| 500 to 749 lb | 21.7 | 22.0 | 17.7 | 36.4 | 42.7 | 44.8 | 40.5 | 17.4 | 17.6 | S | 44.8 | 44.1 |
| 750 to 999 lb | 14.9 | 35.5 | 30.1 | S | S | 21.8 | 19.0 | 19.2 | 35.9 | 33.6 | 33.9 | S |
| 1,000 to 9,999 lb | 13.7 | 12.6 | 12.2 | 18.1 | 23.8 | 20.9 | 17.3 | 16.2 | 15.7 | 38.0 | 38.2 | 40.5 |
| 10,000 to 49,999 lb | 11.1 | 18.3 | 19.1 | 28.6 | S | 25.4 | 9.0 | 7.1 | 7.2 | 12.6 | 14.7 | 14.2 |
| 50,000 to 99,999 lb | 42.8 | 11.6 | 14.0 | 25.8 | 19.9 | 18.5 | 30.7 | 30.7 | 30.8 | 47.5 | 40.5 | 36.9 |
| 100,000 lb or more | 15.9 | 13.6 | 16.5 | 46.9 | 30.7 | 26.2 | 13.2 | 13.8 | 15.1 | 13.2 | 24.3 | 26.2 |
| SCTG 21, Pharmaceutical products | 9.4 | 12.5 | 12.0 | 13.8 | 34.0 | 35.6 | 14.6 | 41.0 | 40.4 | 15.2 | 30.1 | 29.6 |
| Less than 50 lb | 11.8 | 10.9 | 10.9 | 13.7 | 14.8 | 14.2 | 18.1 | 16.6 | 16.7 | 20.8 | 17.1 | 17.1 |
| 50 to 99 lb | 20.6 | 13.4 | 13.9 | 23.2 | 17.4 | 16.4 | 36.9 | S | S | 28.3 | 23.5 | S |
| 100 to 499 lb | 12.4 | 11.5 | 12.0 | 20.5 | 16.2 | 17.4 | 22.6 | 15.2 | 15.8 | S | 34.6 | 34.5 |
| 500 to 749 lb | 45.9 | 23.3 | 25.8 | S | 28.0 | 27.5 | 31.0 | 35.2 | 34.9 | S | 43.4 | 46.4 |
| 750 to 999 lb | 34.9 | 35.9 | 34.9 | S | 35.8 | 36.8 | 45.1 | 32.8 | 31.5 | S | S | S |
| 1,000 to 9,999 lb | 38.3 | 25.7 | 23.3 | 30.4 | 17.8 | 19.3 | 29.1 | 35.4 | 34.4 | 30.2 | 20.3 | 21.2 |
| 10,000 to 49,999 lb | 20.0 | 20.2 | 18.4 | 24.9 | 40.2 | 41.3 | 25.5 | 45.5 | 44.6 | 21.2 | 38.3 | 37.9 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| SCTG 22, Fertilizers..... | 12.0 | 10.8 | 11.8 | 9.5 | 12.4 | 11.5 | 15.3 | 15.1 | 17.8 | 17.1 | 19.0 | 22.5 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 100 to 499 lb | 43.7 | 36.1 | 34.1 | 46.2 | 39.4 | 39.6 | S | S | S | S | S | S |
| 500 to 749 lb | 34.5 | 29.4 | 30.1 | 46.5 | 48.9 | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | 44.6 | 42.2 | S | S | S | — | — | — |
| 1,000 to 9,999 lb | 29.7 | 22.7 | 23.1 | 34.3 | 32.5 | 35.2 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 13.9 | 12.3 | 11.7 | 19.5 | 22.2 | 22.9 | 27.7 | 32.5 | 31.8 | 19.9 | 21.5 | 20.5 |
| 50,000 to 99,999 lb | 17.8 | 16.0 | 16.7 | 21.5 | 19.2 | 18.0 | 33.4 | 29.0 | 29.5 | S | S | S |
| 100,000 lb or more | 17.4 | 17.8 | 18.8 | 13.1 | 16.9 | 15.1 | 19.8 | 18.4 | 20.9 | 19.5 | 20.5 | 23.8 |
| SCTG 23, Chemical products and preparations, n.e.c. | 14.4 | 11.6 | 13.2 | 8.8 | 13.1 | 13.7 | 7.5 | 8.3 | 8.5 | 6.8 | 9.2 | 9.7 |
| Less than 50 lb | 20.2 | 18.3 | 19.5 | 26.9 | 23.3 | 23.3 | 15.2 | 20.0 | 20.0 | 25.9 | 19.1 | 18.0 |
| 50 to 99 lb | 17.9 | 12.4 | 13.1 | 21.7 | 25.9 | 26.2 | 28.5 | 25.8 | 25.6 | 34.8 | 23.9 | 21.5 |
| 100 to 499 lb | 13.2 | 8.9 | 8.7 | 12.2 | 14.9 | 16.3 | 16.6 | 25.0 | 24.4 | 21.8 | 13.8 | 14.0 |
| 500 to 749 lb | 20.9 | 21.3 | 24.2 | 23.1 | 14.9 | 14.3 | 34.0 | 14.8 | 14.7 | 18.5 | 17.2 | 17.9 |
| 750 to 999 lb | 15.6 | 15.3 | 16.0 | 22.5 | 16.8 | 14.9 | 39.9 | 15.2 | 15.9 | 18.3 | 24.4 | 23.3 |
| 1,000 to 9,999 lb | 7.6 | 10.6 | 10.4 | 12.8 | 9.3 | 9.0 | 18.0 | 10.5 | 10.5 | 10.7 | 13.5 | 13.8 |
| 10,000 to 49,999 lb | 26.8 | 14.2 | 15.1 | 11.1 | 13.7 | 13.5 | 9.1 | 9.1 | 9.1 | 9.1 | 10.0 | 10.2 |
| 50,000 to 99,999 lb | 34.6 | 25.1 | 24.0 | 34.8 | 44.2 | 43.4 | 39.8 | S | S | S | S | S |
| 100,000 lb or more | 34.0 | S | S | 45.8 | 34.5 | 37.4 | 24.0 | 22.2 | 22.8 | 21.3 | 20.8 | 21.0 |
| SCTG 24, Plastics and rubber | 5.2 | 7.8 | 7.7 | 7.9 | 6.3 | 6.2 | 5.0 | 6.6 | 7.0 | 5.3 | 10.4 | 10.7 |
| Less than 50 lb | 9.6 | 13.5 | 14.6 | 10.8 | 10.7 | 10.7 | 12.2 | 14.4 | 15.3 | 18.7 | 30.6 | 29.1 |
| 50 to 99 lb | 15.2 | 20.8 | 23.9 | 14.5 | 12.6 | 11.8 | 19.5 | 18.0 | 17.9 | 25.1 | 14.2 | 14.4 |
| 100 to 499 lb | 10.1 | 8.6 | 7.8 | 7.8 | 7.0 | 7.2 | 12.7 | 14.2 | 14.1 | 11.8 | 11.4 | 11.4 |
| 500 to 749 lb | 12.7 | 16.3 | 14.2 | 12.7 | 9.6 | 9.5 | 11.9 | 8.7 | 8.9 | 28.0 | 22.7 | 22.7 |
| 750 to 999 lb | 7.8 | 6.4 | 6.3 | 9.0 | 9.8 | 9.8 | 12.4 | 11.5 | 11.4 | 17.0 | 14.6 | 14.0 |
| 1,000 to 9,999 lb | 7.7 | 8.6 | 7.9 | 8.9 | 8.2 | 8.4 | 6.3 | 8.0 | 8.0 | 7.5 | 7.9 | 7.6 |
| 10,000 to 49,999 lb | 5.5 | 9.1 | 9.0 | 11.6 | 8.2 | 8.0 | 7.7 | 7.3 | 6.8 | 7.1 | 12.0 | 12.5 |
| 50,000 to 99,999 lb | 33.5 | 35.2 | 41.0 | 48.5 | 39.2 | 37.0 | 41.1 | 39.7 | 38.3 | 47.4 | 35.7 | 34.4 |
| 100,000 lb or more | 21.2 | 17.5 | 18.9 | 13.4 | 14.9 | 14.8 | 10.4 | 14.1 | 14.7 | 13.2 | 13.1 | 13.1 |
| SCTG 25, Logs and other wood in the rough | 19.6 | 38.7 | 43.1 | 22.1 | 33.7 | 32.9 | 33.9 | S | S | 33.7 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | S | S | S | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | 49.4 | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 30.8 | 29.4 | 28.9 | S | 37.0 | 35.4 | S | 42.1 | 40.2 | S | 45.2 | 45.3 |
| 10,000 to 49,999 lb | 16.1 | 38.8 | 34.3 | 28.3 | 20.2 | 19.6 | S | 32.7 | 33.5 | 35.0 | 40.6 | 40.8 |
| 50,000 to 99,999 lb | 25.7 | 27.6 | 25.9 | 24.0 | 31.6 | 31.1 | 42.0 | 48.2 | 49.1 | S | S | S |
| 100,000 lb or more | S | S | S | 36.8 | S | 40.6 | S | S | S | S | S | S |
| SCTG 26, Wood products .. | 13.7 | 23.0 | 27.2 | 9.8 | 17.9 | 15.1 | 8.9 | 13.5 | 13.9 | 12.6 | 24.6 | 24.5 |
| Less than 50 lb | 23.7 | 15.5 | 16.1 | 29.7 | 30.7 | 30.7 | 32.0 | 32.6 | 33.8 | 35.4 | 36.4 | 35.8 |
| 50 to 99 lb | 19.0 | 16.3 | 19.3 | 24.6 | 27.7 | 26.6 | 46.7 | 39.8 | 39.7 | S | 48.2 | 48.6 |
| 100 to 499 lb | 18.2 | 19.8 | 19.8 | 23.4 | 31.7 | 30.8 | 22.9 | 19.4 | 19.7 | 27.1 | 17.2 | 17.7 |
| 500 to 749 lb | 14.3 | 14.2 | 14.1 | 16.4 | 18.9 | 17.8 | 34.2 | 24.8 | 24.4 | 27.8 | 24.7 | 25.5 |
| 750 to 999 lb | 30.2 | 29.5 | 30.5 | 23.0 | 22.9 | 22.6 | 29.7 | 27.6 | 26.3 | 28.9 | 25.8 | 26.6 |
| 1,000 to 9,999 lb | 13.5 | 12.0 | 12.8 | 15.3 | 17.6 | 16.7 | 13.2 | 15.1 | 15.0 | 20.5 | 18.3 | 18.7 |
| 10,000 to 49,999 lb | 10.2 | 19.5 | 21.5 | 12.2 | 18.4 | 16.3 | 14.1 | 14.7 | 14.0 | 14.9 | 15.4 | 15.2 |
| 50,000 to 99,999 lb | 8.6 | 10.6 | 9.8 | 12.8 | 26.6 | 23.0 | 13.4 | 13.4 | 14.1 | 19.2 | 20.4 | 23.5 |
| 100,000 lb or more | S | 45.5 | 48.7 | 12.3 | 16.3 | 13.6 | 16.6 | 25.7 | 25.7 | 26.9 | 40.2 | 38.5 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 10.4 | 8.5 | 8.8 | 6.4 | 6.0 | 6.6 | 5.7 | 5.1 | 5.0 | 9.3 | 11.6 | 12.1 |
| Less than 50 lb | 23.7 | 17.7 | 15.8 | 25.9 | 22.4 | 20.1 | 45.2 | 33.0 | 34.9 | S | S | S |
| 50 to 99 lb | 30.8 | 23.8 | 19.9 | 29.7 | 26.3 | 28.6 | 40.4 | 29.9 | 28.2 | 43.2 | 35.8 | 36.2 |
| 100 to 499 lb | 9.8 | 11.6 | 11.7 | 15.7 | 19.7 | 20.8 | 29.3 | 23.5 | 23.9 | 41.2 | 35.4 | 35.7 |
| 500 to 749 lb | 19.9 | 13.7 | 14.3 | 42.2 | 20.5 | 22.3 | 18.6 | 31.4 | 33.2 | 27.6 | 35.0 | 37.9 |
| 750 to 999 lb | 32.3 | 21.0 | 25.7 | 21.2 | 27.0 | 27.6 | 22.3 | 28.6 | 29.1 | S | 48.9 | 48.7 |
| 1,000 to 9,999 lb | 11.1 | 11.0 | 12.1 | 15.1 | 10.1 | 10.4 | 37.2 | 19.3 | 19.4 | 24.3 | 17.6 | 18.0 |
| 10,000 to 49,999 lb | 14.0 | 9.8 | 10.0 | 8.0 | 6.5 | 6.6 | 7.8 | 7.0 | 7.1 | 10.4 | 10.0 | 10.1 |
| 50,000 to 99,999 lb | 32.2 | S | S | 18.0 | 22.9 | 23.2 | 34.5 | 28.2 | 28.0 | 31.2 | 28.1 | 28.0 |
| 100,000 lb or more | 11.8 | 10.0 | 10.6 | 8.0 | 9.0 | 9.8 | 4.3 | 5.9 | 6.0 | 13.8 | 17.1 | 17.8 |
| SCTG 28, Paper or paperboard articles | 11.5 | 5.6 | 5.1 | 10.4 | 8.4 | 8.2 | 9.1 | 9.4 | 9.6 | 15.4 | 12.2 | 12.2 |
| Less than 50 lb | 36.4 | 25.8 | 20.5 | 16.9 | 15.1 | 16.0 | 21.5 | 21.2 | 21.2 | 21.4 | 21.9 | 21.2 |
| 50 to 99 lb | 14.7 | 12.7 | 14.0 | 26.0 | 29.7 | 38.4 | 42.6 | 40.0 | 45.6 | 49.1 | 48.8 | 48.8 |
| 100 to 499 lb | 12.7 | 10.3 | 10.1 | 20.4 | 21.2 | 20.1 | 23.5 | 18.0 | 19.1 | 22.0 | 24.2 | 26.0 |
| 500 to 749 lb | 16.6 | 23.0 | 24.8 | S | 45.7 | 23.7 | 21.0 | 20.9 | 29.3 | 28.1 | 28.9 | 28.9 |
| 750 to 999 lb | 28.1 | 17.3 | 16.5 | 26.0 | 23.1 | 20.7 | 23.7 | 23.2 | 23.4 | 36.9 | 26.4 | 27.2 |
| 1,000 to 9,999 lb | 22.1 | 10.3 | 9.8 | 10.8 | 11.4 | 11.0 | 12.0 | 17.3 | 18.0 | 25.0 | 21.4 | 21.5 |
| 10,000 to 49,999 lb | 10.8 | 6.1 | 5.8 | 12.8 | 10.8 | 10.7 | 9.6 | 9.2 | 9.5 | 17.3 | 11.4 | 11.4 |
| 50,000 to 99,999 lb | S | 33.1 | 31.3 | 38.4 | 30.7 | 31.2 | S | S | S | S | S | S |
| 100,000 lb or more | S | 46.9 | 43.7 | 44.3 | 37.5 | 38.2 | 49.5 | 38.4 | 37.5 | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| SCTG 29, Printed products . | 15.3 | 8.0 | 9.0 | 11.3 | 11.4 | 10.9 | 8.8 | 13.3 | 12.9 | 7.6 | 8.2 | 8.2 |
| Less than 50 lb | 10.6 | 15.8 | 12.7 | 13.9 | 17.7 | 19.0 | 15.4 | 13.3 | 13.3 | 12.8 | 16.0 | 16.2 |
| 50 to 99 lb | 19.6 | 17.1 | 17.8 | 24.7 | 20.6 | 20.9 | 29.6 | 21.3 | 21.4 | 29.2 | 21.8 | 21.1 |
| 100 to 499 lb | 13.7 | 9.2 | 9.8 | 18.4 | 19.1 | 20.5 | 21.1 | 24.1 | 23.7 | 18.6 | 12.2 | 12.2 |
| 500 to 749 lb | 20.0 | 20.8 | 21.6 | 18.0 | 12.6 | 12.9 | 48.6 | 23.5 | 22.1 | 21.9 | 20.0 | 19.8 |
| 750 to 999 lb | 24.7 | 21.1 | 21.2 | 19.6 | 13.8 | 13.8 | 29.0 | 21.6 | 21.9 | 44.9 | 22.4 | 22.2 |
| 1,000 to 9,999 lb | 36.4 | 13.3 | 15.2 | 18.5 | 15.3 | 13.1 | 18.3 | 18.7 | 21.2 | 22.6 | 11.5 | 10.8 |
| 10,000 to 49,999 lb | 11.0 | 10.9 | 11.2 | 12.4 | 14.3 | 14.1 | 17.1 | 20.5 | 20.0 | 18.8 | 14.0 | 13.9 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | 48.9 | 49.8 | S | S | S |
| 100,000 lb or more | 48.5 | 41.1 | 38.9 | S | S | S | — | — | — | S | S | S |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 14.3 | 8.3 | 8.8 | 8.4 | 10.1 | 9.2 | 7.4 | 9.6 | 9.3 | 5.5 | 8.2 | 8.2 |
| Less than 50 lb | 8.6 | 8.2 | 7.7 | 9.1 | 8.4 | 8.4 | 7.4 | 7.5 | 7.7 | 8.2 | 7.3 | 7.4 |
| 50 to 99 lb | 10.0 | 9.1 | 9.7 | 12.4 | 9.7 | 9.3 | 11.6 | 10.0 | 10.1 | 12.8 | 10.0 | 10.0 |
| 100 to 499 lb | 7.0 | 7.8 | 7.4 | 10.3 | 8.3 | 8.5 | 6.5 | 7.2 | 7.2 | 12.4 | 9.6 | 9.6 |
| 500 to 749 lb | 34.2 | 12.8 | 12.1 | 12.4 | 10.2 | 10.0 | 10.9 | 17.8 | 17.8 | 17.6 | 16.7 | 16.6 |
| 750 to 999 lb | 19.0 | 10.9 | 10.2 | 16.7 | 11.3 | 12.3 | 20.0 | 14.2 | 13.9 | 26.3 | 21.2 | 21.0 |
| 1,000 to 9,999 lb | 38.7 | 9.5 | 8.7 | 9.5 | 9.6 | 9.5 | 12.0 | 10.8 | 10.7 | 11.5 | 13.1 | 12.4 |
| 10,000 to 49,999 lb | 8.8 | 7.1 | 6.8 | 17.8 | 14.5 | 13.5 | 12.1 | 12.8 | 12.6 | 9.0 | 9.9 | 10.0 |
| 50,000 to 99,999 lb | S | S | S | S | 44.8 | 43.9 | 28.0 | 37.6 | 39.6 | S | S | S |
| 100,000 lb or more | 49.2 | 49.7 | 46.3 | S | S | S | S | S | S | S | S | S |
| SCTG 31, Nonmetallic mineral products | 8.4 | 7.0 | 5.9 | 5.5 | 6.9 | 7.2 | 8.6 | 7.5 | 7.2 | 9.3 | 9.3 | 9.4 |
| Less than 50 lb | 16.9 | 19.4 | 19.2 | 24.2 | 14.6 | 13.6 | 17.9 | 12.8 | 12.9 | 13.2 | 16.7 | 16.8 |
| 50 to 99 lb | 20.0 | 34.1 | 37.5 | 23.6 | 28.8 | 29.2 | 18.5 | 23.1 | 23.2 | 37.4 | 20.5 | 21.3 |
| 100 to 499 lb | 17.2 | 20.2 | 22.0 | 19.8 | 14.3 | 14.1 | 25.2 | 30.0 | 30.1 | 33.8 | 24.9 | 24.9 |
| 500 to 749 lb | 27.2 | 36.5 | 37.8 | 36.9 | 18.8 | 19.5 | 34.4 | 29.5 | 29.0 | 43.4 | 43.0 | 42.1 |
| 750 to 999 lb | 22.3 | 22.5 | 24.0 | 25.5 | 20.5 | 19.3 | 25.5 | 24.2 | 22.9 | S | S | 48.8 |
| 1,000 to 9,999 lb | 33.4 | 13.4 | 12.5 | 15.8 | 12.6 | 11.0 | 23.4 | 16.4 | 16.8 | 16.5 | 18.0 | 17.7 |
| 10,000 to 49,999 lb | 7.4 | 12.7 | 11.2 | 6.4 | 7.9 | 8.1 | 7.2 | 6.9 | 6.9 | 10.4 | 9.8 | 9.8 |
| 50,000 to 99,999 lb | 9.4 | 11.0 | 10.5 | 10.5 | 10.9 | 10.7 | S | 29.4 | 29.0 | 27.7 | 29.5 | 29.4 |
| 100,000 lb or more | 13.4 | 13.0 | 13.3 | 16.6 | 12.8 | 13.3 | 18.4 | 24.3 | 21.0 | 29.8 | 26.4 | 26.3 |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 5.9 | 11.9 | 12.8 | 5.1 | 10.2 | 11.5 | 6.7 | 11.4 | 11.9 | 9.9 | 10.9 | 13.2 |
| Less than 50 lb | 30.4 | 17.2 | 19.2 | 19.1 | 13.3 | 12.9 | S | 17.1 | 16.9 | 34.2 | 24.7 | 25.2 |
| 50 to 99 lb | 25.0 | 15.6 | 15.8 | 19.2 | 13.5 | 13.7 | 24.2 | 25.4 | 22.7 | 36.6 | 29.1 | 29.9 |
| 100 to 499 lb | 15.3 | 13.9 | 16.3 | 13.6 | 13.1 | 12.9 | 23.8 | 17.2 | 16.9 | 28.8 | 21.2 | 21.7 |
| 500 to 749 lb | 20.8 | 17.2 | 21.0 | 14.7 | 15.6 | 16.3 | 15.0 | 12.5 | 12.4 | 37.9 | 24.2 | 24.3 |
| 750 to 999 lb | 25.4 | 16.6 | 20.3 | 30.9 | 23.4 | 23.8 | 14.7 | 15.3 | 15.3 | 16.5 | 20.7 | 21.3 |
| 1,000 to 9,999 lb | 8.9 | 8.6 | 8.5 | 8.8 | 8.2 | 7.9 | 12.2 | 8.4 | 8.3 | 19.0 | 16.9 | 17.4 |
| 10,000 to 49,999 lb | 5.9 | 5.5 | 5.8 | 5.5 | 7.4 | 7.6 | 7.2 | 8.6 | 8.7 | 9.7 | 9.6 | 9.7 |
| 50,000 to 99,999 lb | 23.7 | 25.7 | 26.8 | 25.1 | 21.2 | 22.3 | 24.6 | 41.4 | 40.2 | 31.8 | 37.7 | 34.1 |
| 100,000 lb or more | 34.2 | 37.4 | 35.8 | 15.9 | 23.6 | 24.1 | 21.3 | 29.9 | 29.2 | 21.0 | 20.5 | 23.9 |
| SCTG 33, Articles of base metal | 4.7 | 10.7 | 11.1 | 6.8 | 11.5 | 11.5 | 6.0 | 17.4 | 17.3 | 6.2 | 11.8 | 15.2 |
| Less than 50 lb | 12.1 | 13.2 | 14.2 | 21.6 | 12.9 | 12.4 | 11.2 | 10.6 | 9.7 | 11.3 | 12.2 | 12.1 |
| 50 to 99 lb | 13.5 | 12.5 | 11.8 | 14.4 | 8.8 | 9.3 | 20.8 | 12.0 | 12.4 | 20.8 | 19.7 | 19.6 |
| 100 to 499 lb | 13.3 | 14.7 | 15.9 | 10.0 | 11.4 | 10.8 | 9.2 | 7.0 | 7.1 | 16.1 | 12.6 | 12.9 |
| 500 to 749 lb | 19.4 | 9.7 | 10.0 | 13.3 | 12.5 | 13.7 | 13.1 | 13.0 | 12.9 | 43.9 | 25.0 | 25.0 |
| 750 to 999 lb | 17.7 | 9.0 | 8.9 | 11.0 | 11.0 | 9.7 | 22.8 | 10.7 | 10.6 | 24.0 | 15.3 | 15.5 |
| 1,000 to 9,999 lb | 8.4 | 6.6 | 6.6 | 6.5 | 7.4 | 7.8 | 13.4 | 7.8 | 8.2 | 12.9 | 7.6 | 7.6 |
| 10,000 to 49,999 lb | 7.6 | 16.0 | 16.4 | 7.2 | 12.0 | 11.6 | 5.4 | 18.4 | 18.2 | 10.9 | 10.6 | 11.0 |
| 50,000 to 99,999 lb | 36.0 | 35.9 | 33.3 | S | 42.9 | 44.3 | 46.7 | 48.9 | 49.3 | 42.8 | 37.8 | 38.9 |
| 100,000 lb or more | 25.8 | 38.6 | 43.7 | 36.4 | 41.4 | 39.9 | 40.1 | 41.1 | 40.7 | 48.3 | 42.5 | 47.4 |
| SCTG 34, Machinery | 8.9 | 10.5 | 8.1 | 13.8 | 10.6 | 11.5 | 5.4 | 5.5 | 5.5 | 10.4 | 9.1 | 9.0 |
| Less than 50 lb | 8.2 | 12.3 | 12.6 | 7.7 | 12.9 | 12.3 | 10.0 | 13.5 | 12.1 | 20.3 | 15.3 | 14.9 |
| 50 to 99 lb | 14.9 | 23.9 | 24.2 | 9.1 | 19.4 | 17.3 | 11.4 | 16.1 | 14.1 | 11.7 | 26.1 | 24.1 |
| 100 to 499 lb | 7.5 | 9.6 | 9.7 | 11.5 | 9.1 | 8.4 | 8.7 | 6.6 | 7.0 | 10.9 | 10.0 | 10.1 |
| 500 to 749 lb | 17.0 | 10.7 | 10.5 | 21.5 | 14.3 | 13.5 | 27.6 | 11.3 | 12.0 | 15.6 | 9.9 | 10.2 |
| 750 to 999 lb | 37.0 | 16.7 | 14.1 | 15.7 | 9.0 | 9.2 | 13.8 | 12.8 | 12.9 | 28.3 | 32.7 | 32.6 |
| 1,000 to 9,999 lb | 9.1 | 11.6 | 11.6 | 14.8 | 6.9 | 7.2 | 8.9 | 9.1 | 8.8 | 24.5 | 10.9 | 11.3 |
| 10,000 to 49,999 lb | 18.7 | 19.2 | 15.1 | 26.9 | 16.4 | 17.7 | 8.6 | 8.7 | 8.9 | 16.0 | 14.2 | 14.1 |
| 50,000 to 99,999 lb | 27.0 | 35.2 | 36.8 | 23.2 | 24.7 | 23.6 | 24.5 | 27.0 | 26.3 | 24.6 | 22.5 | 23.6 |
| 100,000 lb or more | S | 35.7 | 36.2 | S | 39.9 | 38.3 | 42.7 | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 18.2 | 16.0 | 17.2 | 22.2 | 8.0 | 7.8 | 10.0 | 11.5 | 11.3 | 9.2 | 14.3 | 15.0 |
| Less than 50 lb | 8.9 | 11.9 | 13.0 | 8.5 | 7.1 | 7.2 | 8.2 | 6.1 | 5.9 | 8.1 | 8.0 | 8.0 |
| 50 to 99 lb | 15.8 | 21.9 | 22.4 | 12.1 | 22.8 | 19.6 | 11.7 | 13.8 | 14.1 | 11.1 | 13.1 | 12.8 |
| 100 to 499 lb | 18.2 | 29.3 | 29.1 | 13.2 | 21.0 | 17.9 | 11.4 | 9.5 | 8.9 | 18.1 | 13.6 | 13.7 |
| 500 to 749 lb | 31.7 | S | S | 18.2 | 35.1 | 32.4 | 21.1 | 13.6 | 13.4 | 24.5 | 13.6 | 13.5 |
| 750 to 999 lb | 19.3 | 40.8 | 46.8 | 26.9 | 36.5 | 32.8 | 25.6 | 27.2 | 24.9 | 37.2 | 26.7 | 27.7 |
| 1,000 to 9,999 lb | 34.5 | 25.5 | 27.4 | S | 16.1 | 16.5 | 27.6 | 17.9 | 17.1 | 18.1 | 14.0 | 13.5 |
| 10,000 to 49,999 lb | 45.4 | 12.8 | 12.6 | 7.6 | 8.4 | 8.7 | 12.4 | 14.9 | 14.9 | 27.1 | 12.4 | 12.3 |
| 50,000 to 99,999 lb | 42.7 | 48.9 | 49.2 | 29.6 | 30.1 | 30.9 | 40.9 | 38.4 | 36.7 | S | S | S |
| 100,000 lb or more | S | 48.3 | 48.5 | S | 40.4 | 41.0 | 43.9 | 39.5 | 39.2 | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|--|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles |
| SCTG 36, Motorized and other vehicles (including parts) | 10.6 | 9.5 | 9.0 | 9.0 | 9.4 | 10.0 | 12.6 | 10.6 | 11.3 | 14.4 | 15.0 | 15.4 |
| Less than 50 lb | 8.9 | 7.9 | 8.5 | 13.1 | 10.1 | 9.5 | 15.7 | 13.9 | 13.3 | 15.2 | 11.9 | 11.6 |
| 50 to 99 lb | 25.2 | 18.6 | 17.7 | 16.0 | 16.5 | 15.7 | 17.9 | 14.0 | 14.2 | 20.3 | 25.2 | 25.7 |
| 100 to 499 lb | 16.2 | 11.7 | 12.2 | 19.4 | 14.3 | 14.0 | 20.5 | 15.6 | 15.3 | 18.2 | 21.1 | 23.5 |
| 500 to 749 lb | 30.3 | 15.2 | 13.5 | 41.0 | 23.8 | 22.0 | 36.1 | 20.5 | 20.9 | 20.4 | 21.9 | 21.5 |
| 750 to 999 lb | 18.4 | 25.5 | 30.0 | 34.9 | 27.4 | 23.0 | 28.9 | 25.5 | 27.2 | 39.8 | 25.8 | 25.2 |
| 1,000 to 9,999 lb | 13.0 | 12.8 | 11.3 | 15.6 | 15.9 | 16.1 | 20.7 | 23.4 | 24.6 | 25.4 | 28.2 | 29.5 |
| 10,000 to 49,999 lb | 14.3 | 11.8 | 11.4 | 12.0 | 10.9 | 11.8 | 16.5 | 12.4 | 12.6 | 18.0 | 13.6 | 14.2 |
| 50,000 to 99,999 lb | S | 40.9 | 39.8 | 44.2 | 31.1 | 32.1 | S | S | S | 38.5 | 33.5 | 32.4 |
| 100,000 lb or more | S | S | S | S | 41.8 | 42.5 | S | S | S | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 30.8 | 23.3 | 23.8 | 8.0 | 22.7 | 25.9 | 13.4 | 19.6 | 20.5 | 17.9 | 21.2 | 22.7 |
| Less than 50 lb | 42.8 | S | 44.6 | 15.6 | 18.3 | 18.4 | 21.9 | 19.5 | 19.2 | 25.6 | 23.0 | 22.5 |
| 50 to 99 lb | 36.4 | 32.0 | 31.6 | 33.5 | 28.0 | 29.3 | S | 26.5 | 27.8 | 43.6 | 23.7 | 24.0 |
| 100 to 499 lb | 41.1 | 23.4 | 23.6 | 24.6 | 24.7 | 23.7 | 34.5 | 35.1 | 36.4 | 36.2 | 24.5 | 23.8 |
| 500 to 749 lb | S | 29.5 | 24.5 | 33.9 | 41.6 | 39.7 | 30.2 | 27.0 | 25.8 | 40.7 | 34.1 | 34.0 |
| 750 to 999 lb | S | 44.6 | 46.1 | 36.3 | 32.3 | 33.6 | 35.4 | 34.1 | 35.7 | 44.7 | 37.2 | 37.1 |
| 1,000 to 9,999 lb | 45.8 | 27.3 | 24.2 | 14.9 | 17.6 | 16.5 | 14.0 | 14.5 | 14.6 | 22.5 | 29.7 | 30.5 |
| 10,000 to 49,999 lb | 19.7 | 34.1 | 30.8 | 27.8 | 26.6 | 28.3 | 34.8 | 27.3 | 27.6 | 16.9 | 20.7 | 20.3 |
| 50,000 to 99,999 lb | S | S | S | 46.6 | 48.2 | 49.9 | S | 45.8 | 44.9 | — | — | — |
| 100,000 lb or more | S | S | S | 36.9 | 45.5 | 43.2 | 40.4 | 40.9 | 40.7 | 45.1 | 43.8 | 44.9 |
| SCTG 38, Precision instruments and apparatus | 10.6 | 20.9 | 17.7 | 11.9 | 25.6 | 18.5 | 25.2 | 34.4 | 33.6 | 29.2 | 23.2 | 22.5 |
| Less than 50 lb | 21.0 | 16.7 | 15.8 | 17.7 | 12.4 | 12.6 | 40.5 | 32.7 | 32.4 | 46.1 | 47.2 | 45.4 |
| 50 to 99 lb | 20.1 | 43.9 | 40.9 | 15.1 | 14.9 | 14.7 | 17.8 | 19.9 | 20.3 | S | S | S |
| 100 to 499 lb | 18.6 | 19.7 | 19.6 | 19.1 | 20.3 | 21.6 | 15.7 | 25.5 | 26.9 | 22.0 | 15.4 | 15.8 |
| 500 to 749 lb | 27.1 | 28.4 | 29.9 | 29.6 | 30.3 | 28.4 | 48.5 | 20.9 | 22.7 | 34.8 | 28.3 | 29.1 |
| 750 to 999 lb | 32.3 | 28.4 | 27.8 | 33.4 | 27.2 | 28.0 | 33.2 | 46.0 | 44.8 | 44.6 | S | S |
| 1,000 to 9,999 lb | 29.3 | 31.5 | 28.1 | 19.2 | 22.0 | 21.2 | 35.5 | 33.1 | 34.5 | S | 37.2 | 36.7 |
| 10,000 to 49,999 lb | 47.8 | S | S | 35.7 | 30.9 | 31.8 | 43.1 | S | S | 44.8 | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | S | S | S | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 26.3 | 19.2 | 15.6 | 20.5 | 11.5 | 11.9 | 5.4 | 7.1 | 6.8 | 10.2 | 8.3 | 8.1 |
| Less than 50 lb | 15.5 | 10.2 | 9.8 | 20.5 | 15.1 | 14.5 | 16.7 | 15.7 | 15.3 | 19.7 | 23.0 | 23.3 |
| 50 to 99 lb | 12.1 | 11.2 | 12.2 | 7.4 | 7.7 | 7.7 | 9.1 | 9.3 | 9.5 | 15.2 | 18.9 | 19.5 |
| 100 to 499 lb | 9.7 | 10.8 | 10.8 | 5.6 | 4.9 | 4.7 | 5.4 | 4.6 | 4.5 | 33.7 | 8.3 | 8.5 |
| 500 to 749 lb | 11.2 | 11.8 | 12.3 | 10.8 | 10.7 | 9.7 | 7.8 | 7.8 | 8.1 | 26.1 | 12.0 | 12.1 |
| 750 to 999 lb | 19.5 | 20.1 | 19.6 | 10.8 | 13.4 | 13.0 | 14.7 | 13.4 | 13.6 | 16.8 | 16.4 | 15.5 |
| 1,000 to 9,999 lb | 10.2 | 11.4 | 10.8 | 38.2 | 17.1 | 14.6 | 7.7 | 10.0 | 9.5 | 8.4 | 9.2 | 9.3 |
| 10,000 to 49,999 lb | S | 38.8 | 32.0 | 14.2 | 16.3 | 19.2 | 14.8 | 11.8 | 11.8 | 23.2 | 20.8 | 20.0 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | 40.9 | 41.4 | S | S | S |
| 100,000 lb or more | — | — | — | S | S | S | S | S | S | S | S | S |
| SCTG 40, Miscellaneous manufactured products | 17.6 | 9.8 | 9.3 | 8.4 | 7.7 | 7.6 | 9.1 | 9.3 | 9.1 | 14.5 | 15.1 | 14.9 |
| Less than 50 lb | 7.9 | 8.6 | 9.0 | 25.9 | 9.2 | 8.9 | 28.2 | 10.3 | 10.4 | 36.3 | 8.8 | 8.5 |
| 50 to 99 lb | 9.7 | 15.2 | 13.0 | 11.8 | 11.8 | 12.8 | 11.5 | 11.2 | 11.0 | 14.5 | 15.9 | 15.3 |
| 100 to 499 lb | 7.4 | 7.9 | 8.4 | 9.9 | 9.9 | 10.3 | 7.0 | 11.7 | 10.2 | 10.3 | 9.2 | 9.0 |
| 500 to 749 lb | 12.8 | 10.9 | 10.5 | 17.4 | 9.2 | 8.4 | 10.8 | 10.0 | 10.3 | 28.1 | 17.3 | 16.7 |
| 750 to 999 lb | 14.6 | 15.7 | 16.6 | 13.5 | 20.7 | 18.6 | 15.6 | 10.9 | 10.1 | 17.0 | 19.2 | 19.4 |
| 1,000 to 9,999 lb | 10.5 | 11.1 | 10.5 | 8.9 | 6.9 | 6.8 | 7.7 | 8.3 | 8.2 | 7.6 | 8.9 | 9.0 |
| 10,000 to 49,999 lb | 35.7 | 11.5 | 11.1 | 9.0 | 9.3 | 8.7 | 8.1 | 13.5 | 13.4 | 21.4 | 23.0 | 22.9 |
| 50,000 to 99,999 lb | 20.7 | 26.9 | 23.5 | 26.4 | 23.6 | 23.9 | 26.9 | 29.0 | 30.7 | 26.9 | 34.3 | 34.5 |
| 100,000 lb or more | 29.7 | 28.3 | 29.7 | 40.0 | 31.9 | 36.0 | 46.2 | 34.7 | 37.1 | 46.1 | 34.6 | 34.9 |
| SCTG 41, Waste and scrap | 7.3 | 10.1 | 11.9 | 13.6 | 14.7 | 14.0 | 15.0 | 22.6 | 21.4 | 21.8 | 15.3 | 15.3 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S | — | — | — |
| 1,000 to 9,999 lb | 30.7 | 30.7 | 30.8 | 35.2 | 41.7 | 46.3 | 46.6 | S | S | S | S | S |
| 10,000 to 49,999 lb | 8.3 | 10.5 | 11.5 | 11.5 | 24.3 | 22.6 | 15.8 | 28.3 | 24.7 | 20.3 | 19.0 | 18.7 |
| 50,000 to 99,999 lb | 19.5 | 17.8 | 19.7 | 35.9 | 41.6 | 40.2 | S | S | S | S | S | S |
| 100,000 lb or more | 15.7 | 15.1 | 16.3 | 31.9 | 19.4 | 42.1 | 38.4 | 40.4 | 36.2 | 28.9 | 28.5 | 28.5 |
| SCTG 43, Mixed freight | 16.0 | 14.1 | 13.9 | 29.5 | 17.4 | 17.3 | 22.7 | 21.4 | 21.0 | 19.8 | 29.6 | 30.4 |
| Less than 50 lb | 39.2 | 49.6 | S | 39.2 | S | S | 42.1 | S | S | S | 43.3 | 47.4 |
| 50 to 99 lb | 33.0 | 35.0 | 33.6 | 37.5 | 48.7 | 48.8 | S | S | S | 38.2 | 44.3 | 44.2 |
| 100 to 499 lb | 15.8 | 19.8 | 20.6 | 31.4 | 44.0 | 43.9 | 33.2 | 32.7 | 32.4 | 41.1 | 34.8 | S |
| 500 to 749 lb | 18.2 | 17.4 | 18.3 | 25.3 | 31.0 | 29.8 | S | 26.9 | 26.6 | S | S | S |
| 750 to 999 lb | 15.9 | 16.9 | 18.2 | 36.4 | 40.2 | 39.8 | 36.0 | 47.1 | 47.0 | 43.8 | S | 49.7 |
| 1,000 to 9,999 lb | 18.0 | 9.4 | 9.8 | 17.1 | 17.0 | 17.9 | 32.6 | 28.5 | 29.3 | 48.4 | S | S |
| 10,000 to 49,999 lb | 23.4 | 19.3 | 18.8 | 44.5 | 26.4 | 25.2 | 39.3 | 30.6 | 30.2 | 28.4 | 23.7 | 23.9 |
| 50,000 to 99,999 lb | 32.1 | 34.0 | 35.5 | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | — | — | — |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 100 to 249 miles | | | 250 to 499 miles | | | 500 to 749 miles | | | 750 to 999 miles | | |
|---|------------------|-------------|-------------|------------------|----------|-----------|------------------|-------------|-------------|------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| Commodity unknown | 23.6 | 20.9 | 21.3 | 22.1 | S | S | 22.8 | 39.3 | 41.0 | 21.0 | 36.6 | 37.0 |
| Less than 50 lb | 28.3 | 22.0 | 25.6 | 29.2 | 19.0 | 20.3 | 22.3 | 29.8 | 32.1 | 48.9 | 24.9 | 25.5 |
| 50 to 99 lb | 47.0 | 19.4 | 17.4 | 35.0 | 22.0 | 19.6 | 40.2 | 32.7 | 33.6 | S | S | S |
| 100 to 499 lb | 28.3 | 20.8 | 24.1 | 41.6 | 36.5 | 39.7 | 20.5 | 33.3 | 30.6 | 29.5 | 28.5 | 28.9 |
| 500 to 749 lb | S | S | 43.5 | 19.0 | 27.9 | 26.0 | 36.2 | 31.4 | 28.6 | S | 37.3 | 38.9 |
| 750 to 999 lb | 49.6 | 38.9 | 41.5 | 49.5 | 46.2 | 49.7 | 34.7 | 32.2 | 31.7 | S | S | S |
| 1,000 to 9,999 lb | 33.5 | 31.7 | 31.1 | 23.0 | 34.1 | 35.5 | 21.3 | 39.1 | 38.7 | 34.5 | S | S |
| 10,000 to 49,999 lb | 34.7 | 26.0 | 27.4 | 32.6 | 26.5 | 25.7 | 35.3 | 49.4 | S | 24.0 | 24.8 | 24.4 |
| 50,000 to 99,999 lb | 26.5 | 32.5 | 37.3 | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|-------------|-------------|----------------------|-------------|-------------|---------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| All commodities | 8.1 | 12.6 | 15.0 | 6.6 | 6.1 | 6.9 | 5.4 | 6.0 | 6.0 |
| Less than 50 lb | 13.6 | 6.0 | 6.0 | 8.7 | 4.4 | 4.4 | 5.3 | 4.4 | 4.5 |
| 50 to 99 lb | 21.5 | 8.1 | 8.1 | 21.1 | 12.3 | 10.9 | 15.0 | 5.1 | 5.1 |
| 100 to 499 lb | 23.9 | 9.5 | 9.5 | 23.8 | 9.0 | 8.0 | 11.2 | 9.3 | 8.9 |
| 500 to 749 lb | 11.1 | 6.8 | 6.9 | 14.1 | 7.6 | 6.7 | 11.1 | 8.5 | 8.4 |
| 750 to 999 lb | 16.9 | 11.4 | 12.4 | 22.8 | 14.3 | 14.5 | 14.6 | 7.3 | 7.5 |
| 1,000 to 9,999 lb | 8.5 | 7.5 | 8.0 | 10.8 | 6.4 | 6.7 | 11.6 | 7.3 | 7.2 |
| 10,000 to 49,999 lb | 9.8 | 10.6 | 11.3 | 10.7 | 5.4 | 5.4 | 8.5 | 6.6 | 6.6 |
| 50,000 to 99,999 lb | 27.6 | 24.7 | 23.5 | 17.5 | 13.9 | 14.5 | S | 11.5 | 11.7 |
| 100,000 lb or more | 17.4 | 17.1 | 20.4 | 12.5 | 13.9 | 14.8 | 22.0 | 20.4 | 19.8 |
| SCTG 01, Live animals and live fish | 31.1 | 31.0 | 31.0 | S | S | S | S | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | — | — | — | — | — | — |
| 10,000 to 49,999 lb | 43.6 | 46.0 | 46.0 | S | S | S | — | — | — |
| 50,000 to 99,999 lb | 42.9 | 43.2 | 42.6 | S | S | S | — | — | — |
| 100,000 lb or more | 49.8 | S | — | — | — | — | — | — | — |
| SCTG 02, Cereal grains | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | S | S | S |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | — | — |
| 10,000 to 49,999 lb | S | S | S | S | S | S | — | — | — |
| 50,000 to 99,999 lb | — | — | — | S | S | S | — | — | — |
| 100,000 lb or more | S | S | S | S | S | S | — | — | — |
| SCTG 03, Other agricultural products | 13.7 | 21.7 | 21.1 | 29.8 | 32.8 | 31.2 | 42.3 | 26.7 | 26.7 |
| Less than 50 lb | 39.9 | 46.9 | 46.5 | 41.4 | S | S | 47.2 | S | S |
| 50 to 99 lb | 22.4 | 17.6 | 17.7 | 35.2 | 31.8 | 31.2 | 40.7 | 39.9 | 40.9 |
| 100 to 499 lb | 16.3 | 12.4 | 12.6 | 26.1 | 32.0 | 34.0 | 23.4 | 23.9 | 24.6 |
| 500 to 749 lb | 19.4 | 21.5 | 22.0 | S | S | S | S | S | S |
| 750 to 999 lb | 22.0 | 30.2 | 30.3 | — | — | S | S | 48.3 | 48.0 |
| 1,000 to 9,999 lb | 18.2 | 21.7 | 21.2 | 29.3 | 27.6 | 27.6 | 32.9 | 45.0 | 42.8 |
| 10,000 to 49,999 lb | 18.5 | 20.9 | 21.0 | 37.6 | 49.0 | 47.9 | 34.5 | 36.1 | 36.4 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | 48.9 | 34.9 | 34.1 | S | S | S |
| SCTG 04, Animal feed and products of animal origin, n.e.c. | 15.9 | 21.4 | 21.3 | 48.0 | 30.2 | 30.8 | S | 38.3 | 38.9 |
| Less than 50 lb | S | 48.0 | 48.0 | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | — | — | S | S | S | S |
| 1,000 to 9,999 lb | 40.4 | 30.9 | 31.2 | 30.7 | 32.5 | 33.5 | S | S | S |
| 10,000 to 49,999 lb | 24.2 | 33.1 | 31.2 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | 39.8 | S | S | 46.6 | 40.2 | 39.7 | S | S | S |
| 100,000 lb or more | 44.0 | 34.7 | 37.4 | S | S | S | 40.1 | S | S |
| SCTG 05, Meat, fish, seafood, and their preparations | 13.7 | 17.9 | 15.9 | 14.4 | 11.9 | 11.5 | 17.7 | 20.2 | 20.6 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | 41.4 | 41.1 | S | 48.0 | 49.3 | S | S | S |
| 500 to 749 lb | 48.7 | 50.0 | 48.5 | S | S | S | S | S | S |
| 750 to 999 lb | 35.2 | 34.2 | 34.8 | 29.5 | 31.7 | 31.7 | S | S | S |
| 1,000 to 9,999 lb | 16.6 | 15.5 | 14.6 | 25.5 | 18.1 | 16.2 | 23.0 | 19.7 | 20.1 |
| 10,000 to 49,999 lb | 15.5 | 18.5 | 16.6 | 14.6 | 12.8 | 12.4 | 20.3 | 18.8 | 19.3 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 06, Milled grain products and preparations, and bakery products | 15.7 | 13.9 | 13.9 | 18.7 | 18.9 | 19.1 | 26.2 | 27.6 | 27.1 |
| Less than 50 lb | 42.7 | 38.8 | 40.0 | 45.1 | S | S | 48.5 | 49.9 | 47.2 |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 23.4 | 26.7 | 26.3 | 36.8 | 34.2 | 34.2 | 24.4 | 23.9 | 23.5 |
| 10,000 to 49,999 lb | 17.2 | 15.1 | 15.1 | 20.0 | 18.2 | 17.5 | 27.8 | 29.1 | 28.6 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | 28.2 | 24.8 | 24.4 | 42.6 | 42.7 | 43.2 | — | — | — |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|-------------|-------------|----------------------|-------------|-------------|---------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 07, Other prepared foodstuffs and fats and oils | 10.9 | 19.9 | 19.4 | 10.6 | 22.9 | 26.8 | 12.5 | 14.1 | 14.7 |
| Less than 50 lb | S | S | S | 44.3 | 36.7 | 36.6 | 42.7 | 36.5 | 36.2 |
| 50 to 99 lb | 47.5 | S | S | S | S | S | S | 47.3 | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | 34.7 | 44.2 | 40.0 | S | S | S | S | S | S |
| 750 to 999 lb | 41.5 | 40.0 | 41.3 | 43.2 | 37.9 | 38.4 | S | S | S |
| 1,000 to 9,999 lb | 21.0 | 15.2 | 15.8 | 31.2 | 26.2 | 26.7 | 32.0 | 48.7 | 48.6 |
| 10,000 to 49,999 lb | 11.8 | 13.9 | 14.5 | 12.7 | 27.7 | 32.6 | 13.6 | 15.9 | 16.5 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | 39.3 | 38.9 | 36.0 | 46.1 | 46.5 | S | — | — | — |
| SCTG 08, Alcoholic beverages | 40.1 | 26.9 | 26.8 | 28.9 | 37.0 | 36.8 | 44.6 | 44.1 | 45.0 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | S | S | 43.9 | 40.0 | 41.5 | S | S | S |
| 10,000 to 49,999 lb | 41.3 | 26.9 | 27.3 | 29.7 | 38.0 | 37.7 | 44.6 | 44.0 | 44.9 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 09, Tobacco products | 44.8 | 44.4 | 46.3 | 39.1 | 37.8 | 38.4 | 39.1 | 43.2 | 44.1 |
| Less than 50 lb | 45.9 | 32.7 | 33.0 | 34.7 | 40.2 | 38.4 | 49.5 | 35.2 | 34.7 |
| 50 to 99 lb | S | S | S | S | S | S | S | 47.0 | 47.7 |
| 100 to 499 lb | 33.4 | 32.5 | 32.1 | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 49.4 | S | S | S | S | 47.5 | S | S |
| 10,000 to 49,999 lb | 48.3 | 47.7 | 49.6 | 40.5 | 41.0 | 41.5 | 39.8 | 41.4 | 41.9 |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | S | S | S |
| SCTG 10, Monumental or building stone | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 11, Natural sands | 37.9 | 30.9 | 32.5 | 40.0 | S | S | 47.0 | 48.0 | 47.6 |
| Less than 50 lb | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | — | — | — |
| 500 to 749 lb | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | S | S | S | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | 46.1 | 47.1 | 46.7 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | 49.0 | 38.1 | 41.0 | S | S | S | — | — | — |
| SCTG 12, Gravel and crushed stone | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | — | — | — | S | S | S | — | — | — |
| 50 to 99 lb | — | — | — | S | S | S | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | — | — | — |
| 500 to 749 lb | — | — | — | S | S | S | — | — | — |
| 750 to 999 lb | — | — | — | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 13, Nonmetallic minerals n.e.c. | 18.5 | 21.4 | 21.2 | 21.1 | 34.6 | 33.3 | 28.1 | 36.1 | 37.1 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | — | — | — | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | 48.0 | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 47.1 | 46.1 | 48.1 | 27.4 | 27.1 | 26.9 | 35.5 | 26.4 | 26.4 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 23.7 | 25.4 | 25.0 | 47.9 | S | 48.9 | 39.0 | 43.0 | 43.2 |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|------|-----------|----------------------|------|-----------|---------------------|------|-----------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 14, Metallic ores and concentrates | 26.1 | 45.7 | 47.9 | S | S | S | 43.5 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | S | S | S | 48.0 | S | S |
| 100 to 499 lb | 40.5 | S | S | S | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 39.6 | 40.1 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | 46.7 | 46.6 | 49.1 | S | 40.5 | 43.9 | 46.2 | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 15, Coal | S | S | S | 47.1 | S | S | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | — | — | — | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | — | — | — |
| 10,000 to 49,999 lb | S | S | S | S | S | S | — | — | — |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 17, Gasoline and aviation turbine fuel | 44.3 | S | S | S | S | S | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | S | S | S | S | S | S | S | S | S |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | — | — | — |
| 10,000 to 49,999 lb | S | S | S | S | S | S | — | — | — |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 48.5 | S | S | S | S | S | S | S | S |
| SCTG 18, Fuel oils | S | S | S | S | S | S | S | S | S |
| Less than 50 lb | — | — | — | — | — | — | — | — | — |
| 50 to 99 lb | — | — | — | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | S | S | S |
| 500 to 749 lb | — | — | — | — | — | — | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | S | S | S | S | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 19, Coal and petroleum products, n.e.c. | 18.4 | 25.4 | 28.4 | 24.3 | 27.8 | 27.1 | 42.4 | 45.4 | 45.4 |
| Less than 50 lb | S | S | S | S | 49.6 | S | S | S | S |
| 50 to 99 lb | S | S | S | 42.8 | S | S | S | S | S |
| 100 to 499 lb | 47.8 | S | S | 38.4 | S | S | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | 38.3 | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 42.9 | S | S | 41.1 | 44.6 | 45.1 | 44.0 | 49.4 | S |
| 10,000 to 49,999 lb | 21.1 | 43.0 | 45.2 | 31.7 | 32.9 | 34.1 | S | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | 23.6 | 31.9 | 35.0 | 33.6 | 37.3 | 36.3 | S | S | S |
| SCTG 20, Basic chemicals .. | S | 44.8 | 43.1 | 13.8 | 10.7 | 11.1 | 22.3 | 30.9 | 30.2 |
| Less than 50 lb | 39.8 | 45.1 | 44.4 | S | S | S | 28.1 | 30.4 | 31.4 |
| 50 to 99 lb | S | S | S | S | S | S | 46.9 | 45.3 | 46.0 |
| 100 to 499 lb | S | 31.1 | 29.9 | 28.6 | 39.0 | 38.6 | 35.2 | 39.2 | 40.1 |
| 500 to 749 lb | 44.0 | S | S | S | S | S | 42.0 | 42.5 | 42.5 |
| 750 to 999 lb | 44.4 | 37.9 | 38.2 | 30.9 | 45.8 | 45.6 | S | S | S |
| 1,000 to 9,999 lb | S | S | S | S | S | S | 21.9 | 18.5 | 18.3 |
| 10,000 to 49,999 lb | S | S | S | 12.5 | 12.7 | 12.2 | 26.8 | 19.4 | 19.6 |
| 50,000 to 99,999 lb | 28.3 | 31.9 | 30.0 | 45.6 | 48.8 | S | — | — | — |
| 100,000 lb or more | 41.9 | 39.9 | 37.8 | 30.2 | 15.4 | 15.6 | 38.4 | 40.8 | 39.4 |
| SCTG 21, Pharmaceutical products | 19.2 | 22.8 | 23.9 | 26.3 | 28.8 | 28.1 | 19.1 | S | S |
| Less than 50 lb | 22.0 | 23.2 | 24.1 | 29.3 | 17.8 | 17.9 | 23.8 | 20.0 | 20.3 |
| 50 to 99 lb | 31.8 | S | S | 31.4 | 36.0 | 34.9 | S | 36.6 | 37.0 |
| 100 to 499 lb | 42.4 | S | S | S | 45.4 | 48.4 | 42.3 | 31.9 | 31.7 |
| 500 to 749 lb | S | S | S | S | S | S | S | 48.6 | 49.3 |
| 750 to 999 lb | 43.1 | 44.2 | 44.9 | S | S | S | 45.4 | 40.4 | 39.1 |
| 1,000 to 9,999 lb | 34.4 | S | S | 40.9 | 29.5 | 29.0 | 42.9 | 37.7 | 37.5 |
| 10,000 to 49,999 lb | 21.4 | 22.8 | 23.0 | 31.1 | 35.0 | 34.0 | 27.3 | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | S | S | S |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|-------------|-------------|----------------------|-------------|-------------|---------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 22, Fertilizers..... | 25.5 | 23.9 | 24.5 | 33.0 | 35.2 | 35.7 | S | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | S | S | S | — | — | — | — | — | — |
| 100 to 499 lb | S | S | S | S | S | S | — | — | — |
| 500 to 749 lb | S | S | S | S | S | S | — | — | — |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | 45.3 | 44.4 | 45.2 | S | S | S | S | S | S |
| 10,000 to 49,999 lb | S | S | S | 47.5 | 43.1 | 43.5 | S | S | S |
| 50,000 to 99,999 lb | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | 26.1 | 24.5 | 25.1 | 38.8 | 40.0 | 40.5 | S | S | S |
| SCTG 23, Chemical products and preparations, n.e.c. | 10.9 | 16.8 | 17.6 | 19.5 | 35.4 | 33.0 | 19.1 | 16.3 | 17.3 |
| Less than 50 lb | 22.7 | 21.5 | 20.7 | 38.5 | 23.9 | 24.0 | S | 49.3 | S |
| 50 to 99 lb | 34.4 | 21.6 | 20.3 | 36.6 | 31.0 | 31.0 | 43.3 | 40.9 | 38.5 |
| 100 to 499 lb | 30.3 | 14.8 | 14.6 | 45.0 | 23.1 | 22.3 | 19.8 | 19.8 | 19.7 |
| 500 to 749 lb | 19.8 | 20.7 | 22.5 | 25.9 | 23.3 | 23.4 | 32.0 | 30.6 | 30.5 |
| 750 to 999 lb | 22.6 | 21.5 | 22.9 | 38.0 | 47.2 | 48.6 | 27.3 | 24.3 | 24.2 |
| 1,000 to 9,999 lb | 23.4 | 19.4 | 19.6 | 19.3 | 18.6 | 18.6 | S | 20.4 | 20.3 |
| 10,000 to 49,999 lb | 11.9 | 19.2 | 21.0 | 23.8 | 40.3 | 37.8 | 13.3 | 16.9 | 17.8 |
| 50,000 to 99,999 lb | S | 49.8 | 49.2 | S | S | S | S | S | S |
| 100,000 lb or more | 23.6 | 21.6 | 21.5 | S | S | S | 36.7 | S | S |
| SCTG 24, Plastics and rubber | 5.7 | 8.6 | 8.8 | 7.5 | 10.0 | 10.6 | 13.9 | 18.7 | 18.5 |
| Less than 50 lb | 15.6 | 10.1 | 10.5 | 16.0 | 11.4 | 11.2 | 18.3 | 15.0 | 14.7 |
| 50 to 99 lb | 42.2 | 12.4 | 12.9 | 21.7 | 16.5 | 16.7 | 30.6 | 23.4 | 25.3 |
| 100 to 499 lb | 16.5 | 14.6 | 12.9 | 21.8 | 31.1 | 31.2 | 21.5 | 22.1 | 22.7 |
| 500 to 749 lb | 40.1 | 24.9 | 24.6 | 29.4 | 29.8 | 30.2 | 35.4 | 33.8 | 32.4 |
| 750 to 999 lb | 13.4 | 10.8 | 11.2 | 27.4 | 29.8 | 30.4 | 26.8 | 31.3 | 31.3 |
| 1,000 to 9,999 lb | 10.4 | 10.6 | 10.5 | 10.5 | 11.4 | 11.2 | 9.5 | 10.5 | 10.9 |
| 10,000 to 49,999 lb | 7.9 | 12.5 | 13.0 | 10.4 | 10.2 | 9.9 | 24.0 | 26.7 | 26.8 |
| 50,000 to 99,999 lb | S | S | S | 48.5 | 49.7 | 49.7 | 42.3 | 39.8 | 42.0 |
| 100,000 lb or more | 10.0 | 11.0 | 11.1 | 15.2 | 15.5 | 15.8 | 40.3 | 40.9 | 40.8 |
| SCTG 25, Logs and other wood in the rough | 41.3 | S | S | 45.1 | 44.8 | 44.3 | 43.1 | 44.3 | 43.1 |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | S | — | S | — | — | — |
| 100 to 499 lb | — | — | — | S | S | S | — | S | S |
| 500 to 749 lb | — | — | — | S | S | S | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 49.9 | 37.8 | 38.2 | S | S | S | S | S | S |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 26, Wood products .. | 10.9 | 22.9 | 24.1 | 11.5 | 9.6 | 9.5 | 14.7 | 12.2 | 12.1 |
| Less than 50 lb | 42.4 | 48.6 | 49.9 | S | 44.2 | 44.7 | 44.6 | S | S |
| 50 to 99 lb | 35.8 | 32.1 | 35.7 | 38.5 | 30.2 | 30.9 | S | S | S |
| 100 to 499 lb | 42.6 | 19.1 | 18.9 | 30.3 | 34.0 | 35.1 | 37.3 | 34.7 | 33.7 |
| 500 to 749 lb | 41.4 | 42.8 | 43.6 | 42.7 | 44.1 | 46.6 | S | S | S |
| 750 to 999 lb | 37.6 | 41.9 | 43.4 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 27.6 | 28.2 | 28.5 | 32.9 | 22.9 | 22.9 | 47.5 | 29.6 | 28.9 |
| 10,000 to 49,999 lb | 17.0 | 11.9 | 11.7 | 15.9 | 15.2 | 15.0 | 18.5 | 15.9 | 16.2 |
| 50,000 to 99,999 lb | 22.6 | 30.0 | 29.9 | 32.1 | 22.1 | 22.1 | 22.1 | 24.5 | 24.8 |
| 100,000 lb or more | 19.1 | 33.5 | 33.6 | 14.9 | 12.0 | 12.1 | 29.7 | 31.2 | 29.9 |
| SCTG 27, Pulp, newsprint, paper, and paperboard | 8.9 | 9.2 | 9.4 | 12.8 | 12.1 | 12.1 | 15.9 | 15.8 | 16.0 |
| Less than 50 lb | 48.6 | 38.7 | 39.8 | 38.3 | 39.9 | 40.0 | 36.5 | 38.0 | 37.1 |
| 50 to 99 lb | 43.6 | 49.2 | 46.1 | S | S | S | S | S | S |
| 100 to 499 lb | 42.4 | 39.8 | 40.6 | 49.5 | 46.1 | 47.3 | S | S | S |
| 500 to 749 lb | 45.1 | 45.6 | 46.9 | S | S | S | 47.6 | S | S |
| 750 to 999 lb | 42.8 | S | S | S | S | S | S | S | S |
| 1,000 to 9,999 lb | S | 48.3 | S | 33.6 | 29.1 | 29.3 | 37.6 | 32.3 | 32.0 |
| 10,000 to 49,999 lb | 10.6 | 11.2 | 10.6 | 13.5 | 16.1 | 16.8 | 20.2 | 20.6 | 21.2 |
| 50,000 to 99,999 lb | 37.1 | 39.9 | 39.3 | S | S | S | S | S | S |
| 100,000 lb or more | 10.6 | 12.4 | 13.2 | 17.7 | 16.4 | 15.9 | 30.3 | 30.8 | 31.1 |
| SCTG 28, Paper or paperboard articles | 15.5 | 15.1 | 15.0 | 14.2 | 17.0 | 19.0 | 15.1 | 22.0 | 21.3 |
| Less than 50 lb | 28.0 | 26.6 | 26.7 | 31.4 | 23.6 | 23.0 | 35.9 | 40.1 | 39.5 |
| 50 to 99 lb | S | S | S | 32.2 | 40.2 | 37.7 | 42.0 | 40.2 | 40.3 |
| 100 to 499 lb | 25.4 | 26.6 | 27.3 | 45.8 | 39.8 | 39.5 | 44.9 | 37.1 | 37.2 |
| 500 to 749 lb | 31.7 | 27.1 | 27.0 | S | 46.5 | 46.2 | S | S | S |
| 750 to 999 lb | 49.9 | 42.4 | 40.9 | S | S | S | 42.9 | 33.0 | 33.5 |
| 1,000 to 9,999 lb | 16.1 | 16.9 | 18.6 | 22.9 | 19.3 | 18.5 | 38.6 | S | S |
| 10,000 to 49,999 lb | 19.7 | 18.2 | 18.0 | 19.0 | 13.2 | 13.7 | 19.3 | 21.4 | 21.5 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|-------------|-------------|----------------------|-------------|-------------|---------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 29, Printed products . | 17.9 | 12.8 | 13.5 | 11.4 | 22.0 | 21.5 | 11.5 | 17.9 | 17.5 |
| Less than 50 lb | 17.6 | 15.1 | 14.8 | 15.1 | 17.0 | 17.1 | 21.6 | 22.1 | 22.0 |
| 50 to 99 lb | 17.3 | 16.2 | 16.9 | 28.3 | 31.6 | 31.9 | 35.6 | 35.2 | 36.3 |
| 100 to 499 lb | 21.5 | 14.3 | 14.4 | 29.8 | 26.3 | 26.7 | 32.0 | 49.8 | 48.1 |
| 500 to 749 lb | 21.8 | 19.1 | 18.8 | 28.5 | 28.5 | 27.3 | 46.4 | S | S |
| 750 to 999 lb | 32.1 | 17.3 | 17.9 | 36.9 | 31.9 | 30.7 | 46.9 | 33.5 | 33.2 |
| 1,000 to 9,999 lb | 33.6 | 16.8 | 16.3 | 29.4 | 17.7 | 18.6 | 21.6 | 16.2 | 15.9 |
| 10,000 to 49,999 lb | 45.5 | 16.2 | 17.3 | 22.7 | 29.0 | 29.0 | 31.7 | 28.8 | 28.5 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | — | — | — | S | S | S | — | — | — |
| SCTG 30, Textiles, leather, and articles of textiles or leather | 10.5 | 9.6 | 9.6 | 21.8 | 19.4 | 20.2 | 7.1 | 12.6 | 13.4 |
| Less than 50 lb | 17.6 | 10.9 | 11.3 | 9.5 | 9.1 | 9.4 | 10.8 | 10.2 | 10.2 |
| 50 to 99 lb | 14.4 | 13.3 | 13.6 | 10.3 | 12.7 | 12.4 | 13.7 | 15.4 | 14.7 |
| 100 to 499 lb | 21.1 | 13.3 | 13.6 | 12.6 | 11.1 | 11.3 | 10.4 | 9.4 | 9.4 |
| 500 to 749 lb | 20.9 | 17.8 | 17.6 | 26.2 | 21.1 | 20.6 | 16.7 | 17.2 | 17.5 |
| 750 to 999 lb | 36.9 | 18.5 | 18.5 | 11.9 | 17.3 | 17.5 | 36.6 | 23.7 | 25.2 |
| 1,000 to 9,999 lb | 15.6 | 13.8 | 14.1 | 26.4 | 19.3 | 19.9 | 12.8 | 8.5 | 8.7 |
| 10,000 to 49,999 lb | 11.4 | 11.5 | 11.2 | 40.5 | 31.9 | 33.2 | 16.3 | 18.8 | 18.9 |
| 50,000 to 99,999 lb | 49.5 | 37.8 | 38.6 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 31, Nonmetallic mineral products | 8.6 | 13.2 | 13.1 | 22.0 | 24.3 | 25.5 | 10.9 | 30.2 | 31.3 |
| Less than 50 lb | 40.7 | 37.0 | 36.8 | 24.5 | 27.1 | 25.4 | 23.8 | 27.9 | 25.6 |
| 50 to 99 lb | 28.9 | 31.9 | 31.3 | S | S | S | 26.4 | 35.2 | 34.5 |
| 100 to 499 lb | 19.6 | 19.4 | 19.2 | 24.8 | 20.5 | 21.2 | 41.8 | 30.2 | 30.4 |
| 500 to 749 lb | 26.1 | 25.2 | 25.1 | 43.0 | 34.6 | 33.9 | 30.4 | 30.7 | 30.9 |
| 750 to 999 lb | S | 42.8 | 44.0 | S | S | S | 30.4 | 47.4 | 48.5 |
| 1,000 to 9,999 lb | 23.3 | 25.1 | 23.0 | 49.7 | 13.8 | 13.7 | 26.4 | 21.4 | 21.8 |
| 10,000 to 49,999 lb | 10.7 | 13.2 | 13.0 | 31.0 | 26.3 | 27.7 | 12.6 | 14.5 | 14.3 |
| 50,000 to 99,999 lb | 29.3 | 32.7 | 30.3 | S | S | S | S | 45.2 | 46.8 |
| 100,000 lb or more | 28.2 | 34.3 | 34.0 | 33.0 | 44.7 | 45.3 | S | S | S |
| SCTG 32, Base metal in primary or semifinished forms and in finished basic shapes | 11.3 | 11.5 | 11.7 | 15.1 | 27.6 | 30.9 | 21.6 | 23.3 | 23.0 |
| Less than 50 lb | 23.3 | 15.5 | 15.7 | 25.7 | 29.1 | 26.8 | 38.9 | 29.2 | 29.1 |
| 50 to 99 lb | 23.0 | 27.1 | 27.5 | S | S | S | 37.6 | 43.3 | 40.4 |
| 100 to 499 lb | 21.8 | 25.3 | 25.7 | 34.1 | 33.6 | 33.5 | 40.0 | 22.8 | 23.1 |
| 500 to 749 lb | 25.8 | 20.0 | 20.7 | 38.6 | 45.6 | 43.9 | 40.3 | 33.7 | 33.0 |
| 750 to 999 lb | 27.2 | 25.8 | 25.9 | S | S | S | S | S | S |
| 1,000 to 9,999 lb | 17.6 | 25.3 | 24.4 | 14.1 | 18.6 | 19.5 | 15.0 | 44.0 | 44.2 |
| 10,000 to 49,999 lb | 10.6 | 12.6 | 12.3 | 22.8 | 23.4 | 23.8 | 19.1 | 28.9 | 33.8 |
| 50,000 to 99,999 lb | 41.1 | 44.5 | 49.9 | S | S | S | S | S | S |
| 100,000 lb or more | 25.8 | 17.0 | 17.3 | 28.9 | 46.0 | 48.8 | 35.9 | 29.8 | 29.3 |
| SCTG 33, Articles of base metal | 8.1 | 12.8 | 13.1 | 14.3 | 20.7 | 22.4 | 10.7 | 28.1 | 27.8 |
| Less than 50 lb | 16.1 | 13.1 | 12.5 | 21.7 | 14.7 | 15.2 | 25.6 | 16.6 | 16.3 |
| 50 to 99 lb | 20.7 | 23.5 | 23.1 | 22.1 | 21.2 | 21.1 | 29.9 | 29.6 | 29.9 |
| 100 to 499 lb | 11.6 | 12.8 | 12.9 | 23.6 | 26.9 | 26.9 | 19.8 | 16.5 | 17.1 |
| 500 to 749 lb | 21.7 | 14.0 | 14.9 | 36.6 | 22.1 | 22.5 | 26.0 | 22.0 | 21.6 |
| 750 to 999 lb | 25.6 | 22.1 | 20.9 | S | S | S | 36.4 | 25.3 | 26.2 |
| 1,000 to 9,999 lb | 15.7 | 14.2 | 14.0 | 23.4 | 15.9 | 16.5 | 14.4 | 20.6 | 20.2 |
| 10,000 to 49,999 lb | 14.0 | 19.3 | 20.2 | 13.1 | 18.4 | 16.3 | 19.3 | 47.0 | 46.7 |
| 50,000 to 99,999 lb | 31.1 | 41.2 | 39.8 | S | S | S | S | S | S |
| 100,000 lb or more | 38.4 | 37.0 | 37.5 | 43.9 | 49.6 | S | S | S | S |
| SCTG 34, Machinery | 10.0 | 9.6 | 9.7 | 8.5 | 11.5 | 11.5 | 20.6 | 14.8 | 14.3 |
| Less than 50 lb | 8.6 | 13.9 | 14.0 | 15.5 | 14.6 | 14.6 | 12.8 | 9.9 | 10.0 |
| 50 to 99 lb | 17.8 | 14.3 | 14.4 | 21.7 | 19.1 | 19.3 | 22.9 | 23.0 | 23.6 |
| 100 to 499 lb | 10.9 | 11.2 | 10.6 | 19.0 | 18.1 | 18.3 | 10.4 | 10.4 | 9.9 |
| 500 to 749 lb | 18.2 | 23.3 | 21.7 | 21.7 | 19.1 | 18.9 | S | 21.2 | 21.5 |
| 750 to 999 lb | 25.0 | 32.0 | 31.3 | 31.8 | 25.0 | 26.1 | 25.8 | 25.8 | 26.3 |
| 1,000 to 9,999 lb | 19.4 | 13.2 | 13.4 | 15.9 | 16.4 | 16.4 | 19.4 | 19.0 | 18.1 |
| 10,000 to 49,999 lb | 12.4 | 13.5 | 13.5 | 13.7 | 13.7 | 13.8 | 17.5 | 20.1 | 19.9 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | 49.9 | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 35, Electronic and other electrical equipment and components and office equipment | 18.3 | 12.7 | 13.3 | 18.8 | 19.2 | 18.4 | 11.0 | 11.0 | 10.5 |
| Less than 50 lb | 22.6 | 12.6 | 12.3 | 8.6 | 9.9 | 10.2 | 10.1 | 15.9 | 15.7 |
| 50 to 99 lb | 38.1 | 18.6 | 19.4 | 42.2 | S | S | 25.9 | 13.0 | 13.6 |
| 100 to 499 lb | 41.3 | 44.0 | 43.1 | 44.0 | 46.5 | 43.4 | 29.4 | 20.6 | 20.3 |
| 500 to 749 lb | 27.4 | 12.1 | 11.9 | 34.0 | 26.6 | 25.2 | 29.5 | 21.0 | 19.0 |
| 750 to 999 lb | 35.1 | S | S | 30.4 | S | S | 30.8 | 21.2 | 19.7 |
| 1,000 to 9,999 lb | 24.2 | 13.6 | 14.2 | 25.4 | 14.4 | 13.7 | 28.0 | 23.7 | 21.7 |
| 10,000 to 49,999 lb | 24.1 | 13.6 | 13.7 | 19.2 | 28.4 | 26.7 | 21.3 | 15.2 | 17.0 |
| 50,000 to 99,999 lb | S | S | S | 46.8 | 47.2 | 47.6 | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|--|----------------------|-------------|-------------|----------------------|-------------|-------------|---------------------|-------------|-------------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| SCTG 36, Motorized and other vehicles (including parts) | 10.8 | 9.9 | 10.6 | 18.2 | 17.1 | 17.3 | 22.2 | 22.3 | 21.8 |
| Less than 50 lb | 23.2 | 17.4 | 17.1 | 24.4 | 19.5 | 18.0 | 22.1 | 19.0 | 18.1 |
| 50 to 99 lb | 16.0 | 21.5 | 19.7 | 32.5 | 30.8 | 31.0 | 33.4 | 28.4 | 27.8 |
| 100 to 499 lb | 26.3 | 21.4 | 21.8 | 18.8 | 16.1 | 16.0 | 45.0 | 29.9 | 29.6 |
| 500 to 749 lb | 36.7 | 24.3 | 23.1 | S | S | S | 35.2 | 31.5 | 30.7 |
| 750 to 999 lb | 49.0 | 22.1 | 22.0 | 35.1 | 32.5 | 31.8 | 39.0 | 30.2 | 29.1 |
| 1,000 to 9,999 lb | 21.1 | 21.2 | 22.0 | 26.5 | 26.4 | 27.2 | 29.4 | 32.3 | 30.6 |
| 10,000 to 49,999 lb | 23.0 | 10.3 | 9.8 | 24.9 | 20.6 | 20.5 | 19.6 | 24.7 | 23.3 |
| 50,000 to 99,999 lb | S | 49.7 | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | — | — | — | S | S | S |
| SCTG 37, Transportation equipment, n.e.c. | 20.0 | 20.7 | 23.1 | 47.1 | 21.6 | 21.3 | 20.3 | 32.3 | S |
| Less than 50 lb | 20.3 | 43.9 | 41.8 | 26.3 | 22.4 | 22.4 | 33.4 | 41.7 | 39.7 |
| 50 to 99 lb | 25.5 | 29.3 | 28.6 | S | 49.9 | 27.6 | 27.5 | 27.5 | 27.3 |
| 100 to 499 lb | 23.4 | 40.6 | 40.6 | 36.5 | 24.9 | 24.5 | 43.4 | 27.9 | 27.4 |
| 500 to 749 lb | 41.8 | 25.2 | 25.7 | 44.1 | 28.7 | 29.0 | S | 41.2 | 41.6 |
| 750 to 999 lb | S | 38.0 | 38.4 | 42.0 | S | S | 47.8 | 40.9 | 41.3 |
| 1,000 to 9,999 lb | 29.8 | 19.5 | 18.8 | 48.7 | 34.6 | 34.8 | 36.3 | 25.9 | 24.9 |
| 10,000 to 49,999 lb | 26.9 | 28.6 | 29.9 | S | 36.5 | 35.7 | S | 31.7 | 33.2 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | — | — | — | S | S | S |
| SCTG 38, Precision instruments and apparatus | 47.9 | 26.9 | 26.5 | 25.1 | 17.3 | 17.4 | 24.4 | S | 49.6 |
| Less than 50 lb | S | S | S | 40.0 | 26.2 | 25.5 | 24.2 | 33.3 | 33.4 |
| 50 to 99 lb | 21.3 | 14.7 | 14.5 | 26.9 | 47.0 | 48.1 | 25.9 | 45.0 | 43.4 |
| 100 to 499 lb | 19.3 | 16.6 | 16.6 | 37.4 | 33.1 | 35.2 | 23.2 | 37.2 | 36.3 |
| 500 to 749 lb | S | 38.5 | 37.8 | 30.4 | S | 28.5 | 46.7 | 41.0 | 40.8 |
| 750 to 999 lb | S | 33.6 | 35.0 | S | 48.9 | 49.2 | 49.9 | S | S |
| 1,000 to 9,999 lb | 33.5 | 32.3 | 32.0 | 42.5 | 31.3 | 32.1 | S | S | S |
| 10,000 to 49,999 lb | 33.7 | 38.2 | 38.7 | S | S | S | 27.6 | 31.6 | 31.5 |
| 50,000 to 99,999 lb | S | S | S | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |
| SCTG 39, Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs | 12.4 | 11.9 | 11.7 | 9.7 | 9.4 | 9.5 | 8.5 | 11.7 | 12.8 |
| Less than 50 lb | 29.8 | 35.3 | 35.3 | 20.8 | 37.1 | 39.5 | 20.7 | 29.9 | 29.9 |
| 50 to 99 lb | S | 19.7 | 19.1 | 13.9 | 11.4 | 11.5 | 17.6 | 19.0 | 19.0 |
| 100 to 499 lb | 27.4 | 15.4 | 15.3 | 14.4 | 10.5 | 10.5 | 14.4 | 12.0 | 12.3 |
| 500 to 749 lb | 16.9 | 13.7 | 13.0 | 24.5 | 17.4 | 17.5 | 18.2 | 17.0 | 17.1 |
| 750 to 999 lb | 20.2 | 27.0 | 26.4 | 39.2 | 26.9 | 27.2 | 21.4 | 23.8 | 24.6 |
| 1,000 to 9,999 lb | 8.5 | 10.0 | 10.9 | 16.2 | 11.0 | 11.2 | 16.1 | 16.7 | 18.8 |
| 10,000 to 49,999 lb | 16.9 | 24.7 | 25.0 | 23.3 | 21.0 | 21.5 | 20.2 | 25.2 | 26.4 |
| 50,000 to 99,999 lb | S | S | S | S | S | S | — | — | — |
| 100,000 lb or more | — | — | — | S | S | S | — | — | — |
| SCTG 40, Miscellaneous manufactured products | 17.2 | 13.2 | 13.8 | 13.1 | 13.0 | 13.1 | 7.4 | 23.6 | 22.7 |
| Less than 50 lb | 37.8 | 16.7 | 17.2 | 35.5 | 13.1 | 13.0 | 16.5 | 15.4 | 15.3 |
| 50 to 99 lb | 25.4 | 18.0 | 17.9 | 16.4 | 13.6 | 13.8 | 29.0 | 18.5 | 17.2 |
| 100 to 499 lb | 22.7 | 10.5 | 10.7 | 22.5 | 10.4 | 10.3 | 23.6 | 44.6 | 41.8 |
| 500 to 749 lb | 13.1 | 11.1 | 11.4 | S | 21.4 | 21.1 | 32.1 | 41.9 | 42.7 |
| 750 to 999 lb | 24.1 | 22.3 | 20.9 | 22.0 | 22.9 | 23.1 | 40.0 | 30.6 | 30.5 |
| 1,000 to 9,999 lb | 19.6 | 17.5 | 18.3 | 20.9 | 15.8 | 16.2 | 13.5 | 17.2 | 16.6 |
| 10,000 to 49,999 lb | 11.1 | 19.4 | 19.2 | 23.1 | 15.0 | 15.0 | 16.9 | 38.4 | 37.4 |
| 50,000 to 99,999 lb | 33.0 | 48.9 | 45.6 | S | S | S | S | 49.4 | 48.9 |
| 100,000 lb or more | 35.0 | 36.3 | 37.5 | S | S | S | S | S | S |
| SCTG 41, Waste and scrap | 23.4 | 24.1 | 24.5 | S | 45.0 | 46.4 | 44.7 | S | S |
| Less than 50 lb | S | S | S | S | S | S | S | S | S |
| 50 to 99 lb | — | — | — | — | — | — | — | S | S |
| 100 to 499 lb | S | S | S | — | — | — | — | — | — |
| 500 to 749 lb | — | — | — | — | — | — | S | S | S |
| 750 to 999 lb | — | — | — | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | — | — | — | — | — | — |
| 10,000 to 49,999 lb | 23.2 | 22.9 | 25.2 | S | S | S | S | 43.1 | 43.2 |
| 50,000 to 99,999 lb | S | 34.5 | 33.2 | S | S | S | S | S | S |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |
| SCTG 43, Mixed freight | 44.7 | S | S | 36.9 | 40.6 | 42.1 | 37.2 | S | S |
| Less than 50 lb | S | 34.2 | 34.6 | S | S | S | 48.1 | 46.9 | 47.6 |
| 50 to 99 lb | S | 43.2 | 42.4 | S | S | S | S | S | S |
| 100 to 499 lb | 29.0 | 30.9 | 30.5 | 47.1 | 43.4 | 43.9 | S | S | S |
| 500 to 749 lb | S | S | S | S | S | S | S | S | S |
| 750 to 999 lb | S | S | S | — | — | — | — | — | — |
| 1,000 to 9,999 lb | S | S | S | S | S | S | S | S | S |
| 10,000 to 49,999 lb | 37.4 | 33.8 | 32.3 | 46.4 | 45.7 | 47.0 | 37.3 | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | — | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table B-10. Coefficients of Variation for Shipment Characteristics by Two-Digit Commodity and Shipment Size by Distance Shipped for the Region: 1997—Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

| SCTG code, description, shipment size, and distance shipped | 1,000 to 1,499 miles | | | 1,500 to 1,999 miles | | | 2,000 miles or more | | |
|---|----------------------|-------------|-------------|----------------------|-------------|-----------|---------------------|----------|-----------|
| | Value | Tons | Ton-miles | Value | Tons | Ton-miles | Value | Tons | Ton-miles |
| Commodity unknown | 20.5 | 33.8 | 34.9 | 29.1 | 44.8 | S | S | S | S |
| Less than 50 lb | 33.1 | 36.7 | 36.5 | S | 41.3 | 39.8 | 37.9 | 27.0 | 26.9 |
| 50 to 99 lb | S | 47.4 | 47.5 | S | 47.6 | 49.2 | S | S | S |
| 100 to 499 lb | 48.6 | S | S | S | S | S | S | 40.6 | 40.0 |
| 500 to 749 lb | 30.1 | 30.2 | 28.0 | S | S | S | 43.7 | S | 49.9 |
| 750 to 999 lb | 43.3 | 38.3 | 38.2 | S | S | S | 47.2 | S | S |
| 1,000 to 9,999 lb | 34.2 | 28.9 | 29.2 | 49.3 | 36.7 | 37.3 | 37.1 | 33.5 | 33.2 |
| 10,000 to 49,999 lb | 26.0 | 29.0 | 28.3 | 34.2 | 34.2 | 33.9 | S | S | S |
| 50,000 to 99,999 lb | — | — | — | — | — | — | — | — | — |
| 100,000 lb or more | S | S | S | S | S | S | S | S | S |

— Represents data cell equal to zero or less than 1 unit of measure.

D Denotes figures withheld to avoid disclosing data for individual companies.

S Data do not meet publication standards because of high sampling variability or other reasons.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

Appendix C.

Sample Design, Data Collection, and Estimation

INTRODUCTION

The primary goal for the 1997 Commodity Flow Survey (CFS) is to estimate shipping volumes (value, tons, and ton-miles) by commodity and mode of transportation at varying levels of geographic detail. A detailed description of the sample design for the 1997 CFS is provided below.

SAMPLE DESIGN

The sample for the 1997 CFS is selected using a stratified three-stage design in which the first-stage sampling units are establishments, the second-stage sampling units are groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units are shipments.

First Stage

To create the first-stage sampling frame, we extracted a subset of establishment records from the 1995 Standard Statistical Establishment List (SSEL). The SSEL is a database, maintained by the Bureau of the Census, that contains a record for each establishment with employees. (An establishment is a single physical location where business transactions take place.) Establishments having nonzero payroll in 1994 and classified in the mining, manufacturing, wholesale, or selected retail industries, as defined by the 1987 Standard Industrial Classification (SIC) Manual, are included on the sampling frame. Auxiliary establishments (e.g. warehouses and central administrative offices) with shipping activity are also included. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments contained on the sampling frame are referred to as nonauxiliary establishments. For each establishment we extracted sales, payroll, number of employees, name and address information, as well as a primary identifier. We also computed a measure of size for each establishment. The measure of size for a particular establishment is designed to approximate the establishment's total value of shipments for 1994.

To reduce the amount of sampling variability and because estimates are desired for each commodity, we used a stratified design with a certainty component for each three-digit SIC. To accomplish this, each establishment on the sampling frame is classified into a three-digit

SIC grouping. For each group of establishments, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments is determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size is greater than the cutoff, the establishment is selected "with certainty". Establishments selected "with certainty" were assured of being selected and represented only themselves (i.e., have a selection probability of one and a sampling weight of one). No certainty cutoffs are set for auxiliary establishments because they only make up a small portion of the estimated total value of shipments for all establishments on the sampling frame.

Establishments not selected with certainty makeup the noncertainty universe. We stratify the noncertainty universe by SIC recode, National Transportation Analysis Region (NTAR), and a flag used to differentiate auxiliary establishments from nonauxiliary establishments. Each SIC recode is constructed from a group of related three-digit SIC codes. The NTARs, developed by the Department of Transportation as combinations of Bureau of Economic Analysis (BEA) Areas, collectively provide a mutually exclusive and exhaustive coverage of the United States. Finally, the auxiliary stratification came about because establishments with different types of operation may have different shipping practices. We refer to a particular SIC recode-NTAR-auxiliary flag combination as a primary stratum.

We further stratify the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as substrata of the primary strata. The measure of size stratification increases the efficiency of the sample design. The Dalenius-Hodges cumulative rule is used to set the substratum boundaries. We then use Neyman allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on the primary stratum total measure of size. Within each substratum, a simple random sample of establishments is selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the probability of selecting any establishment is no less than 1 in 100. In total, the first-stage sample comprises 102,739 establishments.

Second Stage

The frame for the second stage of sampling consists of 52 one-week reporting periods (reporting weeks) during the interval from December 29, 1996, to December 26,

1997. Each establishment selected for the 1997 CFS was systematically assigned to report for a group of four reporting weeks throughout the survey year. The four reporting weeks in a given group are separated by 12 weeks. For example, an establishment might be requested to report data for the 5th, 18th, 31st, and 44th weeks of the survey year.

Third Stage

For each of the four reporting weeks in which an establishment is asked to report, we request the respondent to construct a sampling frame that consists of all shipments made by their establishment in each particular reporting week. For any particular reporting week, if an establishment makes 40 or fewer shipments during that week, we ask the respondent to provide information about all of their establishment's shipments from that week, i.e., no sampling is required. For establishments making more than 40 shipments in a given reporting week, we ask the respondent to select a systematic sample of these shipments and to provide us with information only about the selected shipments. The size of a particular respondent's sample for a given reporting week should be between 20 and 40 shipments, depending on the total number of shipments the establishment made during that reporting week.

DATA COLLECTION

Each establishment selected into the CFS sample is mailed a questionnaire for each of its four reporting weeks. For a given establishment, we request the respondent to provide the following information about their establishment's shipments: domestic destination or port of exit, commodity, value, weight, mode(s) of transportation, the date on which the shipment was made, and an indication of whether the shipment was an export, hazardous material, or containerized. For shipments that include more than one commodity, respondents are instructed to report the commodity that makes up the greatest percentage of the shipment's weight. For exports, we also ask the respondent to provide the mode of export and the foreign destination city and country.

We used two versions of the questionnaire to collect data from the sampled establishments—the CFS-1000 and the CFS-2000. Each establishment received the CFS-1000 in each of its first three reporting weeks. However, for the fourth reporting week, a subsample of approximately 25,000 establishments received the CFS-2000, while the remaining establishments received the CFS-1000. The CFS-2000 requests the respondent to provide additional information about their establishment's access to on-site and off-site shipping facilities, as well as transportation equipment. See Appendix E for a copy of each questionnaire.

ESTIMATION

Each shipment has associated with it a single tabulation weight, that is used in computing all estimates to which

the shipment contributes. The tabulation weight is a product of seven different weights. A description of each weight follows.

CFS respondents provide data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produce an estimate of that establishment's total value of shipments for the entire survey year. To do this, we use four different weights, the shipment weight, the shipment nonresponse weight, the quarter weight, and the quarter nonresponse weight.

Like establishments, we identify shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments are identified.) For noncertainty shipments, the shipment weight is defined as the ratio of the total number of noncertainty shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled noncertainty shipments for the same week. This weight uses the data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, some respondents fail to provide sufficient information about a sampled shipment. For example, a respondent may not be able to provide value, weight, or a destination ZIP Code for some of the sampled shipments. If these data items cannot be imputed, then these shipments would not contribute to tabulations and are deemed "unusable." (A usable shipment is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these "unusable" shipments, we apply the shipment nonresponse weight. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of "usable" shipments for the same week. The shipment weight and shipment nonresponse weight for certainty shipments from a particular establishment's reporting week are both equal to one.

The quarter weight inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The quarter weight for most certainty shipments is also equal to 13. However, if a respondent is able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments would be one. For each establishment, the quarterly estimates are added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment does not provide the Census Bureau with a response for each of its four reporting weeks, we compute a quarter nonresponse weight. The quarter nonresponse weight for a particular establishment is defined as the ratio of the number of

quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we compute an estimate of each establishment's value of shipments for the entire survey year. We then multiply this estimate by a weight that adjusts the estimate using value of shipments and sales data obtained from other Census Bureau surveys and preliminary results of the 1997 Economic Census. This weight, called the establishment-level adjustment weight, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent.

The adjusted value of shipments estimate for an establishment is then weighted by the establishment weight. This weight is equal to the inverse of the establishment's probability of being selected into the sample.

A final adjustment weight, called the SIC-level adjustment weight, uses preliminary results of the 1997 Economic Census to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (1995) and the year in which the data were collected (1997). Separate SIC-level adjustment weights are determined for nonauxiliary and auxiliary establishments.

Appendix D.

Standard Classification of Transported Goods Code Information

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System (HS) of product classification which is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In the past, Commodity Flow Survey (CFS) data have been collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although

it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment.

Additional information on the SCTG system can be found on the Internet through the BTS web page at <http://www.bts.gov>. Comments or questions on the SCTG should be directed to [http://cfs@bts.gov](mailto:cfs@bts.gov).

Appendix E. Sample Report Forms and Instructions

The sample report forms and instructions are shown on the following pages.

Note: The CFS-2000 was sent to a subsample of establishments to obtain additional information about the use of transportation equipment and facilities.

1997 COMMODITY FLOW SURVEY
CENSUS OF TRANSPORTATION**Reporting period:****Please return by:****RETURN TO**

BUREAU OF THE CENSUS
1201 East 10th Street
Jeffersonville IN 47132-0001

BEFORE COMPLETING YOUR REPORT, please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1-800-772-7851.

Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.

Item A Is the establishment name shown in the mailing address correct?

- 1 Yes
2 No — Enter correct name. ↵

Item B Mark (X) the **ONE** box which best describes this establishment during the one-week period shown above.

- 1 In operation
2 Temporarily or seasonally inactive
3 Ceased operation — Give date →

| | | |
|-------|-----|------|
| Month | Day | Year |
| | | |

(Please correct any error in name, address, and ZIP Code)

Item C Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.)

- 1 Yes
2 No — Enter physical location below. ↵

Number and street

City, town, village, etc. State ZIP Code

NOTE — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.

If you entered a different address in item C — Please complete the form for shipments originating from the location listed in item C.

Item D Please enter the **total number** of outbound shipments (or deliveries), including customer pick-up, for the one-week reporting period shown above. If book figures are not available, please provide your best estimate.

This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. Please see Instruction Guide for a definition of "shipment."

**DO NOT PROCEED UNTIL YOU HAVE
COMPLETED ITEM D.**

YOUR RESPONSE IS REQUIRED BY LAW. Title 13, United States Code, requires businesses and other organizations that receive this questionnaire to answer the questions and return the report to the Census Bureau. By the same law, **YOUR CENSUS REPORT IS CONFIDENTIAL.** It may be seen only by Census Bureau employees and may be used only for statistical purposes. Further, copies retained in respondents' files are immune from legal process.

Item E SAMPLING INSTRUCTIONS

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

FINDING YOUR SELECTION RATE

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

In the table at right, identify the selection rate that corresponds to the number you entered in item D, and enter it in the box below.

Please enter your selection rate. →

| Number of shipments entered in item D | Selection rate |
|---------------------------------------|-------------------------------|
| 1— 40 | 1 |
| 41— 80 | 2 |
| 81— 100 | 3 |
| 101— 200 | 5 |
| 201— 400 | 10 |
| 401— 800 | 20 |
| 801— 1600 | 40 |
| 1601— 3200 | 80 |
| 3201— 6400 | 160 |
| 6401—12800 | 320 |
| More than 12800 | Call Census at 1-800-772-7851 |

CONTINUE ON NEXT PAGE. →

Item F SHIPMENT CHARACTERISTICS

| Line No. | Shipment ID Number | Shipment date (c) | | Shipment value (excluding shipping costs) in whole dollars (d) | Shipment weight in pounds (e) | Commodity code from SCTG Manual (f) | Commodity description (g) | If a hazardous material, enter the "UN" or "NA" number (h) |
|----------|--------------------|----------------------|-----|---|-------------------------------------|---|------------------------------|---|
| (a) | (b) | Month | Day | | | | | |
| 0 | 123-5 | 4 | 26 | 4,235 | 140 | 3 5 1 2 0 | Electrical transformers | 1 1 1 |
| 00 | 402H | 4 | 26 | 125,300 | 626,500 | 1 7 1 0 0 | Gasoline | 1 2 0 3 |
| 1 | | | | | | 1 1 1 1 | | 1 1 1 |
| 2 | | | | | | 1 1 1 1 | | 1 1 1 |
| 3 | | | | | | 1 1 1 1 | | 1 1 1 |
| 4 | | | | | | 1 1 1 1 | | 1 1 1 |
| 5 | | | | | | 1 1 1 1 | | 1 1 1 |
| 6 | | | | | | 1 1 1 1 | | 1 1 1 |
| 7 | | | | | | 1 1 1 1 | | 1 1 1 |
| 8 | | | | | | 1 1 1 1 | | 1 1 1 |
| 9 | | | | | | 1 1 1 1 | | 1 1 1 |

Mode of transport codes for columns (k) and (n)



1 — Parcel delivery, courier, or U.S. Postal Service

2 — Private truck
3 — For-hire truck


4 — Railroad
Continued →

SELECTING YOUR SAMPLE OF SHIPMENTS


1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
3. Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
4. Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment.

In the following examples, each rectangle represents one shipment.

If the selection rate is 5, select every fifth shipment.



If the selection rate is 2, select every other shipment.



Once you have selected your sample of shipments, please proceed to item F and enter the requested information for each selected shipment. Examples of completed lines for two shipments are provided on lines "0" and "00" below.

If you have difficulties constructing a file of shipments or have questions about how to select the sample of your shipments, please call our toll-free number for assistance: 1-800-772-7851.

| Containerized? (Y/N) | U.S. destination (Complete for all shipments.) | | | Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below. (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) | | Export mode (n) | Line No. (o) |
|----------------------|--|-------|---------------|---|----------------------|--|---------|--------------------|-----------------|
| | (i) City | State | ZIP Code | | | (m) City | Country | | |
| N | Los Angeles | C, A | 9, 0, 0, 4, 0 | 2, 4, 3 | N | | | | 0 |
| N | New York | N, Y | 1, 0, 4, 5, 4 | 5 | Y | London | England | 6 | 00 |
| | | | | | | | | | 1 |
| | | | | | | | | | 2 |
| | | | | | | | | | 3 |
| | | | | | | | | | 4 |
| | | | | | | | | | 5 |
| | | | | | | | | | 6 |
| | | | | | | | | | 7 |
| | | | | | | | | | 8 |
| | | | | | | | | | 9 |

5 — Shallow draft vessel
6 — Deep draft vessel

7 — Pipeline
8 — Air

9 — Other mode
0 — Unknown

Item F SHIPMENT CHARACTERISTICS — Continued

| Line No. (a) | Shipment ID Number (b) | Shipment date (c) | | Shipment value (excluding shipping costs) in whole dollars (d) | Shipment weight in pounds (e) | Commodity code from SCTG Manual (f) | Commodity description (g) | If a hazardous material, enter the "UN" or "NA" number (h) |
|-----------------|---------------------------|----------------------|------------|---|-------------------------------------|---|------------------------------|---|
| | | Month (b) | Day (c) | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |
| 30 | | | | | | | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |

Mode of transport codes
for columns (k) and (n)



1 — Parcel delivery, courier, or U.S.
Postal Service

2 — Private truck
3 — For-hire truck

4 — Railroad
Continued

| Containerized? (Y/N) (i) | U.S. destination (Complete for all shipments.) (j) | | | Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below. (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) Note: In column (j) enter the U.S. port, airport, or border crossing of exit. (m) | | Export mode (n) | Line No. (o) |
|--------------------------------|---|-------|----------|---|----------------------|--|---------|--------------------|-----------------|
| | City | State | ZIP Code | | | City | Country | | |
| | | | | | | | | | 10 |
| | | | | | | | | | 11 |
| | | | | | | | | | 12 |
| | | | | | | | | | 13 |
| | | | | | | | | | 14 |
| | | | | | | | | | 15 |
| | | | | | | | | | 16 |
| | | | | | | | | | 17 |
| | | | | | | | | | 18 |
| | | | | | | | | | 19 |
| | | | | | | | | | 20 |
| | | | | | | | | | 21 |
| | | | | | | | | | 22 |
| | | | | | | | | | 23 |
| | | | | | | | | | 24 |
| | | | | | | | | | 25 |
| | | | | | | | | | 26 |
| | | | | | | | | | 27 |
| | | | | | | | | | 28 |
| | | | | | | | | | 29 |
| | | | | | | | | | 30 |
| | | | | | | | | | 31 |
| | | | | | | | | | 32 |
| | | | | | | | | | 33 |
| | | | | | | | | | 34 |

5 — Shallow draft vessel
6 — Deep draft vessel

7 — Pipeline
8 — Air

9 — Other mode
0 — Unknown

Item F SHIPMENT CHARACTERISTICS — Continued

| Line No. | Shipment ID Number | Shipment date | | Shipment value (excluding shipping costs) in whole dollars | Shipment weight in pounds | Commodity code from SCTG Manual | Commodity description | If a hazardous material, enter the "UN" or "NA" number |
|----------|--------------------|---------------|-----|--|------------------------------|------------------------------------|-----------------------|--|
| | | Month | Day | | | | | |
| (a) | (b) | (c) | (d) | (e) | (f) | (g) | (h) | |
| 35 | | | | | | 1 1 1 1 | | 1 1 1 |
| 36 | | | | | | 1 1 1 1 | | 1 1 1 |
| 37 | | | | | | 1 1 1 1 | | 1 1 1 |
| 38 | | | | | | 1 1 1 1 | | 1 1 1 |
| 39 | | | | | | 1 1 1 1 | | 1 1 1 |
| 40 | | | | | | 1 1 1 1 | | 1 1 1 |

Mode of transport codes
for columns (k) and (n)



1 — Parcel delivery, courier, or U.S.
Postal Service

2 — Private truck
3 — For-hire truck

4 — Railroad
Continued →

Item G 1. Do this establishment's outbound shipments leave more than one site within this physical location?

- Yes
 No

2. Are the records for outbound shipments from this location maintained in a number of separate files (e.g., separate files for each commodity, or for each shipping site) at this location?

- Yes
 No

If yes to item G1 or item G2:

3. Would it be easier to receive a separate questionnaire for each file or each shipment site?

- Yes
 No

Item H Enter the total value of shipments for the one-week reporting period. This figure should represent all products leaving this establishment for the one-week period. An estimate is acceptable.

Total value in whole dollars

Item I In the last three months did this location have any individual shipments with a value over \$2,000,000?

- Yes
 No

Item J CERTIFICATION

Name of person to contact regarding this report — *Please print*

Telephone number — *Include area code*

Date

Signature

Title

| Containerized? (Y/N) | U.S. destination (Complete for all shipments.) | | | Mode(s) of transport to U.S. destination <i>Enter all that apply in order used. Use codes below.</i> (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) | | Export mode (n) (o) | Line No. |
|---|--|-------|-------------------------|---|----------------------|--|--|---------------------------|----------|
| | (j) | | | | | (m) | | | |
| (i) | City | State | ZIP Code | City | Country | | | | |
| | | | | | | | | | 35 |
| | | | | | | | | | 36 |
| | | | | | | | | | 37 |
| | | | | | | | | | 38 |
| | | | | | | | | | 39 |
| | | | | | | | | | 40 |
| 5 — Shallow draft vessel 6 — Deep draft vessel | | | 7 — Pipeline 8 — Air | | | 9 — Other mode 0 — Unknown | | | |
| Remarks | | | | | | | | | |

THANK YOU FOR COMPLETING YOUR REPORT

1997 COMMODITY FLOW SURVEY
CENSUS OF TRANSPORTATION**Reporting period:****Please return by:****RETURN TO**

BUREAU OF THE CENSUS
1201 East 10th Street
Jeffersonville IN 47132-0001

BEFORE COMPLETING YOUR REPORT, please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1-800-772-7851.

Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.

Item A Is the establishment name shown in the mailing address correct?

- 1 Yes
2 No — Enter correct name. ↗

Item B Mark (X) the **ONE** box which best describes this establishment during the one-week period shown above.

- 1 In operation
2 Temporarily or seasonally inactive
3 Ceased operation — Give date →

| Month | Day | Year |
|-------|-----|------|
| | | |

(Please correct any error in name, address, and ZIP Code)

Item C Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.)

- 1 Yes
2 No — Enter physical location below. ↗

Number and street

City, town, village, etc. State ZIP Code

NOTE — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.

If you entered a different address in item C — Please complete the form for shipments originating from the location listed in item C.

Item D Please enter the **total number** of outbound shipments (or deliveries), including customer pick-up, for the one-week reporting period shown above. If book figures are not available, please provide your best estimate.

This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. Please see Instruction Guide for a definition of "shipment."

**DO NOT PROCEED UNTIL YOU HAVE
COMPLETED ITEM D.**

YOUR RESPONSE IS REQUIRED BY LAW. Title 13, United States Code, requires businesses and other organizations that receive this questionnaire to answer the questions and return the report to the Census Bureau. By the same law, **YOUR CENSUS REPORT IS CONFIDENTIAL.** It may be seen only by Census Bureau employees and may be used only for statistical purposes. Further, copies retained in respondents' files are immune from legal process.

Item E SAMPLING INSTRUCTIONS

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

FINDING YOUR SELECTION RATE

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

In the table at right, identify the selection rate that corresponds to the number you entered in item D, and enter it in the box below.

Please enter your selection rate. →

| Number of shipments entered in item D | Selection rate |
|---------------------------------------|-------------------------------|
| 1— 40 | 1 |
| 41— 80 | 2 |
| 81— 100 | 3 |
| 101— 200 | 5 |
| 201— 400 | 10 |
| 401— 800 | 20 |
| 801— 1600 | 40 |
| 1601— 3200 | 80 |
| 3201— 6400 | 160 |
| 6401—12800 | 320 |
| More than 12800 | Call Census at 1-800-772-7851 |

CONTINUE ON NEXT PAGE. →

Item F SHIPMENT CHARACTERISTICS

| Line No. | Shipment ID Number | Shipment date | | Shipment value (excluding shipping costs) in whole dollars | Shipment weight in pounds | Commodity code from SCTG Manual | Commodity description | If a hazardous material, enter the "UN" or "NA" number |
|----------|--------------------|---------------|-----|--|---------------------------|---------------------------------|-------------------------|--|
| | | Month | Day | | | | | |
| 0 | 123-5 | 4 | 26 | 4,235 | 140 | 3 5 1 2 0 | Electrical transformers | 1 1 1 |
| 00 | 402H | 4 | 26 | 125,300 | 626,500 | 1 7 1 0 0 | Gasoline | 1 2 0 3 |
| 1 | | | | | | | | 1 1 1 |
| 2 | | | | | | | | 1 1 1 |
| 3 | | | | | | | | 1 1 1 |
| 4 | | | | | | | | 1 1 1 |
| 5 | | | | | | | | 1 1 1 |
| 6 | | | | | | | | 1 1 1 |
| 7 | | | | | | | | 1 1 1 |
| 8 | | | | | | | | 1 1 1 |
| 9 | | | | | | | | 1 1 1 |

Mode of transport codes for columns (k) and (n)



1 — Parcel delivery, courier, or U.S. Postal Service

2 — Private truck
3 — For-hire truck


4 — Railroad
Continued →

SELECTING YOUR SAMPLE OF SHIPMENTS


1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
3. Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
4. Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment.

In the following examples, each rectangle represents one shipment.

If the selection rate is 5, select every fifth shipment.



If the selection rate is 2, select every other shipment.



Once you have selected your sample of shipments, please proceed to item F and enter the requested information for each selected shipment. Examples of completed lines for two shipments are provided on lines "0" and "00" below.

If you have difficulties constructing a file of shipments or have questions about how to select the sample of your shipments, please call our toll-free number for assistance: 1-800-772-7851.

| Containerized? (Y/N) | U.S. destination (Complete for all shipments.) | | | Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below. (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) | | Export mode (n) | Line No. (o) |
|----------------------|--|-----------|------------|---|----------------------|--|---------|--------------------|-----------------|
| | (i) City | (j) State | (ZIP Code) | | | (m) City | Country | | |
| N | Los Angeles | C A | 9 0 0 4 0 | 2, 4, 3 | N | | | | 0 |
| N | New York | N Y | 1 0 4 5 4 | 5 | Y | London | England | 6 | 00 |
| | | | | | | | | | 1 |
| | | | | | | | | | 2 |
| | | | | | | | | | 3 |
| | | | | | | | | | 4 |
| | | | | | | | | | 5 |
| | | | | | | | | | 6 |
| | | | | | | | | | 7 |
| | | | | | | | | | 8 |
| | | | | | | | | | 9 |

5 — Shallow draft vessel
6 — Deep draft vessel

7 — Pipeline
8 — Air

9 — Other mode
0 — Unknown

Item F SHIPMENT CHARACTERISTICS — Continued

| Line No. (a) | Shipment ID Number (b) | Shipment date (c) | | Shipment value (excluding shipping costs) in whole dollars (d) | Shipment weight in pounds (e) | Commodity code from SCTG Manual (f) | Commodity description (g) | If a hazardous material, enter the "UN" or "NA" number (h) |
|-----------------|---------------------------------|-------------------------|-----|---|-------------------------------------|--|------------------------------|---|
| | | Month | Day | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |
| 14 | | | | | | | | |
| 15 | | | | | | | | |
| 16 | | | | | | | | |
| 17 | | | | | | | | |
| 18 | | | | | | | | |
| 19 | | | | | | | | |
| 20 | | | | | | | | |
| 21 | | | | | | | | |
| 22 | | | | | | | | |
| 23 | | | | | | | | |
| 24 | | | | | | | | |
| 25 | | | | | | | | |
| 26 | | | | | | | | |
| 27 | | | | | | | | |
| 28 | | | | | | | | |
| 29 | | | | | | | | |
| 30 | | | | | | | | |
| 31 | | | | | | | | |
| 32 | | | | | | | | |
| 33 | | | | | | | | |
| 34 | | | | | | | | |

Mode of transport codes
for columns (k) and (n)



1 — Parcel delivery, courier, or U.S.
Postal Service

2 — Private truck
3 — For-hire truck

4 — Railroad
Continued

| Containerized? (Y/N) | U.S. destination (Complete for all shipments.) | | | Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below. (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) | | Export mode (n) | Line No. (o) |
|-------------------------|--|-------|----------|---|----------------------|--|---------|--------------------|-----------------|
| | (j) City | State | ZIP Code | | | (m) City | Country | | |
| | | | | | | | | | 10 |
| | | | | | | | | | 11 |
| | | | | | | | | | 12 |
| | | | | | | | | | 13 |
| | | | | | | | | | 14 |
| | | | | | | | | | 15 |
| | | | | | | | | | 16 |
| | | | | | | | | | 17 |
| | | | | | | | | | 18 |
| | | | | | | | | | 19 |
| | | | | | | | | | 20 |
| | | | | | | | | | 21 |
| | | | | | | | | | 22 |
| | | | | | | | | | 23 |
| | | | | | | | | | 24 |
| | | | | | | | | | 25 |
| | | | | | | | | | 26 |
| | | | | | | | | | 27 |
| | | | | | | | | | 28 |
| | | | | | | | | | 29 |
| | | | | | | | | | 30 |
| | | | | | | | | | 31 |
| | | | | | | | | | 32 |
| | | | | | | | | | 33 |
| | | | | | | | | | 34 |

5 — Shallow draft vessel
6 — Deep draft vessel

7 — Pipeline
8 — Air

9 — Other mode
0 — Unknown

Item F SHIPMENT CHARACTERISTICS — Continued

| Line No. | Shipment ID Number | Shipment date | | Shipment value (excluding shipping costs) in whole dollars | Shipment weight in pounds | Commodity code from SCTG Manual | Commodity description | If a hazardous material, enter the "UN" or "NA" number |
|----------|--------------------|---------------|-----|--|---------------------------|---------------------------------|-----------------------|--|
| | | Month | Day | | | | | |
| (a) | (b) | | | (d) | (e) | (f) | (g) | (h) |
| 35 | | | | | | | | |
| 36 | | | | | | | | |
| 37 | | | | | | | | |
| 38 | | | | | | | | |
| 39 | | | | | | | | |
| 40 | | | | | | | | |

Mode of transport codes
for columns (k) and (n)



1 — Parcel delivery, courier, or U.S.
Postal Service

2 — Private truck
3 — For-hire truck

4 — Railroad
Continued →

Item G Enter the total dollar value of **all** shipments for the one-week reporting period. This figure should represent all products leaving this establishment for the one-week period. An estimate is acceptable.

Total value in whole dollars

Item H In the last three months did this location have any individual shipments with a value over \$2,000,000?

Yes

No

Item I AVAILABILITY AND USE OF ON-SITE SHIPPING FACILITIES

In column (b), check "Yes" or "No" for each type of shipping facility to indicate whether or not this type of facility existed **on-site** during 1997. For each "Yes" in column (b), check "Yes" or "No" in column (c) to indicate whether or not you used the facility on your premises for **outbound shipments** during 1997.

| Type of shipping facility (a) | Was a shipping facility of this type on your premises during 1997? (b) | Did you use this facility on your premises for outbound shipments during 1997? (c) |
|--|--|---|
| 1. Rail siding | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |
| 2. Dock on the Great Lakes | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |
| 3. Dock on inland water | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |
| 4. Dock on deep sea water | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |
| 5. Airport/landing strip capable of handling your shipments | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |
| 6. Pipeline terminal | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No |

| Containerized? (Y/N) | U.S. destination (Complete for all shipments.) | | | Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below. (k) | Export? (Y/N) (l) | Foreign destination (for export shipments only) | | Export mode (n) | Line No. (o) |
|-------------------------|--|-------|----------|---|----------------------|--|---------|--------------------|-----------------|
| | | | | | | (m) | | | |
| (i) | City | State | ZIP Code | | | City | Country | | |
| | | | | | | | | | 35 |
| | | | | | | | | | 36 |
| | | | | | | | | | 37 |
| | | | | | | | | | 38 |
| | | | | | | | | | 39 |
| | | | | | | | | | 40 |

5 — Shallow draft vessel
6 — Deep draft vessel

7 — Pipeline
8 — Air

9 — Other mode
0 — Unknown

Item J USE OF OFF-SITE SHIPPING FACILITIES

In column (b), check "Yes" or "No" for each type of shipping facility to indicate whether or not you used an **off-site** facility of that type for **outbound shipments** during 1997. For each "Yes", enter the miles to that off-site facility in column (c), and the mode of transport used to reach that facility in column (d). The modes are listed below.

| Type of shipping facility (a) | Did you use this type of off-site facility for outbound shipments during 1997? (b) | Distance to the off-site facility of this type that you used most in 1997 (Report in miles – estimates are acceptable) (c) | Mode of transport used to reach that facility (Enter a code from the list below) (d) |
|---|---|--|--|
| 1. Rail siding | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |
| 2. Dock on the Great Lakes | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |
| 3. Dock on inland water | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |
| 4. Dock on deep sea water | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |
| 5. Airport/landing strip capable of handling your shipments | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |
| 6. Pipeline terminal | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | | |

1 — Trailer on Flat Car (TOFC)
2 — Private Truck

3 — For-Hire Truck
4 — Rail

5 — Water
6 — Pipeline

7 — Air
8 — Other

PLEASE CONTINUE ON PAGE 8.

Item K USE AND AVAILABILITY OF TRANSPORTATION EQUIPMENT

During 1997, did this location use any of the following types of equipment for outbound shipments? Please check "Yes" or "No." For rail cars reported in number 1 below, enter the approximate percentage of your total outbound rail shipments that used that type of rail car. These percentages should add to 100%. If you had no rail shipments, leave the percentages blank.

| Equipment (a) | Was this type of equipment used for outbound shipments during 1993? (b) | Percentage of total rail shipments (c) |
|--|--|--|
| 1. Rail cars that: | | |
| a. Your company owned/leased | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | |
| b. A common carrier owned/leased | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | |
| c. Another party owned/leased (e.g. receiver) | 1 <input type="checkbox"/> Yes → 2 <input type="checkbox"/> No | |
| 2. Trucks with 6 or more tires or truck-tractors that: | | |
| a. Your company owned | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | Diagonal lines |
| b. Your company leased, with driver | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |
| c. Your company leased, without driver | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |
| 3. Truck trailers that your company owned or leased | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | Diagonal lines |
| 4. Aircraft that your company owned or leased | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |
| 5. Barges that your company owned or leased | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |
| 6. Other equipment that your company owned or leased – <i>Specify ↗</i> | 1 <input type="checkbox"/> Yes 2 <input type="checkbox"/> No | |

Item L TRANSPORTATION DECISIONS

During 1997, who generally decided on the mode of transportation for your outbound shipments? *Check the appropriate box.*

1 Your company 2 Receiver of shipment 3 Other

Remarks

Item M CERTIFICATION

| | | |
|---|---|------|
| Name of person to contact regarding this report – <i>Please print</i> | Telephone number – <i>Include area code</i> | Date |
| Signature | Title | |

Instructions for Completing the Commodity Flow Survey

TIPS FOR COMPLETING THE CFS QUESTIONNAIRE

Please read all instructions.

You may use estimates if book figures are not readily available.

If you have questions about completing the survey, a Census Bureau representative will be glad to assist you. You can call us at 1-800-772-7851.

Some instructions are included on the questionnaire itself. However, due to space limitations, most of the instructions and definitions are included in separate reference materials. These include this instruction guide, and a listing of commodity codes to be used for classifying individual shipments in this survey.

PART I – GENERAL INFORMATION

Frequently Asked Questions About the Commodity Flow Survey (CFS)

Why are you conducting the CFS?

The CFS produces valuable measures of the demands on the nation's transportation system.

The results of the CFS are used by transportation policy makers to analyze future transportation needs.

Who reports in the CFS?

The CFS covers a sample of establishments in the mining, manufacturing, wholesale, and selected retail industries.

Why is my participation important?

Your establishment was selected as part of a sample designed to represent a wide range of industries and geographic regions.

Your report helps ensure quality results.

Is this survey mandatory?

Yes. The CFS is mandatory under the authority of Title 13, United States Code (USC).

Will my data be kept confidential?

Yes. The same law that requires your participation, Title 13, USC, also guarantees your data will be kept strictly confidential.

The reports you provide the Census Bureau cannot be used for purposes of taxation, regulation, or investigation.

Your report is used only to develop summary data that do not reveal the activities of individual firms or establishments.

How often must I report?

You will be sent four questionnaires in all: one during each quarter of 1997.

The CFS will not be conducted again until 2002.

PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE

Items A – C

Please enter the information requested on your establishment's name, operational status, and physical location.

Item D

Enter in the space provided your total number of outbound shipments **for the one week reporting period** on the front of the questionnaire.

Please include in this count any materials picked up by the customer ("customer pick-up").

What we mean by a "shipment":

For the purposes of this survey, a shipment is a single movement of goods, commodities, products, etc. from your location to a customer or to another location of your company.

"Commodities" refer to items that your location produces, sells, or distributes, *not* to items that are considered by-products of your location's operation.

What we don't mean by a "shipment":

Do *not* include as shipments items such as inter-office memos, payroll checks, business correspondence, etc.

Do *not* include as shipments items such as refuse, scrap paper, waste, and recyclable materials **unless** your location is in the business of selling or providing these materials to others.

A special note about "shipments":

A full, or partial, truckload should be counted as a single shipment only if all the commodities on the truck are destined for one location.

If a truck makes multiple deliveries on a route, **please count each stop as one shipment.**

Item E: Sampling Instructions

If you reported 40 or fewer shipments in Item D, complete Item F (Shipment Characteristics) for all of your shipments covered by the one-week reporting period.

If you reported more than 40 shipments in Item D, follow the instructions in Item E in order to select a sample of shipments on which to report in Item F.

By asking you to select a sample of your shipments for the one-week reporting period, we avoid asking you for information on all your shipments, while still obtaining statistically accurate information.

Reminder: The files you are sampling from should reflect the full range of your location's shipping activities in terms of modes of transportation used, commodities shipped, and destinations.

We're here to answer your questions! If you have questions about the sampling process (or any part of the questionnaire) please call us at 1-800-772-7851.

PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

Item F: Shipment Characteristics

- **Shipment ID Number (column b)** – Enter the invoice number, shipment number, or some other unique identification number that your establishment could use to find this particular shipping document if questions arise regarding your report.
- **Shipment Date (column c)** – Enter the month and day of the shipment. If shipment date is not available, use the invoice/shipping document date. Use numbers only.
- **Shipment Value (column d)** – Enter the dollar value, in whole dollars, of the entire shipment. The value should not include freight charges or excise taxes (i.e., report the net selling value, f.o.b. plant). If the value is not readily available from your records, please estimate.
- **Shipment Weight (column e)** – Enter the weight of the total shipment in whole pounds. If weight is not readily available from your records, please estimate.
- **Commodity Code (column f)** – Please use the list of Standard Classification of Transported Goods (SCTG) Codes in the enclosed SCTG Manual to select the proper code. For shipments with more than one commodity, enter only the code for the commodity with the greatest weight.
- **Commodity Description (column g)** – Enter a brief description of the commodity shipped. For shipments with more than one commodity, describe only the commodity with the greatest weight. Do not use trade names, catalog numbers, or other codes not familiar to persons outside your business.

| Item F SHIPMENT CHARACTERISTICS | | | | | | |
|---------------------------------|---------------------------|-------------------------------|---|-------------------------------------|---|------------------------------|
| Line No. (a) | Shipment ID Number (b) | Shipment date (c) Month | Shipment value (excluding shipping costs) in whole dollars (d) | Shipment weight in pounds (e) | Commodity code from SCTG Manual (f) | Commodity description (g) |
| | | | | | | |
| 0 | 123-5 | 4 26 | 4,235 | 140 | 3 6 1 2 0 | Electrical transformers |
| 00 | 123-6 | 4 26 | 125,300 | 626,500 | 1 7 1 0 0 | Gasoline |
| 1 | | | | | 1 1 1 1 | |
| 2 | | | | | 1 1 1 1 | |
| 3 | | | | | 1 1 1 1 | |
| 4 | | | | | 1 1 1 1 | |

Mode of transport codes for columns (k) and (n) ➤ 1 — Parcel delivery, courier, or U.S. Postal Service 2 — Private truck 3 — For-hire truck 4 — Railroad
Continued ➤

PART II - INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE - Continued

Item F: Shipment Characteristics – Continued

- **For Hazardous Materials (column h)** – If shipment is a hazardous material, enter the 4-digit United Nations or North American number.
- **Containerized (column i)** – Indicate whether or not the shipment was containerized by entering "Y" or "N" (yes or no). Containerized means that the shipment **left your establishment** in an intermodal container or stackable tank without permanently attached wheels. These containers typically vary from 20 to 53 feet in length, and are carried on truck chassis, trains, and ships.
- **U.S. Destination: City, State, and ZIP Code (column j)** – For domestic shipments, enter the city, state, and 5-digit ZIP Code of the buyer/receiver as it appears on the shipping document. Use the "**ship to**" address. Use the two letter state abbreviation shown in Part IV.

For **export shipments**, report the U.S. **port of exit** as the destination city. The port of exit is the port or airport from which the shipment left the country. In case of land shipments into Mexico or Canada, it is the border crossing.
- **Mode(s) of Transport (column k)** – Enter the code(s) for **all** modes of transport used for the shipment to its U.S. destination (i.e., the destination reported in column j). Codes are located on the bottom of pages 2, 3, 4, and 5 of the questionnaire. Enter in the sequence used, all that apply. See Part III for definitions of each mode.

For Customer Pick-up: Report the mode(s) of transportation used, if known. Otherwise, report mode as "0" (unknown).

For Export Shipments: List only the mode(s) of transport used to reach the port, airport, or border crossing of exit.

| If a hazardous material, enter the "UN" or "NA" number (h) | Containerized? (Y/N) (i) | U.S. destination (j) | | | Mode(s) of transport to U.S. destination Enter all that apply using codes shown below. (k) |
|---|--------------------------------|-------------------------|-------|-----------|--|
| | | City | State | ZIP Code | |
| | N | Los Angeles | C A | 9 0 0 4 0 | 2, 4, 3 |
| | N | New York | N Y | 1 0 4 5 4 | 5 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

Item F: Shipment Characteristics – Continued

- **Export Shipment (column I)** – Indicate whether or not the shipment is intended for export outside of the United States, by entering a "Y" or "N" (yes or no). For purposes of this survey, shipments to Puerto Rico and U.S. territories and possessions are considered exports.
- **Foreign Destination: City and Country (column m)** — If the shipment is an export, enter the foreign city and country of destination. **For U.S. Destination (column j)**, enter the U.S. port, airport, or border crossing of exit. **In column (k)**, enter the mode of transport used to the U.S. destination.
- **Export Mode (column n)** – If the shipment is an export, enter the code for the mode of transport by which the shipment left the country. Codes are located at the bottom of pages 2, 3, 4, and 5 of the questionnaire.

| Export? (Y/N) (I) | Foreign destination (for export shipments only) | | Export mode (n) | Line No. (o) |
|----------------------|--|---------|--------------------|-----------------|
| | City | Country | | |
| N | | | | 0 |
| Y | London | England | 6 00 | 1 |
| | | | | 2 |
| | | | | 3 |
| | | | | 4 |
| | | | | 5 |

Items G – I

Please enter the information requested.

Item J: Certification

Please enter the name and telephone number of the person to contact in the event that we have a question about your report.

PART III – MODE DEFINITIONS

Parcel delivery/Courier/U.S. Postal Service – Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.

Private truck – Trucks operated by a temporary or permanent employee of this establishment or the buyer/receiver of the shipment.

For-hire truck – Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.

Railroad– Any common carrier or private railroad.

Shallow draft vessel – Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.

Deep draft vessel – Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.

Pipeline – Movements of oil, petroleum, gas, slurry, etc. through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.

Air – Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.

Other mode – Any mode not listed above.

Unknown – The shipment was not carried by a parcel delivery/courier/U.S. Postal service, and you cannot determine what mode of transportation is used.

Note: Commodities that are "shipped" under their own power, such as boats, barges, ferries, ships, aircraft, trucks, and trains **should be classified with the appropriate mode above**. Commodities shipped under their own power for which an appropriate mode is not listed (e.g., buses, recreational vehicles) should be listed as "**other**" mode.

PART IV -- STATE ABBREVIATION LIST

| State | Abbrev. | State | Abbrev. |
|---------------|----------------|----------------|----------------|
| Alabama | AL | Montana | MT |
| Alaska | AK | Nebraska | NE |
| Arizona | AZ | Nevada | NV |
| Arkansas | AR | New Hampshire | NH |
| California | CA | New Jersey | NJ |
| Colorado | CO | New Mexico | NM |
| Connecticut | CT | New York | NY |
| Delaware | DE | North Carolina | NC |
| Dist. of Col. | DC | North Dakota | ND |
| Florida | FL | Ohio | OH |
| Georgia | GA | Oklahoma | OK |
| Hawaii | HI | Oregon | OR |
| Idaho | ID | Pennsylvania | PA |
| Illinois | IL | Rhode Island | RI |
| Indiana | IN | South Carolina | SC |
| Iowa | IA | South Dakota | SD |
| Kansas | KS | Tennessee | TN |
| Kentucky | KY | Texas | TX |
| Louisiana | LA | Utah | UT |
| Maine | ME | Vermont | VT |
| Maryland | MD | Virginia | VA |
| Massachusetts | MA | Washington | WA |
| Michigan | MI | West Virginia | WV |
| Minnesota | MN | Wisconsin | WI |
| Mississippi | MS | Wyoming | WY |
| Missouri | MO | | |

NOTICE - We estimate that it will take an average of 2 hours to complete this form. This includes time to read instructions, assemble and review information, and record answers on the form. If you have any comments regarding this estimate or any other aspect of this survey, send them to the Associate Director for Administration, Attn: Paperwork Reduction Project 0607-0189, Room 3104, Federal Building 3, Bureau of the Census, Washington, DC 20233-0001. Respondents are not required to respond to any information collection unless it displays a valid approval number in the top right corner on the front of the questionnaire.

